



GOVERNMENT OF ANDHRA PRADESH

Web site: <https://tender.apeprocurement.gov.in>

TENDER (e – Procurement platform)

For

BID FOR THE EMPANELMENT OF ANALYTICAL TESTING
LABORATORIES FOR THE TEST AND ANALYSIS OF MEDICINES,
SURGICAL & CONSUMABLES

(Finalization of Rate Contract for Two years
from the date of Price bid approval)

FOR THE FINALIZATION OF RATE CONTRACT

**Andhra Pradesh Medical Services and Infrastructure Development Corporation,
Mangalagiri.**

Tender Notice No : 126/APMSIDC/Medicine wing/2021-22

Implementing Agency:

ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)
(Formerly APHMIDC)
(AN ENTERPRISE OF GOVT. OF A.P.)

II Floor, Plot No.9 Survey No.39, IT Park, Mangalagiri, Guntur District, A.P.

| S. No | Information | Details |
|-----------|---|---|
| 1 | Bid Reference | 126/APMSIDC/Medicine Wing/2021-22 |
| 2 | Date and time for downloading bid document | From 12-JAN-2022, 05:30PM |
| 3 | Pre-bid Meeting | Submit your Query through email till 19-JAN-2022 05:00 PM to email tenders.apmsidc@gmail.com with subject : Prebid Queries for T NO 126 (LAB) Prebid Meeting proposed on 19-JAN-2022 at 11:00 AM, Venue: Conference Hall, APMSIDC - Head Office Mangalagiri, Guntur (Dist). |
| 4 | Last date and time for uploading Documents | 02-FEB-2022 at 5.00 pm |
| 5 | Date and time of opening of Online technical bids | 02-FEB-2022 at 5.01 pm |
| 6 | Last date and time of submission of offline documents | 02-FEB-2022 at 5.00 pm |
| 7 | Tender Processing Fee | The bidder shall remit processing fee(Non Refundable Rs. 11,800/- (Rs.10,000+ 18%GST)) in the form of Demand Draft in the name of The Managing Director, APMSIDC, Mangalagiri |
| 8 | Earnest Money Deposit (EMD) | The Earnest Money Deposit (EMD) in the form of Demand Draft for Rs.3,00,000/- in favour of Managing Director, APMSIDC, Mangalagiri, Guntur district |
| 9 | E-mail | tenders.apmsidc@gmail.com , apmsidc.gm@gmail.com |
| 10 | Contact number | General Manager- Drugs: 8978680705 Pharmacist : 9491317510 |
| 11 | APMSIDC Bank Details | Account Holder Name: The Managing Director, APMSIDC, Account No : 142410011000314, IFSC Code : UBIN0803669, Bank Name : Union Bank (Formerly Andhra Bank), Branch Name : Mangalagiri, Guntur District, Andhra Pradesh. |

1. RECEIPT OF BIDS, BID FEES, EMD, PROCESSING FEES AND EMPANELMENT FEES.

- a) Bids are invited on the e-procurement platform from the DCA approved and NABL accredited testing laboratories situated in India for the empanelment of analytical testing laboratories for analysis of Medicines, Surgical and consumables to enter into the rate contract for 2 years.
 - b) The bids shall be valid for a Period of 120 days from the date of opening of Technical Bid and prior to the expiration of the bid validity the Bid Inviting Authority may request the Bidders to extend the bid validity for another period of 30 days. The Bidder may refuse extension of bid validity without forfeiting the Earnest Money deposit.
 - c)
 - i) The Bids will be received on web-portal of e-procurement of **<https://tender.apeprocurement.gov.in>**
 - ii) The Bid form can be downloaded from the website (free of cost).
 - iii) Tender processing fee of Rs.11,800/- should be paid in the form of DD in favour of MD, APMSIDC, Mangalagiri taken on any scheduled bank.
 - iv) EMD of Rs.3,00,000/- should be paid in the form of DD in favour of MD, APMSIDC, Mangalagiri taken on any scheduled bank.
- Tenders shall be received on electronic platform not later than the date and time specified in the invitation for tenders.

The purchaser may at its discretion extend this deadline for submission of tenders by amending the tender document in which case all rights and obligations of the purchaser and tenderers previously subject to original deadline will then the subject to be the new dead line.

Bidders are advised to check the website of APMSIDC: *msidc.ap.nic.in* and Procurement portal website *https://apeprocurement.gov.in* prior to closing date of submission of tender for any corrigendum, addendum, or amendment to the tender document.

2 Eligibility Criteria for Empanelment:-

- a)** Medicine Testing Laboratories should have valid Approval for carrying out test on drugs under the Drugs and Cosmetics Act, 1940 and Rules there under, with three years standing in the test & analysis and the lab shall be entitled for empanelment for the categories of items for which lab is having approval. Bid is invited from approved Drugs Testing Laboratories situated in India.
- b)** The laboratory should possess valid GLP certificate under the provisions of Drugs and Cosmetics Act, 1940 and Rules there under and should hold GLP certificate as per schedule L1 or should have NABL accreditation with proper scope of accreditation to undertake testing of drugs, surgical and consumables.
- c)** The laboratory should have an average annual turnover of not less than Rs. 50 lakhs towards Drugs, Surgical, Consumables, Larvicides and Insecticides testing services for past preceding three years (2018-19, 2019-20, 2020-21) or (2019-20, 2020-21, 2021-22)(Annexure-I). CA certificate to be submitted confirming turnover for testing facilities i.e. purchase of reference standards, testing reagents and testing invoices.
- d)** The laboratory should have undertaken test and analysis of drugs and surgical consumables of similar nature of at least three government institution/corporation/reputed manufacturers of drug formulations, surgical and surgical consumables.
- e)** The lab should not stand banned / debarred or blacklisted by any State **or** Central Government Organizations or its central procurement agencies on the due date of bid submission.

- f)** The laboratory and responsible persons should not have been convicted under the provisions of applicable laws with regard to the activities and conduct of the laboratory. Latest Non- Conviction Certificate issued by the State Licensing Authority/ competent authority in the last six months to the tendering date is to be submitted.
- g)** The laboratory should have all necessary instruments/equipments/ machines for testing of Medicines and Surgical Consumables with minimum 3 functional HPLCs.

3. GENERAL CONDITIONS

- a)** The details of the Medicines, Surgical & Consumables, to be analyzed shall be given in Annexure VII.
- b)** The Bidders are allowed the option to quote for any one item or more items as mentioned in bid (list of Medicines, Surgical and consumables proposed to be testing at Annexure- VII). The bidder has to mention the type of test for each item to be carried out by him. The filled up annexure VII to be submitted with Technical bid.
- c)** The Bidder should quote the rates for complete analysis of each product and name of test to be performed, methodology to be used for each test should be mentioned in Annexure-VII. However, wherever rates for individual test are demanded, they should be furnished accordingly. Wherever test is prescribed and their name and methodology for testing are not stated, such laboratory bid will not be considered responsive testing for such item.
- d)** The rates quoted should be **inclusive** of all taxes.
- e)** The rates quoted and accepted will be binding on the Bidder for the stipulated period and on no account any revision will be entertained till the completion of the BID period.

- f)** Analytical Laboratory, which also has its manufacturing activity, if empanelled by APMSIDC, then Samples of its own manufacturing unit shall not be sent to its empanelled laboratory for testing.
 - g)** The laboratory will not be permitted to outsource any test from other laboratory. If any laboratory is found violating this condition, then that laboratory will be blacklisted for a period of 3 years along with forfeiture of Performance security deposit (PSD).
- h)** APMSIDC shall have the right to cause the laboratory to be inspected by the members of its technical committee before opening of price bid and subsequently as and when considered appropriate. Based on the findings, the Bidder may be disqualified or de-empanelled, as the case may be.
- i)** The Bid evaluation committee formed by Managing Director, APMSIDC will evaluate the Bid with reference to various criteria.
- j)** The Managing Director, APMSIDC reserves the right to accept or reject any BID for any one or more of the items Bided for, without assigning any reason.
- k)** If any Laboratory is disqualified/debarred/blacklisted by any State or Central Government Organizations or its central procurement agencies during the contract period then the laboratory will be de empanelled by the APMSIDC.
- l)** The tenderer shall complete price schedule on e-procurement platform and should submit online only.

4.EARNEST MONEY DEPOSIT

The Earnest Money Deposit shall be Rs. 3,00,000/- (Rupees Three Lakhs only).The Earnest Money Deposit shall be paid through D.D in favor of M.D. APMSIDC,Mangalagiri and submit physically in the office of APMSIDC /Online/NEFT/RTGS.

The Bids submitted without EMD will be summarily rejected. The EMD will be forfeited, if the Bidder withdraws its Bid after last date & time fixed for receiving bids or in case of a successful Bidder, if the Bidder fails to sign the contract agreement or fails to furnish the security deposit within specified time.

The EMD of unsuccessful bidders will be returned by APMSIDC after completion of tender process for Non Qualified firms and for qualified firms EMD will be returned after completion of agreement and receipt of PSD as per Agreement.

5. DOCUMENTS TO BE UPLOADED:

The Bidder shall upload the following documents online.

- a) The bidders shall submit/upload scanned copies of all the D.Ds towards processing fee and Earnest Money deposit. The required EMD and processing fee shall be in the form of D.D drawn separately in favor of M.D. APMSIDC/Online/NEFT/RTGS.
- b. Attested Photocopy of valid Analytical Testing License (approval) issued by the Licensing Authority.
- c. Compliance of Schedule L-1 of Drugs & Cosmetics Rules, 1945 (GLP certificate) & Copy of NABL accreditation with scope for testing of drug formulations.
- d. Documentary evidence of having analyzed Drugs for the last three years with a statement in the proforma as given in **Annexure II**.
- e. Latest Non- Conviction Certificate issued by the State Licensing Authority/ competent authority in the last six months to the tendering date.
- f. A Notarized affidavit on Rs. 100/- Non Judicial Stamp paper from

the firm's Proprietor / Managing Partner / Managing Director / Authorized Signatory of the firm as per Companies act declaring that the firm is not convicted during the period from 01.04.2021 to till the date of tender submission shall be submitted by the bidding firm. In the same affidavit the firm has to declare that their firm was not blacklisted by any of the procuring agencies. If the declaration is proved to be false the firm shall pay Rs.2,00,000/- (Rupees Two Lakh) as penalty to APMSIDC in addition to legal action for cheating / misleading the Corporation. If stood L1 and the firm is blacklisted by any of the other Procurement agencies during the period of Rate Contract, the same shall be intimated to APMSIDC immediately failing which the penal actions mentioned in this paragraph shall be binding. The Notarized affidavit shall be both uploaded on e- Procurement and hard copy submitted offline.

- g. Annual turnover statement for 3 years i.e. (2018-19, 2019-20, 2020-21) or (2019-20, 2020-21, 2021-22) pertaining to the purchase of reference standards, testing reagents and testing invoice duly certified by the Chartered Accountant.(Scanned copies to be submitted online and original CA certificate to be submitted along with offline documents).
- h. Copies of the Balance Sheet and Profit & Loss Account containing the details of purchase of reference standards, testing reagents and testing invoices for three (2018-19, 2019-20, 2020-21) or (2019-20, 2020-21, 2021-22) duly certified by the Chartered Accountant.
- i. The following information in the form given **in Annexure III (a) to III (d)**.
 - a) The list of qualified personnel employed in the laboratory with proof of their qualifications and relevant approvals.

- b) The list of sophisticated instruments available in the laboratory.
 - c) Micro Biological facilities available in the laboratory.
 - d) List of Reference Standards along with their date of procurement and quantities.
- j. A declaration in the proforma given in Annexure IV duly signed and notarized.
- k. Details of Laboratory in Annexure – V.
- l. A copy of PAN issued by Income Tax Department or GST Returns.
 - m. Documentary evidence for the constitution of the company/firm along with the details of the responsible persons.
- n. A copy of GST certification to be enclosed.
- o. Mandatory form

6. TECHNICAL AND FINANCIAL BID EVALUATION

Technical and financial bid evaluation including the inspection of laboratory will be conducted in phased manner.

Phase -1: Technical Evaluation will be based on information furnished in the technical bid document and supporting documents.

Phase -2: Inspection of laboratories will be based on the technical evaluation committee report, a team of officers will inspect technically qualified laboratories.

Phase -3: The price bid of the laboratories who have qualified in Phase 1 & 2 will only be opened.

7.AGREEMENT

- a. The acceptance of the tenders will be communicated to the lowest /matched bidders. Within 10 days of the receipt of the acceptance letter, the successful tenderer shall enter into an agreement on Rs 100/- (rupees one hundred only) worth of non judicial stamp paper. The specimen form of agreement will be supplied by APMSIDC. Failure of successful bidder enter into agreement shall constitute sufficient ground for the annulment of award, in which even the purchaser may make the award to the next lowest evaluated tenderer or call new tenders duly forfeiting the EMD.
- b. The agreement with empanelled laboratories will remain valid for Two years from the date of Price bid approval. This may be further extended for a further period with mutual consent.
- c. The Bidder shall not, at any time, assign, sub-let or make over the contract or the benefit therefore or any part thereof to any person or persons whatsoever.
- d. All notices or communication relating to or arising out of this agreement or any of the terms thereof shall be considered duly served on or given to the Bidder if delivered to laboratory or left at the premises, places of business or abode.

8.PERFORMANCE SECURITY

The successful Bidders shall be required to pay a security deposit of Rs.5,00,000/- *in the form of demand draft/BG* at the time of execution of the agreement as “Performance security”. Performance security will be refunded, three months after the expiry of Rate Contract subject to successful completion of services.

9. COMPLETE ANALYSIS & REPORTING CONDITIONS

- a)** On empanelment, the Analytical Laboratory shall furnish the test reports within:
- i) 15 days from the date of receipt of the sample in case of Tablets, Capsules, Pessaries, Ointments, Powder and Liquid Oral Preparations (non – sterile products).
 - ii) 28 days from date of the receipt of the sample in the case of I.V. Fluids, Injectables and other items requiring test for sterility.
 - iii) 28 days from the date of the receipt of the sample in case of sterile Surgical and Consumables and 15 days for non-sterile Surgical and Consumables.
- b)** All the tests mentioned in IP/BP/USP/Drugs & Cosmetics Act. etc., (as the case may be) should be carried out for each and every sample. The results obtained in the test should be mentioned in numerical value (wherever possible). However this condition will not apply when only specific testing is called for/desired on any particular sample.
- c)** “COMPLIES” or “PASSES” in the result column of the report is treated as incomplete report, if the result has some numerical value.
- d)** Every test report must have remarks either as **“Standard Quality” or “Not of Standard Quality”**. Any ambiguity/cutting in reports will not be accepted (clear mention of **“Standard Quality or Not of Standard Quality” should be stated in bold letters and crossing/cutting of one of these will not be accepted**).
- e)** Reports should be in A4 size (8.27" X 11.69") paper of good quality.

f) Report should be issued on form 39 and should have S. no. , name of drug sample, code no., batch no., mfg. date, exp. date, description of tests, protocol of test specified & applied, findings & results obtained and should be signed by person-in-charge of testing. In case of Not of Standard Quality Reports the final results and reason for failure should be highlighted by **pink / red highlighters**.

g) Reports should be attached along with Spectra / Chromatography data sheets, if applicable and it will be considered incomplete if spectra or chromatograms are not attached and a penalty of double the testing charges shall be levied and deducted from any amount payable to the laboratory.

h) In the case of Non- Pharmacopoeia Products the Method of Analysis Should be appended to the Report, especially if the sample is declared as “Not of standard quality”.(NSQ)

i) All test reports of each batch of sample should be submitted to the APMSIDC in triplicate. In case of failure of a sample, the result should be communicated immediately to the Managing Director through phone / E-mail and the report should be sent along with protocol.

j) If in any circumstances (like break down of instrument, non-availability of reference standard etc.) the Analytical Laboratory is unable to undertake analysis for a sample, the same should be reported within 24 hours of receipt of such a sample by phone or E-mail and the sample should be returned to the Managing Director, APMSIDC after taking necessary telephonic or mail consent.

In case of inability of laboratory to undertake the testing, a penalty of 25% of testing charges applicable for that product / products will be recovered.

k) If placebo or standard test procedure of any product is required the same should be demanded within 48 hours with return request. Period lapsed/taken in providing placebo or standard testing procedure will be condoned from prescribed time limit for that sample.

l) If any sample is received in a damaged condition by the laboratory, the sample should not be analyzed and the information should be sent immediately to the APMSIDC (Quality Control, Analysis Wing) by E-mail.

m) The Managing Director, or his authorized representative(s) has / have the right to inspect the laboratories of the Bidders who have submitted BIDs, before taking any decision regarding empanelment. Similarly, the Managing Director, APMSIDC or his authorized representatives may also inspect any empanelled laboratory, at any point of time during the continuance of the BID and terminate / cancel its empanelment or any orders issued to the laboratory, not to entrust any further testing job to the laboratory based on facts brought out during such inspections.

The tenderer, whose Laboratory is found to be not complying with GLP during inspection, will be levied with a fine of Rs.50,000/- or the expenditure incurred by the APMSIDC in conducting such inspection whichever is higher. This fine amount shall be deducted from the EMD deposited by the bidder or from any other amount payable to them in any nature. The amount shall be deducted without any notice.

In case of deficit, legal action will be taken against the bidder for recovery as per law.

n) It will be sole discretion of APMSIDC to allot the samples to any empanelled lab in case when there are more than one lab approved for

an item.

- o)** The APMSIDC may impose penalties for not meeting the time-lines above for the reporting the test results. 0.5% to a maximum of 10% of the amount payable for the test report would be deducted for each day of delay, from the payments due to the Laboratory. If the instances of test reports given beyond 10 days of delay are more than 5 times during the period of contract, the APMSIDC may terminate the contract with the laboratory and entrust the work to some other empanelled or eligible laboratory.

- p)** To assess the correctness of the test results being given by the Empanelled laboratories, at random, samples would also be sent simultaneously to the Government Laboratory for testing and if any variation is found with the Government Lab, the result would be informed to empanelled laboratories (either pass or fail). A penalty of Rs.50, 000/- shall be imposed in addition to stoppage of payment for the test report. Bidder shall also be liable to bear expenses incurred for retesting / random testing. If these variations are found 2 times in case of assay/ dissolution tests and 3 times for others during the contract period, after following the due process, the empanelment may be cancelled and administrative action like debarring/ Blacklisting may be initiated.

- q)** The tests data including calibration, validation and competence records must be made available to APMSIDC when requested with in a period not less than 3 years.

- r)** The laboratory shall retain the residual samples with proper Identification, documentation and storage for a period of six months, in case APMSIDC desires to repeat testing.

10. PAYMENT PROVISIONS

- a. No advance payment towards any analysis will be made to the empanelled Bidder.
- b. Payments towards the analysis of Drugs, Surgical Consumables, Larvicides and Pesticides will be made as per approved rate in the earliest possible period after receipt of the bills along with the hard copies of Analytical Reports.
- c. No payment will be made for the incomplete analysis or incomplete report. Deliberate omission of any critical test will be viewed seriously and shall invite action against the laboratory as deemed fit by APMSIDC.
- d. No claims shall be allowed against the APMSIDC in respect of interest on EMD or on Security depositor or late payments.

11.PENALTIES

- a. If the successful Bidder fails to execute the agreement and payment of security deposit within the time specified or withdraws the BID after intimation of the acceptance of the BID has been sent to or owing to any other reasons, he is unable to undertake the contract, the empanelment will be cancelled and the Earnest Money Deposit deposited by the Bidder shall stand forfeited in favor of the APMSIDC, such Bidder will also be liable for all damages sustained by the APMSIDC due to breach of BID conditions. Such damages shall be assessed by the Managing Director, APMSIDC whose decision shall be final.
- b. Non performance of any BID or empanelment conditions will disqualify a laboratory to participate in the BID for the period as decided by APMSIDC.

- c. If it is revealed that the analytical Laboratory is involved in any form of fraud and collusion with the suppliers of APMSIDC, the Analytical Laboratory will be blacklisted for a period considered suitable. The Bidders shall also be liable for action under criminal law and the matter will be notified to the concerned State licencing authority of Drugs Control administration for suitable action against them under Drugs & Cosmetics Act & Rules. The PSD will also be forfeited.
- d. The Managing Director, APMSIDC will be at liberty to terminate without assigning any reasons, the empanelment of any laboratory either wholly or in part at one month's notice. The Bidder will not be entitled for any compensation whatsoever in respect of such termination.
- e. In all matters pertaining to the BID, the decision of the Managing Director, APMSIDC shall be final and binding.
- f. (i) If the laboratory requires an extension in time for submission of test report on account of occurrence of any hindrance they shall apply in writing for extension on occurrence of hindrance but not after the stipulated date of ***furnishing the test report***.

(ii) The Managing Director may extend the testing period with or without liquidated damages. The extension shall be only based on discretion of the M.D., APMSIDC.

(iii) **Extension in testing period:-** In case of extension in the testing period with liquidated damages the recovery shall be made on the basis of following percentages of ***testing charges*** which the Bidder has failed to submit.

(iv) Penalty of 0.5% per day up to a maximum of 10% for more than the schedule period of test reports mentioned at clause no 9 of Reporting Conditions.

(v) If, at any time during the continuance of this Agreement, the **laboratory** has, in the opinion of the Purchaser, delayed in submitting any test report, by the reasons of any riots, mutinies, wars, fire, storm, earthquakes, tempest or other exceptional cause, on a specific request made by the laboratory, the time for submitting test report may be extended by the M.D.,**APMSIDC** purely at his discretion for such period as may be considered reasonable. No further representation from the **laboratory** will be entertained on this account.

12. GRIEVANCE REDRESSAL DURING EMPANELMENT PROCESS:

The Designation and address of the Appellate Authority is MD APMSIDC, Govt. of Andhra Pradesh.

i. Filling an appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the Procuring Entity is in contravention to the provisions of the Act or the Rules of the Guidelines issued there under, he may file an appeal to Appellate Authority, as specified in the Bidding Document within a period of ten days from the date of such decision or action, omission, as the case may be, clearly giving the specific ground or ground on which he feels aggrieved:

Provided that after the declaration of a Bidder as successful the appeal may be filed only by a Bidder who has participated in procurement proceedings:

Provided that in case a Procuring Entity evaluates the Technical Bids before the opening of the Financial Bids, an appeal related to the matter of Financial Bids may be filed only by a Bidder whose Technical Bid is found to be acceptable.

ii. The Officer to whom an appeal is filed under Para (1) shall deal

with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of the appeal.

iii. Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely:-

- a) Determination of need of empanelment;
- b) Provision limiting participation of Bidders in the Bid process;
- c) The decision of whether or not to enter into negotiations.
- d) Cancellation of a empanelment process;
- e) Applicability of the provisions of confidentiality.

iv. Form of Appeal

- a) An appeal under Para (i) above shall be in the annexed Form along with as many copies as there are respondents in the appeal.
- b) Every appeal shall be accompanied by an order appealed against, if any, affidavit verifying the facts stated in the appeal and proof of payment of fee.
- c) Every appeal may be presented to Appellate Authority in person or through registered post or authorized representative.

v. Fee for filling appeal

- a) Fee for appeal shall be rupees five thousand only(Rs.5000/-), which shall be non-refundable.
- b) The fee shall be paid in the form of bank demand draft or banker's cheque of a Scheduled Bank in India payable in the name of MD, APMSIDC.

vi. Procedure for disposal of appeal

- a) The Appellate Authority upon filling of appeal, shall issue notice accompanied by copy of appeal, affidavit and documents, if any, to the respondents and fix date of hearing.
- b) On the date fixed for hearing, the Appellate Authority shall
 - Hear all the parties to appeal present before him; and
 - Peruse or inspect documents, relevant records or copies thereof relating to the matter.
- c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority shall pass an order in writing and provide the copy of order to the parties free of cost.

13. COMPLIANCE WITH THE CODE OF INTEGRITY AND NO CONFLICT OF INTEREST:

Any person participating in a empanelment process shall-

- a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or to otherwise influence the procurement process;
- b) Not misrepresent or omit misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation;
- c) Not indulge in any collusion, Bid rigging or any-competitive behaviour to impair the transparency, fairness and progress of the procurement process;
- d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process;
- e) Not indulge in any coercion including impairing or harming or threatening to do the same, directly or indirectly, to any part or to its property to influence the procurement process;

- f) Not obstruct any investigation or audit of a procurement process.
- g) Disclose conflict of interest, if any; and Disclose any previous transgressions with any Entity in India or any other country during the last three years or any debarment by any other procuring entity.

14. Conflict of interest:-

The Bidder participating in a bidding process must not have a Conflict of Interest.

A Conflict of interest is considered to be a situation in which a party has interest that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations.

A Bidder may be considered to be in Conflict of interest with one or more parties in bidding process if, including but not limited to:

- a.** Have controlling partners/shareholders in common; or
- b.** Receive or have received any direct or indirect subsidy from any of them; or
- c.** Have the same legal representative for purposes of the Bid; or
- d.** Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to inform about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or
- e.** The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f.** The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or

- g.** Bidder or any of its affiliates has been hired (or is proposed to be hired by the Procuring Entity as engineer-incharge/ consultant for the contract.

15. JURISDICTION

In the event of any legal dispute arising out of the BID such dispute would be subject to the jurisdiction of the Civil courts within the city of Vijayawada.

Managing Director

APMSIDC

ANNEXURE-I

ANNUAL TURN OVER STATEMENT

The Annual Turnover (*for drugs and medicines including Surgical consumables, CTS products testing services*) of M/s. _____ for the past three years are given below and certified that the statement is true and correct.

| S.No. | Years | Turnover in Lakhs (Rs) | |
|------------------------------------|-------|------------------------|--------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| Total | | Rs. | Lakhs |
| Average turnover per annual | | Rs. | Lakhs |

Date:

Signature of Auditor/
Chartered Accountant
(Name in Capital)

Seal:

ANNEXURE II

PROFORMA FOR PERFORMANCE STATEMENT (for a period of last 3 years)

Name of the Laboratory : _____

Address: _____

Types of Samples Analyzed No. of Samples Analyzed during

1. Tablets / Capsules / Pessaries/Dry Powders
2. Injectables
3. Liquid Preparations
4. Ointments / Creams / Gels
5. Others (Drugs)
6. Surgicals consumables (Specify item names)
7. Sutures (Specify types)

8. CTS items

9. Devices

Signature : Date :

Name of the Lab :

Office Seal :

ANNEXURE – III (a)

PERSONNEL IN QC DEPARTMENT

Name of the Technical Staff approved by State Licensing Authority along with his Designation, Highest Qualification, Experience (Experience relevant to analysis of Medicines/Surgical Consumables)

Signature:

Date:

Name of the Lab:

Office Seal:

ANNEXURE – III (b)

**LIST OF SOPHISTICATED EQUIPMENT/INSTRUMENT/APPARATUS
AVAILABLE IN THE LAB**

| S.No. | Name of the Equipment/ Instruments / Apparatus | Make & Description | Date of Installation | Date of last Validation | Approved for testing of drugs from State Licensing Authority Since..... |
|-------|---|--------------------|----------------------|-------------------------|---|
| | | | | | |
| | | | | | |

Signature :

Name of the Lab :

Date :

Official Seal:

ANNEXURE – III (C)

FACILITIES IN THE MICROBIOLOGICAL SECTION

I. LIST OF STOCK CULTURES AVAILABLE

II. LIST OF EQUIPMENT / APPARATUS AVAILABLE WITH DATE OF INSTALLATION, make and approval from State Licensing Authority to permit microbiological testing in the Lab.

Signature :

Name of the Lab :

Date :

Official Seal:

ANNEXURE – III (d)

**LIST OF REFERENCE STANDARDS ALONG WITH THEIR DATE OF
PROCUREMENT AND QUANTITIES**

Signature :

Name of the Lab :

Date :

Official Seal:

Annexure-IV
Affidavit
(On Non Judicial Stamp of Rs.100/-)
Declaration Form

1. I (Name of the Bidder) S/O__, Age__, resident of _____, am proprietor /Partner/Director having our office at _____ and the approved drug testing laboratory at _____ do hereby declare that I have carefully read all the conditions of BID of APMSIDC, Mangalagiri for the BIDs floated for empanelment of NABL Accredited Laboratories for analysis of Medicines, Surgical Consumables. (ending on 31.03.2021) and shall abide by all the conditions set forth therein.
 2. I further declare that I possess valid approval for testing of all the Medicines / Surgical Consumables for which Price Bid have been submitted by me/us in Cover B and permission on Form 37 have been obtained for testing of these items from State Licensing Authority where ever applicable.
 3. That the approval to test Medicines, Surgical Consumables have been obtained on Form 37 bearing No.____ which is valid/renewed up to_____.
 4. That the Bidder firm is a Proprietorship/Partnership/Pvt. Ltd./ltd. firm and following are the other partners/directors:-
- | S.No. | Name of Partner/Director | Age | Present & Permanent Address |
|-------|---|-----|-----------------------------|
| 5. | That our Laboratory/Firm/Company does not stand blacklisted /debarred or banned on any ground either by Bid Inviting Authority or Govt. of Andhra Pradesh on the date of bid submission. | | |
| 6. | Our laboratory/Firm/Company also does not stand blacklisted, debarred or banned on the ground of wrong reporting of test results or on the ground of submission of fake or forged documents or false information / facts, by any State or Central Government or by its central drug procurement agencies, on the date of bid submission for supply of drugs/medicines in India. | | |

That I/we have carefully read all the conditions of bid in Ref. No.: Tender No _____ for the empanelment of _____

analytical testing laboratories for the test and analysis of Medicines, Surgical Consumables, Larvicides and insecticides (Ending on 31.03.2021) for APMSIDC, and accept all conditions of bid, including amendments if any.

7. I/ we hereby declare under Section 7 of Andhra Pradesh Transparency in Public Procurement Act, 2012. that:

- a. I/we possess the necessary professional, technical, financial and managerial resources and competence required by the Bidding Document issued by the Procuring Entity;
- b. I/we have fulfilled my/our obligation to pay such of the taxes payable to the Union and the State Government or any local authority as specified in the Bidding Document;
- c. I/we are not insolvent, in receivership, bankrupt or being wound up. not have my/our affairs administered by a court or a judicial officer, not have my/our business activities suspended and not the subject of legal proceedings for any of the foregoing reasons;
- d. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our professional conduct or the making of false statements or misrepresentations as to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
- e. I/we do not have a conflict of interest as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

8. Our complete address for communication with phone no and mobile no.:-

-----Pin code-----

9. Email address :-

10. Bank details for e banking :-

Name of account holder

Full name of Bank with Branch

A/c no. with full digits.....

IFSC code

(Deponent)

Signature :

Name of the Lab :

Date :

Official Seal:

Verification

I.....S/o.....(Designation)..... Affirm on oath that the contents/information from para 1 to 10 as mentioned above, are true & correct to the best of my knowledge and nothing is hidden. I also declare on oath, that if any information furnished by me as above is found wrong, false, forged or fabricated; the Corporation will be at liberty to cancel the Bid and forfeiting the earnest money deposit and or performance security, for which I shall be solely responsible and the laboratory / firm may be Debarred/Banned/ prosecuted for the same

(Name of Deponent & Signature)

ATTESTED BY NOTARY PUBLIC

ANNEXURE – V

DETAILS OF LABORATORY

1. Name of the Laboratory & Full Address :
Phone No (landline) :
E-mail :
Mobile no :

2. Other Branches & their Address (if any) :

3. Whether the firm has its own manufacturing unit? :
If yes give details of address, license number etc.

4. Date of Inception :

5. Approval No. & Date :

6. Issued by :

7. Valid up to :

8. Schedule L-1 certificate its no. and date of issue :

9. (i) NABL Accreditation no. & date
(ii) Scope of Accreditation
(iii) Its validity.

10. Name of the authorized signatory :

11. Specimen Signature of the authorized Signatory :

12. Names & Specimen Signatures of the Approved technical Staff who are authorized to sign the test reports :

Annexure VII
List of Items

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1 | 2199 | 4% Xylocaine 30cc Injection | 4% Xylocaine 30cc Injection, 1 X 10 Vials Type -1 Glass | MED | Rate Per Quality Test |
| 2 | 1225 | 5-Fluorouracil Injection IP 250 mg / 5 ml in 5 ml amp | 250 mg / 5 ml in 5 ml amp , 250 mg / 5 ml In 5 ml amp X5 X 5 type-I glass | MED | Rate Per Quality Test |
| 3 | 2200 | 5-Fluorouracil Injection IP 500 mg/10 ml in 10ml amp | 500 mg / 10 ml, 1 X 10 Amples Type 1 Glass | MED | Rate Per Quality Test |
| 4 | 2202 | Acebrophylline 100mg Capsule | 100mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 5 | 1728 | Acenocoumarol Tablets IP 1 mg | 1mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 6 | 1196 | Acenocoumarol Tablets IP 2 mg | 2 mg, 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 7 | 30 | Acetazolamide Tablets IP 250 mg | 250 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 8 | 40.02 | Acetyl Salicylic Acid Tablets IP 150mg | 150mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-----------------------------------|---|----------|-----------------------------|
| 9 | 2062 | Acetyl Salicylic acid Tab 75mg | 75mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 10 | 1691 | Aciclovir Tablets IP 400 mg | 400 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, outer carton maximum of 10000 | MED | Rate Per Quality Test |
| 11 | 1526 | ACT Kit for (0-1 years) | 0-1 years- Artesunate Tablets 25mg (3 tabs), Pyrimethamine IP 6.25mg, Sulphadoxine IP 125mg (1tab) - PINK COLOR Blister , Per one Kit | MED | Rate Per Quality Test |
| 12 | 1525 | ACT Kit for (1-4 years) | 1-4 years-- Artesunate Tablets 50mg (3 tabs), Pyrimethamine IP 25mg, Sulphadoxine IP 500mg (tab) - Yellow Color Blister , Per one Kit | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------------|---|----------|-----------------------|
| 13 | 1524 | ACT Kit for (5-8 years) | 5-8 Years - Artesunate Tablets 100mg (3Tabs), Pyrimethamine IP 37.5mg, Sulphadoxine IP 750mg (1tab) - Green Color Blister , Per One Kit | MED | Rate Per Quality Test |
| 14 | 1523 | ACT Kit for (9-14 years) | 9-14 Years-- Artesunate Tablets 50mg (3 tabs) + Artesunate Tablets 100mg (3 tabs), Pyrimethamine IP 25mg, Sulphadoxine IP 500mg (2tabs) - RED COLOR Blister , Per one Kit | MED | Rate Per Quality Test |
| 15 | 1522 | ACT Kit for Adults | Adult-- Artesunate Tablets 200mg (3tab), Pyrimethamine IP 37.5mg, Sulphadoxine IP 750mg (2tabs) - WHITE COLOR Blister. , Per one Kit | MED | Rate Per Quality Test |
| 16 | 1197 | Actinomycin D Injection 0.5 mg | 0.5 mg , 10 X 10 type -1 glass | MED | Rate Per Quality Test |
| 17 | 2452 | Activated Charcoal Tablets IP 500mg | 500mg , 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 18 | 1613 | Acyclovir Ointment USP 5% 10 gm tube | 10 gm tube , 10 gm Tube x 100 | MED | Rate Per Quality Test |
| 19 | 1479 | Acyclovir Injection 250mg | 250mg , 5 X 10 | MED | Rate Per Quality Test |
| 20 | 1731 | Acyclovir Ophthalmic Ointment I.P 3% 5gm Tube | 5gm Tube,1 X 25 (or) 1 X 50 | MED | Rate Per Quality Test |
| 21 | 1733 | Adenosine Injection USP 3mg / ml 2ml vial and ampoule | 3MG / ML 2ML VIAL and ampoule , 10 x 5 ,type-1 glass | MED | Rate Per Quality Test |
| 22 | 1290 | Adrenaline Bitartrate Injection IP 1 mg / ml in 1ml Amp | 1 mg / ml in 1ml Amp , 1x10x 10 / 1x5x10 type-1 glass | MED | Rate Per Quality Test |
| 23 | 2203 | Adriamycin Injection | 50mg / 25ml vial,5 X 5 Or 10 X 5 Vial | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 24 | 1200 | Albendazole Suspension 200 mg/ 5 ml in 10ml bottle | 200 mg/ 5 ml in 10ml bottle , 10 ml x 100 (or) 10ml x 240 bottles | MED | Rate Per Quality Test |
| 25 | 736 | Albendazole Tablets Chewable IP 400 mg | Albendazole 400 Mg Tablets Chewable That Meets The New Amendment To I.P. - 2018 i.e. Dissolution Test, 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 26 | 1734 | Allopurinol Tablets IP 100 mg | 100 mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 27 | 1735 | Alpha Interferon Injection 3 million IU | 3 million IU 5 X 10 Type I Glass | MED | Rate Per Quality Test |
| 28 | 1705 | Alprazolam Tablets IP 0.5 mg | 0.5 mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| 29 | 1666 | Aluminium Hydroxide + Magnesium Hydroxide and Semithione Tablets USP 250mg+250mg + 50mg | 250mg+250mg + 50mg , 10 x 10 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 30 | 1614 | Ambroxal Syrup 30mg/5ml 60 ml bottle | 30mg/5ml 60 ml bottle, 60ml x 100 amber colour pet bottle. | MED | Rate Per Quality Test |
| 31 | 1188 | Amikacin Sulphate Injection IP 100 mg / 2 ml | 100 mg / 2 ml , 10X 10 / 5 X 10 , Type-I glass. | MED | Rate Per Quality Test |
| 32 | 1189 | Amikacin Sulphate Injection IP 500 mg / 2 ml | 500 mg / 2 ml vial, 10X 10 / 5 X 10 , Type I glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 33 | 1615 | Amino acids essential 500ml IV as per IP | 500ml IV as per IP , Each ml. Contains-L-Afgioine Hydrochloride / USP 2.7mg L-HistidineHydrochloride H2O / BP 1.4mg L-Isoleucine USP 1.8mg L-Leueine USP 4.1mg L-Lysine Hydrochloride USP 7.4mg L-Methionine USP 2.4mg L-Phenylalanine USP 2.9mg L-Threonine USP I.8mg L-Tryptophan | MED | Rate Per Quality Test |
| 34 | 1736 | Amiodarone Hcl Injection IP 150 mg /3 ml | 150 mg /3 ml , 10 x 10 / 5x10,type-1 glass | MED | Rate Per Quality Test |
| 35 | 1695 | Amiodarone Hcl Tablets IP 100 mg | 100 mg , 10 x 1 0 (or) 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 36 | 1737 | Amisulpride Tab 200mg | 200mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 37 | 2205 | Amitriptyline 25 mg Tablet | 25mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 38 | 2064 | Amitriptyline Tab 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 39 | 737 | Amlodipine Tablets IP 5mg | 5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 40 | 6 | Amoxicillin Capsules IP 250 mg | 250 mg , 10 X 10 Blister with Aluminum Foil Pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 41 | 7 | Amoxicillin Capsules IP 500 mg | 500 mg , Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 42 | 8 | Amoxicillin oral suspension IP 125 mg / 5 ml in 60ml | 125 mg / 5 ml in 60ml,60ml X 100 , Glass Bottle/HDPE Bottle | MED | Rate Per Quality Test |
| 43 | 1347 | Amoxycillin + Clavulanic Acid 1 gm Amoxycillin + 200mg Potassium Clavulanate Injection I.P. | 1 gm Amoxycillin + 200 mg Potassium Clavulanate Injection IP | MED | Rate Per Quality Test |
| 44 | 1341 | Amoxycillin + Clavulanic Acid 250 mg Amoxycillin +125 mg Potassium Clavulanate Tablets | 250 mg + 125 mg , 10 x 1 0 (or) 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 45 | 1342 | Amoxycillin +Clavulanic Acid Oral Suspension | 200 mg/5 ml + 28.5mg/5 ml in 30ml bottle , 30 ml X 100/white color HDPE Bottle | MED | Rate Per Quality Test |
| 46 | 1340 | Amoxycillin 500mg + 125mg Potassium Clavulanic Acid Tablets IP | 500 mg Amoxycillin + 125 mg Potassium Clavulanate Tablets IP, 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 47 | 1202 | Amphotericin B Injection IP 50 mg in vial | 50 mg in vial , 5 X 5 Type-I Glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|---|---|----------|-----------------------------|
| 48 | 1202. 1 | Amphotericin B Injection IP 50 mg in vial (Liposomal) | Amphotericin B Injection IP 50 mg in vial (Liposomal) | MED | Rate Per Quality Test |
| 49 | 1 | Ampicillin Injection IP 500 mg | 500 mg /5 ml vial , 5x5 | MED | Rate Per Quality Test |
| 50 | 2208 | Anti Inhibitor Coagulant Complex (Intravenous Route) 500 IU vial | 500 IU vial,1 X 10 Vilas Type -1 Glass | MED | Rate Per Quality Test |
| 51 | 1413 | Anti-D Immunoglobulin (Human) Injection 300mcg/2ml vial | 300mcg/2ml vial, single dose vial Monopack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---------------------------------------|--|----------|-----------------------|
| 52 | 632 | Antisnake Venom Injection | Snake Venom Antiserum I.P. Polyclonal, Enzyme Refined, Equine Immunoglobulin. Each 1ml upon reconstitution to 10ml with water for injection neutralizes not less than 0.60mg. Of dried Indian cobra(naja naja)Venom 0.45mg. Of dried, common krait(Bungaruscaeruleus)Venom 0.60mg. Of dried, Russells viper(baioia russelli) venom 0.45mg. of driedawsealedvipes(Echi scartinatus)venom , Each Vial with10ml water for injection | MED | Rate Per Quality Test |
| 53 | 1616 | Antitetanus Human Immunoglobin 250 IU | 250 IU , 1X10 / 1 X 25 | MED | Rate Per Quality Test |
| 54 | 3456. 05 | Apixabin Tablets 5mg | Apixabin Tablets 5mg | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 55 | 2197 | Arteether Injection 150mg per 2ml | 150mg per 2ml X5X10 / 1X5X10 Type-1 Glass | MED | Rate Per Quality Test |
| 56 | 1832 | Artisunate Inj. 60mg/ml 2ml vial | 60mg/ml 2ml vial , 2ml X 10X10 / 5X10 type -1 glass | MED | Rate Per Quality Test |
| 57 | 40 | Ascorbic Acid Tablets IP (Chewable) 500 mg | 500 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 58 | 1738 | Atamoxetine Capsules 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 59 | 37 | Atenolol Tablets IP 50mg | 50mg , 10x14 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 60 | 2065 | Atorvastatin tablet 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 61 | 1739 | Atorvastatin Tablets IP 20mg | 20mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 62 | 1334 | Atracurium Injection 25mg/2.5ml Ampoule | 25MG/2.5ML Ampoule , 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 63 | 1141 | Atropine Sulphate eye Drops BP 1% 5 ml | 5 ml , 5 x 5 | MED | Rate Per Quality Test |
| 64 | 2211 | Atropine Sulphate eye ointment 1% 3.5gm | 1% 3.5gm | MED | Rate Per Quality Test |
| 65 | 2066 | Atropine sulphate injection 0.6%, 10ml vials | 10ml vials , 1X 5 X10 or 1X10X10 type-1 glass | MED | Rate Per Quality Test |
| 66 | 2212 | Atropine sulphate injection 0.6%, 100ml vial | 0.6%, 100ml vial,1 X 10 Vilas Type -1 Glass | MED | Rate Per Quality Test |
| 67 | 1693 | Atropine Sulphate Injection IP 0.6 mg / ml | 0.6 mg / ml , 1x 10 x10 /1 x 5x10 | MED | Rate Per Quality Test |
| 68 | 1740 | Azathioprine Tablets IP 50 mg | 50 mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 69 | 1477 | Azithromycin Tablets IP 500 mg | 500 mg , 10 X 10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 70 | 1699 | Azithromycin Dispersible tablet 100 mg | 100 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 71 | 10800 5 | Azithromycin Oral Suspension 200mg in 5ml in 15ml bottle with measuring Cap | Azithromycin Oral Suspension 200mg in 5ml in 15ml bottle with measuring Cap | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 72 | 1453 | B Complex therapeutic (NFI III) | Tablet B Complex Therapeutic (NFI III) Vit B1-5mg , B2-5mg, B6-2mg Niacinamide - 50mg calcium pantothenate 5mg, 10 x 10 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 73 | 1741 | Baclofen Tablet IP 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 74 | 2701. 1 | Balanced Salt Ophthalmic Solution 500ml in clear and sterile pouch (Transparent) | Balanced Salt Ophthalmic Solution 500ml in clear and sterile pouch (Transparent) Approved by User Department | MED | Rate Per Quality Test |
| 75 | 1742 | Balanced Salt Solution Ophthalmic Solution 500 ml Pouch | 500 ml Pouch | MED | Rate Per Quality Test |
| 76 | 2213 | Barium Sulfate Suspension 100% w/w 340 gms | 100% w/w 340 gms | MED | Rate Per Quality Test |
| 77 | 2456 | Benzathene Penicillin LA 12 lakh Injection 1 gm / vial | 12 lakh Injection 1 gm / vial , 1 x 25 | MED | Rate Per Quality Test |
| 78 | 1668 | Benzoic Acid + Salicylic Acid Ointment 6% Benzoic Acid + 3% Salicylic Acid Ointment in 100grams tube - Ointment, 1x10x10 (10 Individual pack) | 6% Benzoic Acid + 3% Salicylic Acid Ointment in 100grams tube - Ointment, 1x10x10 (10 Individual pack) | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 79 | 73 | Benzyl Benzoate application IP 25%w/w, 450ml bottle | 25%w/w, 450ml bottle , clear plastic bottle (hard) 20 bottles one in corton | MED | Rate Per Quality Test |
| 80 | 520 | Benzyl penicillin Injection IP 10 lakhs, Unit | 10 lakhs, Unit , With 10 ml water for injection | MED | Rate Per Quality Test |
| 81 | 1669 | Betahistine Tablets IP 8 mg | 8 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 82 | 2217 | Betahistine Tablets IP 16 mg | 16 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 83 | 739 | Betamethasone Dipropionate Ointment USP 0.1% 10 gms tube | 10 gms tube , 1X10 (or) 1X 25 Tetrapack | MED | Rate Per Quality Test |
| 84 | 69 | Betamethasone Sodium Phosphate Injection IP 4mg/ml in 1 ml amp | 4mg/ml in 1 ml amp , 1X150 or 1X100 | MED | Rate Per Quality Test |
| 85 | 1455 | Betaxolol eye Drops 0.25%, 5 ml | | MED | Rate Per Quality Test |
| 86 | 2219 | Bisacodyl suppositories 10mg | 10mg,10 X 1 0 (Or) 50 X 10 Blister With Aluminum Foil Pack (or) PVC- PE Foil Pack | MED | Rate Per Quality Test |
| 87 | 58 | Bisacodyl Tablets IP 5 mg(enteric coated) | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 88 | 1743 | Bleomycin for Injection 15 units IP vial(powder) | 15units IP vial(powder),1x5x10 | MED | Rate Per Quality Test |
| 89 | 2468 | Brimonidine 0.2% Eye Drops | 0 | MED | Rate Per Quality Test |
| 90 | 1744 | Bromocriptine Mesylate Tablets IP 2.5mg | 2.5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 91 | 2220 | Budesonide Respules Solution 0.5 mg/2ml | 0.5 mg/2 ml,1X25 | MED | Rate Per Quality Test |
| 92 | 1745 | Budesonide Nebuilising solution 0.5mg | 0.5mg , 2ml X 5X5 and 2ml X 5X4X60 | MED | Rate Per Quality Test |
| 93 | 1697 | Bupivacaine Hcl (Spinal) Injection 0.5% and Anhydrous Glucose or glucose monohydrate 80mg BP 0.5% + 80m | Bupivacaine Hcl Injection 0.5% and Anhydrous Glucose or glucose monohydrate 80mg BP 0.5% + 80mg , 4 ml amp x10x10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 94 | 53 | Bupivacaine Hcl Injection IP 0.5%, in 20ml vial | 0.5% in 20ml vial , 20 ml x 20 vials/box | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 95 | 2221 | Buprenorphine transdermal patch 10mg | 10mg,1 X 10 Patches (or) 1 X 2 Patches | MED | Rate Per Quality Test |
| 96 | 2222 | Buprenorphine transdermal patch 5mg | 5mg,1 X 10 Patches (or) 1 X 2 Patches | MED | Rate Per Quality Test |
| 97 | 1746 | Bupropion Hcl Tab 150 mg USP | 150 mg USP , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 98 | 1747 | Buspirone Tablets IP 5mg | 5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 99 | 1749 | Cabergoline Tablets 0.25mg | 0.25mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 100 | 2223 | Calciferol oral Drops 75 mcg/ml 20 ml | 75 mcg/ml 20 ml | MED | Rate Per Quality Test |
| 101 | 2224 | Calcitrol Capsule 0.25 mcg | 0.25 mcg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 102 | 2170 | Calcium Carbonate with Vitamin D3 Tablets 500mg +250 IU | 500mg +250 IU, 10X10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 103 | 2225 | Calcium Citrate 1000 mg+ Vit. D3 200 I.U. Methylcobalamin 500 mcg+ Folic Acid 5mg + Pyridoxine Hcl 10 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | Calcium Citrate 1000 mg+ Vit. D3 200 I.U. Methylcobalamin 500 mcg+ Folic Acid 5mg + Pyridoxine Hcl 10 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 104 | 1144 | Calcium Gluconate Injection IP 100 mg / ml, in 10ml ampoule | IP 100 mg / ml, in 10ml ampoule , 5 x 5 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 105 | 2227 | Calcium Leucovorin Injection | 50mg/ 5 ml vial, 1 X 25 / 1 X 50 Vials Type 1 Glass | MED | Rate Per Quality Test |
| 106 | 2460 | Canagliflozin Tablet 100mg | 100 mg , 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 107 | 6630 | CAPD (Continous Ambulatory Peritoneal Dialysis) Solution Set 1.5%, 2 Litres Bag With Integrated Asymmetric Y.Set | 1.5%, 2 Litres Bag , 2 ltrs Bag With Integrtaed Asymmetric Y Set | MED | Rate Per Quality Test |
| 108 | 6631 | CAPD (Continous Ambulatory Peritoneal Dialysis) Solution Set 2.5%, 2 Litres Bag With Integrated Asymmetric Y.Set | 2.5%, 2 Litres Bag , 2 ltrs Bag With Integrtaed Asymmetric Y Set | MED | Rate Per Quality Test |
| 109 | 6632 | CAPD (Continous Ambulatory Peritoneal Dialysis) Solution Set 4.25%, 2 Litres Bag With Integrated Asymmetric Y.Set | 4.5%, 2 Litres Bag , 2 ltrs Bag With Integrtaed Asymmetric Y Set | MED | Rate Per Quality Test |
| 110 | 1690 | Carbamazepine Suspension USP 100mg/5ml, in 100ml | 100mg/5ml in 100ml , 100 ml amber colour pet bottle x 50 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 111 | 136 | Carbamazepine Tablets (Film coated) 100mg | 100mg , 10 x 10 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 112 | 2146 | Carbimazole Tab 20mg | 20mg, 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 113 | 1145 | Carbimazole Tab 5mg | 5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 114 | 2231 | Carbimazole Tablet 10mg | 10mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 115 | 2069 | Carbmazepine Tab 200mg | 200mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 116 | 2070 | Carbmazepine Tab 400mg | 400mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 117 | 2232 | Carbolic Acid (Phenol) 500ml bottel | 500ml | MED | Rate Per Quality Test |
| 118 | 2233 | Carboplatin 150mg /15 ml Injection Vial | 150mg / 15 ml Vial, 1 X 25 Vilas Type 1 Glass | MED | Rate Per Quality Test |
| 119 | 2234 | Carboplatin 450mg / 45 ml Injection Vial | 450mg / 45 ml Vial, 1 X 10ml Vials Type 1 Glass | MED | Rate Per Quality Test |
| 120 | 1404 | Carboprost Tromethamine Injection 250 mcg IP 1ml AMP/Vial | 250 mcg IP 1ml AMP/Vial, 10 X 10 / 5 X 10 TYPE-1 Glass | MED | Rate Per Quality Test |
| 121 | 1405 | Carboprost Tromethamine Injection 125 mcg 0.5 ml AMP/Vial | 125 mcg 0.5 ml Amp/Vial , 10 X 10 / 0.5ml X 5 X 10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 122 | 2071 | Carvedilol Tab 3.125mg | 3.125mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 123 | 1622 | Cefixime Tablets IP 200 mg | 200 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 124 | 1621 | Cefixime Dispersible tablet USP 100 mg | 100 mg , 5 x10x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 125 | 2235 | Cefixime Oral Suspension 100mg / 5ml in 60ml Bottle | 100mg / 5ml in 60ml Bottle,1 X 50 Bottles | MED | Rate Per Quality Test |
| 126 | 2236 | Cefixime Oral Suspension 25mg/ml, 10ml Bottle | 25mg/ml, 10ml Bottle | MED | Rate Per Quality Test |
| 127 | 1719 | Cefoperazon + Sulbactum 1 gm Cefoperazone + 500 mg Sulbactum Injection | 1 gm + 500 mg , 5 x5 | MED | Rate Per Quality Test |
| 128 | 1355 | Cefotaxime Sodium Injection IP 1000 mg | 1000 mg Inj | MED | Rate Per Quality Test |
| 129 | 1527 | Cefotaxime Sodium Injection IP 250mg | 250mg , 1X25 (or) 1X50 | MED | Rate Per Quality Test |
| 130 | 1381 | Ceftazidime InjIP 1gm | 1gm Inj | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------------|
| 131 | 1360 | Ceftriaxone Injection IP 1gm | 1gm | MED | Rate Per Quality Test |
| 132 | 1752 | Cefuroxime Injection IP 250 mg | 250 mg , 250 mg vial | MED | Rate Per Quality Test |
| 133 | 1751 | Cefuroxime Injection IP 750 mg vial | 750 mg vial | MED | Rate Per Quality Test |
| 134 | 1123 | Cetirizine Hcl Tablets IP 10mg | 10mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 135 | 1623 | Chloramphenicol Ear drops IP, 5 ml | 0.5 % 5 ml , 5ml X 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |
| 136 | 1754 | Chlorbutol+ Bezoncaine+ Turpentine Oil+ Paradichloro Benzene Ear Drops (5% chlorbutol + 2.7% bezoncaine + 15% turpentine oil + 2% paradichloro benzene w/v 5 ml) | 5% Chlorbutol + 2.7% Bezoncaine + 15% Turpentine Oil + 2% Paradichloro Benzene w/v 5 ml , 5ml X 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |
| 137 | 2238 | Chlordiazepoxide tablet 25mg | 25mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 138 | 1755 | Chlorhexidine gluconate 0.25 % with Metronidazole 1 % w/w Oral gel 10 gm | Chlorhexidine gluconate 0.25 % with Metronidazole 1 % w/w Oral gel 10 gm , 10 x 10 | MED | Rate Per Quality Test |
| 139 | 1366 | Chlorine Tab 0.5gm | 0.5gm , 1000 Tab in Plastic Container 0.5gm | MED | Rate Per Quality Test |
| 140 | 107 | Chloroquine Phosphate Injection IP 40 mg / ml in 3ml amp | 40 mg / ml in 3ml amp , 2ml amp 10x10/ 5 x 10, type-1 glass | MED | Rate Per Quality Test |
| 141 | 1625 | Chloroquine Phosphate Syrup 50 mg / 5 ml in 60ml | 50 mg / 5 ml in 60ml , 60ml x 100 , amber colour pet bottle | MED | Rate Per Quality Test |
| 142 | 106 | Chloroquine Phosphate Tablets IP 250 mg base(Equivalent to 155 mg of Chloroquine) | 250 mg base(Equivalent to 155 mg of Chloroquine) , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 143 | 1424 | Chloroxylenol 4.8% + Terpeno9%l+Ab.alc ohol13.1% (Dettol) | 4.8%+9%l+13.1% , 1000ml clear plastic bottle (hard) x 20 bottles in one carton | MED | Rate Per Quality Test |
| 144 | 1626 | Chlorpheniramine Maleate Syrup 2 mg / 5ml in 60ml bottle | 2 mg / 5ml in 60ml bottle , 60ml x 100, amber colour pet bottle | MED | Rate Per Quality Test |
| 145 | 741 | Chlorpheniramine Maleate Tablets IP 4 mg | 4 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 146 | 1295 | Chlorpromazine Tablets IP 100 mg, | 100 mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 147 | 2072 | Cilnidepine Tab 10mg | 10mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 148 | 2241 | Cilostazole Tablet 100mg | 100mg,10 X 1 0 (Or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 149 | 1759 | CinnarizineTablets IP 25mg | 25mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 150 | 94 | Ciprofloxacin Tablets IP 500 mg | 500 mg , 10 X 10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 151 | 123 | Ciprofloxacin Hcl Eye /Ear Drops IP 0.3% w/v in 5 ml | 0.3% w/v in 5 ml , 5ml X 5 X 5 | MED | Rate Per Quality Test |
| 152 | 95 | Ciprofloxacin Injection IP 200mg/100ml BFS / FFS | 200mg/100ml , 5 x 5 x 4, BFS / FFS | MED | Rate Per Quality Test |
| 153 | 1267 | Cisplatin Injection IP 10 mg / 10 ml vial | 10 mg / 10 ml vial , 10mg/10ml Amber Colour 1X50 vial | MED | Rate Per Quality Test |
| 154 | 2242 | Cisplatin Injection Ip 50 Mg / 50 Ml Vial | IP 50 mg / 50 ml vial | MED | Rate Per Quality Test |
| 155 | 2073 | Citicoline Tab 500mg | 500mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 156 | 2243 | Clindamycin 1 % gel 30 gms | 1 % gel 30 gms,1 X 10 Tubes | MED | Rate Per Quality Test |
| 157 | 2244 | Clindamycin 1% w/w + Benzoyl Peroxide 2.5 w/w 15 gms | 1% w/w + 2.5 w/w 15 gms,1 X 10 Tubes | MED | Rate Per Quality Test |
| 158 | 2245 | Clindamycin Injection 150 mg/ml in 2ml ampoule | 150 mg/ml in 2ml ampoule,1 X25 Vials/ Ampoules | MED | Rate Per Quality Test |
| 159 | 2074 | Clobetasol Cream 0.05% 10gm | 0.05% 10gm , 1 X 10 X 10 | MED | Rate Per Quality Test |
| 160 | 1761 | Clofazimine Capsules 100mg IP | 100mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 161 | 1763 | Clomiphene Citrate Tablets IP 50 mg | 50 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 162 | 2246 | Clonazepam Tablets 0.5mg | 0.5mg Tablet,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 163 | 2248 | Clopidogrel 150mg Tablet | 150mg | MED | Rate Per Quality Test |
| 164 | 1338 | Clopidogrel Bisulphate Tablets I.P. 75mg,(Film coated) | 75 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 165 | 1627 | Clotrimazole Cream 2% IP 15gms tube-Cream | 2%+15gms , 15gm x 10 x 10 (10 tubes tetra pack) | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 166 | 1671 | Clotrimazole Cream IP 2% 30gm | 2% 30gm , 30 gm x 10 x 10 (10 tubes tetra pack) | MED | Rate Per Quality Test |
| 167 | 1426 | Clotrimazole Ear Drops 1% in 5ml vial | 1% in 5ml vial , 5ml X 5 X 5 / 5ml X 5 X 10 | MED | Rate Per Quality Test |
| 168 | 1389 | Clotrimazole Pessaries IP 100 mg | 100 mg, 6 x 10 Blister With Aluminum Foil Pack With Applicator (or) PVC- PE Foil Pack | MED | Rate Per Quality Test |
| 169 | 1764 | Clozapine Tab 50mg | 50 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 170 | 2250 | Coagulation Factor VIII rF VIII (Recombinant or Freeze Dried) 1000 IU | 1000 IU,1 X 10 Vials | MED | Rate Per Quality Test |
| 171 | 2252 | Coagulation Factor VIII rF VIII (Recombinant or Freeze Dried) 250 IU | 250 IU,1 X 10 Vials | MED | Rate Per Quality Test |
| 172 | 2251 | Coagulation Factor VIII rF VIII (Recombinant or Freeze Dried) 1500 IU | 1500 IU,1 X 10 Vials | MED | Rate Per Quality Test |
| 173 | 162 | Compound Sodium Lactate Injection IP 500ml BFS / FFS | 500ml , 500ml x 24, plastic bottle,BFS / FFS 4 x 6 (Separation between each bottle is must) | MED | Rate Per Quality Test |
| 174 | 97 | Co-trimoxazole Tablets IP Trimethoprim 160mg + sulphamethoxazole 800 mg | 160mg + 800 mg , 10 X 10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 175 | 98 | Co-trimoxazole oral suspension I.P Trimethoprim 40mg + sulphamethoxazole 200mg/5ml in 50ml bottle | 40mg+200mg/5ml in 50ml bottle , 50ml X 50 / 100 , Amber Colour Pet Bottle | MED | Rate Per Quality Test |
| 176 | 1768 | CT Non Ionic Contrast Media 50/350 in 50ml | 50/350 (50ml) , 50ML MONOPACK | MED | Rate Per Quality Test |
| 177 | 2255 | Cyclo Pentolate Eye drops 1% 5ml | 1% in 5ml,1 X 25 Vials | MED | Rate Per Quality Test |
| 178 | 1770 | Cyclophosphamide Tablets IP 50mg | 50mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 179 | 1771 | Cyclophosphamide Injection IP vial 500mg | 500mg , 10 ml Water For Injection | MED | Rate Per Quality Test |
| 180 | 1774 | Cyclosporine Capsules USP 25 mg | 25mg , 10 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 181 | 2257 | Dabigatran Etexilate Mesilate 75 mg Capsules | 75mg,10 X10 Aluminium Blister Pack | MED | Rate Per Quality Test |
| 182 | 1778 | Dapsone Tablet 50mg | 50mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 183 | 1777 | Dapsone Tablet 100mg | 100mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 184 | 2077 | Darbepoetin alfa (r-DNA origin) 100mcg (Each 0.5 ml single dose Prefilled Syringe contains - Darbepoetin alfa (r-DNA Origin) | 100mcg , 1 X 10 X 10 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 185 | 2258 | Deflazacort 6mg Tablet | 6mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 186 | 350 | Degraded gelatin polymer, Strength 500 ml (as 3.5% Solution), 500 ml | 500ml (as 3.5% Solution) , 500ml x 24 ,plastic bottle | MED | Rate Per Quality Test |
| 187 | 1779 | Desferroxamine mesylate Injection IP 500mg in vial | 500mg in vial ,500 MG X 5 X 5 or 1 x 10 | MED | Rate Per Quality Test |
| 188 | 2078 | Desflurane 240 ml | 240 ml , 1 X 6 X 6 | MED | Rate Per Quality Test |
| 189 | 221.0 2 | Dexamethasone Injection IP 8 mg / 2ml Ampules | 8 mg / 2ml , 2 ml vial x 25 x 4 type-1 glass | MED | Rate Per Quality Test |
| 190 | 2079 | Dexamethasone Intravitreal Implant 0.7mg (in solid polymer drug delivery system) | 0.7mg, 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 191 | 221.1 | Dexamethasone Tablets 8 mg | Dexamethasone Tablets 8 mg | MED | Rate Per Quality Test |
| 192 | 2260 | Dexmedetomidine 100mcg Injection | 100mcg | MED | Rate Per Quality Test |
| 193 | 2261 | Dextran 40% I.V 500 ml | 40% I.V 500 ml | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 194 | 2262 | Dextrose 10% I.V 500 ml | 10% I.V 500 ml, 1 X 24 Bottles | MED | Rate Per Quality Test |
| 195 | 1150 | Dextrose Injection IP 25%w/v in 100ml BFS / FFS | 25%w/v in 100ml , 5 x 5x 4 / 4 x 6 x 4 plastic bottle BFS / FFS (Separation between each bottle is must) | MED | Rate Per Quality Test |
| 196 | 229 | Dextrose Injection IP 5%w/v in 500ml BFS / FFS | 5%w/v in 500ml , 500ml X24 / 4x6 plastic bottle BFS / FFS (Separation between each bottle is must) | MED | Rate Per Quality Test |
| 197 | 224 | Dextrose with Sodium Chloride Injection 5% + 0.9% IP in 500ml IV BFS / FFS | 5% + 0.9% IP in 500ml , 500ml x 24 / 4 x6 plastic bottle BFS / FFS (Separation between each bottle is must) | MED | Rate Per Quality Test |
| 198 | 1628 | Diazepam Injection IP 5 mg / ml in 2 ml ampoule | 5 mg / ml in 2 ml ampoule , 2 ml amp 1x10x10 / 1 x 5x10 type-1 glass | MED | Rate Per Quality Test |
| 199 | 1782 | Diazepam Tablets IP 10 mg | 10 mg, 10 X 10 OR 50X10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 200 | 215 | Diazepam Tablets IP 5 mg | 5mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 201 | 197 | Diclofenac Sodium 50mg Tablets IP (Enteric coated) | 50mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------------|
| | | Tablets) | | | |
| 202 | 2462 | Diclofenac Sodium Injection Aqueous Base 75 mg/ 1 ml | 75 mg/ 1 ml , 1x10x10 / 1x5x10 Type-1 glass | MED | Rate Per Quality Test |
| 203 | 198 | Diclofenac Sodium Injection IP25 mg / ml in 3ml ampoule | 25 mg / ml in 3ml ampoule , 3 ml amp1x10x10 / 1x5x10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 204 | 2264 | Diclofenac Sodium suppositories 100 mg | 100 mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack (or) PVC- PE Foil Pack | MED | Rate Per Quality Test |
| 205 | 2080 | Diclofenac Sodium Tab100mg SR | 100mg SR , 10 X 10 or 50 X 10 Blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 206 | 2265 | Dicyclomine drops 10mg/ml, 20 ml Bottle | 10mg/ml, 20 ml Bottle | MED | Rate Per Quality Test |
| 207 | 1215 | Dicyclomine Hcl Injection IP 10mg/ml in 2ml amp | 10mg/ml in 2ml amp , 2ml amp10x10 / 10x5 type-1 glass | MED | Rate Per Quality Test |
| 208 | 193 | Dicyclomine Hcl Tablets 10 mg | 10 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 209 | 201 | Diethylcarbamazine Citrate Tablets IP 100mg | 100mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 210 | 1785 | Digoxin Inj 0.25 mg/ml | 0.25 mg/ml , 1ml amp 10x10 / 10 x 5 type-1 glass | MED | Rate Per Quality Test |
| 211 | 203 | Digoxin Tablets IP 0.25 mg | 0.25 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 212 | 207 | Diltiazem Tablets IP 30 mg | 30 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 213 | 2267 | Diphtheria Anti Toxin 10000 IU/ 10 ml ampoule | 10000 IU/ 10 ml,1 X 10 Vials/Ampoules | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 214 | 1789 | Disulfiram Tablets 250mg (Uncoated) | 250mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 215 | 1218 | Dobutamine Hcl For Injection USP 250mg / 20 ml Vial | 250mg / 20 ml Vial , 20ml vial x 5 x 5 ,type-1 glass | MED | Rate Per Quality Test |
| 216 | 2268 | Docetaxel 120mg /3 ml vial | 120mg /3 ml vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 217 | 2269 | Docetaxel 20mg/5ml or 20 mg/0.5 ml fill volume in 5 ml vial | 20mg/5ml or 20 mg/0.5 ml fill volume in 5 ml vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 218 | 2270 | Docetaxel 80mg/ 2 ml vial | 80mg/ 2 ml vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 219 | 1151 | Domperidone Suspension IP 1 mg / ml in 30ml bottle | 1 mg / ml in 30ml bottle , 30 ml x 100bottles amber colour pet bottle | MED | Rate Per Quality Test |
| 220 | 1137 | Domperidone Tablets IP 10 mg | 10 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 221 | 2271 | Donepezil 5mg Tablet | 5mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 222 | 209 | Dopamine Hcl Injection USP 200mg in 5ml vial and ampoule | 200mg in 5ml vial , 5 x5 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 223 | 2449 | Doxophylline Tablets 400mg | 400mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 224 | 1220 | Doxorubicin Injection IP 10 mg / 5 ml | 10 mg / 5 ml , 5ml Vial X 5 X 10 Type-I Glass | MED | Rate Per Quality Test |
| 225 | 192 | Doxycycline Hcl Capsule IP 100 mg | 100 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 226 | 2274 | Doxylamine succinate Tablet 25 mg | 25 mg | MED | Rate Per Quality Test |
| 227 | 2083 | Dried Aluminum Hydroxide Gel each 5 ml contains Aluminum Hydroxide IP 600mg + Magnesium Hydroxide IP 300mg + Semithione IP 25mg | DRIED ALUMINUM HYDROXIDE GEL EACH 5 ML CONTAINS ALUMINUM HYDROXIDE IP 600MG + MAGNESIUM HYDROXIDE IP 300MG + SEMITHIONE IP 25MG,Mono pack of 200ml | MED | Rate Per Quality Test |
| 228 | 1791 | Drotaverine Injection 40mg/2ml in 2 ml amp | 40mg/2ml in 2 ml amp , 2ml amp 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 229 | 2172 | Each 20ml of reconstitute suspension contain Paclitaxel, USP /IP 100mg bound to Human Albumin | Each 20ml of reconstitute suspension contain Paclitaxel, USP /IP 100mg bound to Human Albumin , 20ml Monopack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 230 | 2276 | Each 20ml of reconstituted suspension contains: Paclitaxel, USP-100mg Albumin Human USP-900 mg (Both Nano particle Polymer based and Human Albumin based are approved) | Each 20ml of reconstituted suspension contains: Paclitaxel, USP-100mg Albumin Human USP-900 mg (Both Nano particle Polymer based and Human Albumin based are approved) | MED | Rate Per Quality Test |
| 231 | 2278 | Empagliflozin Tablet 10mg | 10mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 232 | 251 | Enalapril Maleate Tablets IP 5mg | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 233 | 252 | Enalapril Tab 10mg | 10 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 234 | 1221 | Enoxaparin Sodium Injection 40mg | 40mg , 40mg pre-filled syringes Mono Pack (approved for Ampoules in this PO) | MED | Rate Per Quality Test |
| 235 | 2087 | Entacavir Tab 0.5mg | EACH FILM COATED TABLET CONTAINS- ENTECAVIR 0.5 MG COLOUR- TITANIUM DIOXIDE IP , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 236 | 2279 | Erlotinib 150mg Tablet | 150mg, 10 X10 Aluminium Blister Pack | MED | Rate Per Quality Test |
| 237 | 2280 | Erythromycin Syp 60 ml (each 5ml contains 125 mg) | 60 ml (each 5ml contains 125 mg), 1 X 50 Bottles | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| 238 | 1192 | Erythromycin Tab 500mg | 500mg , 10 X 10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 239 | 1517 | Erythropoetin Injection 1ml Vial 10000 IU /ml BP | 1ml Vial 10000 IU/ml,10 X 10, Type-I Glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------------|
| 240 | 1516 | Erythropoetin Injection 1ml Vial 4000 IU/ml | 1ml Vial 4000 IU/ml,10 X 10, Type-I Glass | MED | Rate Per Quality Test |
| 241 | 2281 | Escitalopram 5mg Tablet | 5mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 242 | 1794 | Escitalopram tablets 10mg | 10mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 243 | 1795 | Esmolol Injection 10 mg / ml 10ml vial | 10 mg / ml 10ml Vial,10 ml Vial X 5 X 5 ,Type-1 Glass | MED | Rate Per Quality Test |
| 244 | 1992 | Ethambutol Tab. 600mg | 600mg , 10 x 10 or 50 x 10 | MED | Rate Per Quality Test |
| 245 | 1462 | Ethamsylate Injection125mg/ml 2 ml ampule | 125mg/ml 2 ml ampule , 10 x 10 (or) 5x10 type- 1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 246 | 2450 | Ethamsylate Tablets 250 mg | 250 mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 247 | 211 | Etophylline 77mg + Theophylline 23mg Tablets IP | 77mg + 23mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 248 | 1171 | Etophylline 84.7 mg + Theophylline 25.3mg / ml in 2ml , 10 x 10 / 5x10 type-1 glass | 84.7 mg + 25.3mg / ml in 2ml , 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 249 | 1799 | Etoposide Injection 100 mg / 5 ml vial | 100 mg / 5 ml vial , 5 X 5 type-I glass | MED | Rate Per Quality Test |
| 250 | 1800 | Etoposide Capsules IP 100 mg | 100 mg, 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 251 | 1687 | Factor IX concentrate 600 IU | Factor IX concentrate 600 IU | MED | Rate Per Quality Test |
| 252 | 1801 | Factor VII | Recombinant Factor VII | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------------|---|----------|-----------------------|
| 253 | 1802 | Factor VIII | ANTI HAEMOPHILIC FACTOR - VIII LYOPHILISED MONOCLONAL PURIFIED or Dried human anti hemophilic fraction .(Freeze dried human coagulation Factor VIII). | MED | Rate Per Quality Test |
| 254 | 1802.01 | Factor VIII (500 IU) | T.No 91 Emended as 250IU to 500IU | MED | Rate Per Quality Test |
| 255 | 3456.03 | Favipiravir Tablets 200mg | Favipiravir Tablets 200mg | MED | Rate Per Quality Test |
| 256 | 2088 | Febuxostat Tab 40mg | 40mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 257 | 2089 | Febuxostat Tab 80mg | 80mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 258 | 1803 | Fenofibrate Capsules USP 160mg | 160mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 259 | 1804 | Fentanyl Inj. 100mcg/2ml | 100mcg/2ml , 2ml amp 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 260 | 2285 | Fentanyl Transdermal Patch 50mcg/hr | 50mcg/hr | MED | Rate Per Quality Test |
| 261 | 2287 | Ferrous ascorbate equivalent to 50 mg Iron + Folic acid 1.5 mg) Tablet | 50mg, 10 X 10 or 5x10x10 Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 262 | 1805 | Finasteride Tablets IP 5mg | 5mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 263 | 1835 | Flourescin sodium Inj. 10% in 5ml Vial | 10% In 5ml Vial, 1X25 (Or) 1X50 | MED | Rate Per Quality Test |
| 264 | 2290 | Flucinolone Acetonide 0.01% w/w Lotion 30 ml | 0.01% w/w Lotion 30 ml, 1 X 25 Bottles | MED | Rate Per Quality Test |
| 265 | 2289 | Flucinolone Acetonide 0.1% w/w cream 30 gm | 0.1% w/w cream 30 gm, 1 X 10 Tubes | MED | Rate Per Quality Test |
| 266 | 2090 | Fluconazole For Oral suspension 50mg per 5ml (Pack Size - 35ml) | 50mg per 5ml (Pack Size - 35ml) , 1X10X10 or 240 | MED | Rate Per Quality Test |
| 267 | 2291 | Fluconazole Injection 2 mg/ ml 100 ml bottle | 2 mg/ ml 100 ml bottel | MED | Rate Per Quality Test |
| 268 | 1629 | Fluconazole Tablets IP 200mg | 200mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 269 | 1808 | Flunarazine Tablets 5mg | 5mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 270 | 2292 | Flunarizine Tablet 10mg | 10mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 271 | 2293 | Fluoxetine Capsule 20mg | 20mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 272 | 1806 | Fluphenazine Deconate Inj. IP 25mg/ ml Depot 1 ml | 25mg/ ml Depot 1 ml , 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 273 | 2091 | Flupirtine Maleate Capsules 100mg | 100mg, 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 274 | 1377 | Flurbiprofen Eye drops BP 0.03% 5 ml | 0.03% in 5 ml , 5ml x 5 x 5 | MED | Rate Per Quality Test |
| 275 | 2294 | Flurometholone Eye Drops 0.1%, 5ml vial | 0.1%, 5ml vial | MED | Rate Per Quality Test |
| 276 | 1812 | Flutamide Tablets USP 250 mg | 250 mg, 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 277 | 1811 | Fluvoxamine Tab 50mg | 50mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 278 | 279 | Folic Acid tablets 5 mg | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 279 | 2092 | Fondapainux Sodium 2.5mg Inj | 2.5mg, 1 X 5 X10 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 280 | 285 | Formaldehyde Solution 500ml bottle | 500ml bottle , 500 ml clear plastic bottle (hard) x 20 bottles in one carton | MED | Rate Per Quality Test |
| 281 | 2137 | Formoterol Fumarate 6mcg + Budesonide 200mcg (Inhalation) 120 MDI | 6mcg +200mcg , 1X10 X10 / 1X5X8 | MED | Rate Per Quality Test |
| 282 | 281 | Framycetin Sulphate Cream 0.5%, 100gm tube | 0.5%, 100gm tube , 10 X 10 individual tetra pack | MED | Rate Per Quality Test |
| 283 | 1814 | Framycetin Sulphate Cream 0.5%, 30gm tube | 0.5%, 30gm tube , 30 gm X 10 X 10 10 individual tetra pack | MED | Rate Per Quality Test |
| 284 | 2295 | Framycetin Sulphate Cream 1% w/w 100gm tube | 1% w/w 100gm tube,10 X 10, 10 individual tetra pack | MED | Rate Per Quality Test |
| 285 | 2296 | Framycetin Sulphate Cream 1% w/w 30gm tube | 1% w/w 30gm tube,10 X 10, 10 individual tetra pack | MED | Rate Per Quality Test |
| 286 | 2143 | Frusemide 20mg + Spironolactone 50mg | 20mg + 50mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 287 | 264.0 1 | Furazolidone Tablets IP 100 mg | 100 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 288 | 743 | Furazolidone Suspension IP 25mg/5ml,60ml | 25mg/5ml,60ml , 60ml x 100 amber colour pet bottle | MED | Rate Per Quality Test |
| 289 | 266 | Furosemide Injection , IP 10mg/1ml in 2 ml amp | 10mg/1ml in 2 ml amp , 10 x 10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 290 | 265 | Furosemide Tablets IP 40mg | 40mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 291 | 2093 | Fusidic Acid Cream 20gm | 20gm , 1 X 10 X 10 | MED | Rate Per Quality Test |
| 292 | 2297 | Gabapentin 300mg Tablet | 300mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 293 | 311 | Gamma Benzene Hexachloride Lotion 1% in 60ml bottle | 1% in 60ml bottle , 60ml clear plastic bottle (hard) x 100 | MED | Rate Per Quality Test |
| 294 | 1816 | Ganciclovir Sodium Powder for Infusion 500mg Vials | 500mg , 1 X25 (Or) 1 X50 | MED | Rate Per Quality Test |
| 295 | 2299 | Gatifloxacin (0.3% w/w) + Dexamethasone (0.1% w/w) eye Drops in 5ml | (0.3% w/w) + (0.1% w/w) in 5ml,1 X 25 Vials | MED | Rate Per Quality Test |
| 296 | 1431 | Gatifloxacin eye Drops 0.3 w/v in 5ml vial | 0.3 w/v in 5ml vial , 5ml x 5 x 5, | MED | Rate Per Quality Test |
| 297 | 2300 | Gemcitabine 200mg Injection vial | 200mg vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 298 | 303 | Gentamicin Eye Drops IP 0.3% in 5ml w/v | 0.3% in 5ml w/v , 5ml X 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 299 | 294.0 1 | Gentamicin Injection IP 40 mg / ml in 2ml Vial | 40 mg / ml in 2ml Vial , 2 ml vial X10X 10,or 10x5 Type-I glass | MED | Rate Per Quality Test |
| 300 | 299 | Glibenclamide Tablets IP 5mg | 5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 301 | 1432 | Glimepride Tablets IP 1mg | 1mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 302 | 1688 | Glimipride Tab IP 2mg | 2mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 303 | 10108 | Glucose Sachets 75Gm Pack | Glucose Sachets 75Gm Pack | MED | Rate Per Quality Test |
| 304 | 744 | Glutaraldehyde 2% Solution 5 liter can | 2% Solution 5 liter can , 5 ltr plastic can | MED | Rate Per Quality Test |
| 305 | 1665 | Glycerin IP 450gm | 450gm,Clear Plastic Bottle (Hard) X 20 Bottles In On Carton | MED | Rate Per Quality Test |
| 306 | 666 | Glycopyrrolate Injection 0.2 mg / ml in 1ml amp IP | 0.2 mg / ml in 1ml amp IP,10x 10 / 1x5x10 type-1 glass | MED | Rate Per Quality Test |
| 307 | 1630 | Griseofulvin Tablets IP 250 mg | 250 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 308 | 308 | Griseofulvin Tablets IP 125 mg | 125 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 309 | 2187 | H1N1 Vaccine | Influenza Vaccine A and B-30mcg H1N1 Vaccine Swine Flu-15mcg (30MCG + 15 MCG) , Single Dose pre-filled Syringe | MED | Rate Per Quality Test |
| 310 | 1836 | Haloperidol Deconate Inj. 50mg | 50mg , 2ml amp 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 311 | 745 | Haloperidol Injection IP 5 mg / 1ml | 5 mg / 1ml , 1ml amp 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 312 | 746 | Haloperidol Tablets IP 5mg | 5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 313 | 315 | Halothane for Inhalation (Contains Halothane BP) 250ml | 250ml , 250 ml amber colour 1x20 bottle | MED | Rate Per Quality Test |
| 314 | 1818 | Heparin Sodium Injection IP 1000 IU/ml, in 5ml Vial | 1000 IU/ml, in 5ml Vial , 10 x 10 ,type-1 glass vail | MED | Rate Per Quality Test |
| 315 | 1675 | Heparin Sodium Injection IP 5000IU/ml in 5ml amp/Vial | 5000IU/ML IN 5ML AMP/Vial, 10 x 10 (or) 10x5 type-1 glass | MED | Rate Per Quality Test |
| 316 | 1272 | Hepatitis B Immunoglobulin Injection USP 100IU/0.5ml or | 100IU/0.5ml or 1ml , Monopack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| | | 1ml | | | |
| 317 | 1819 | Homatropine Eye Drops IP 2% 5 ml | 2% 5 ml , 5 x 5 | MED | Rate Per Quality Test |
| 318 | 3456.04 | Home Isolation Kit | As per Tender Specification | MED | Rate Per Quality Test |
| 319 | 1367 | Human Albumin Solution I.P. 20% in100 ml bottle | 20% in100 ml bottle , 5 x 5x 4 | MED | Rate Per Quality Test |
| 320 | 1820 | Human Immunoglobulin IV 5 gm/100ml | 5 gm/100ml,CLEAR GLASS BOTTLE MONO PACK | MED | Rate Per Quality Test |
| 321 | 1631 | Human Premixed Insulin Injection IP 30/70 in 10 ml vial | 10 ml vial , 5 x 5 ,type-1 glass | MED | Rate Per Quality Test |
| 322 | 1230 | Hydrochlorothiazide Tab 25mg | 25mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 323 | 1300 | Hydrocortisone Sodium Succinate Injection IP contains Hydrocortisone 100 mg/in 5ml vial | 100 mg/in 5ml vial , 5ml x5x5 type-1 glass | MED | Rate Per Quality Test |
| 324 | 1177 | Hydrogen Peroxide Solution IP 6% in 200ml | 6% in 200ml , 200 ml clear plastic bottle (hard) x 20 | MED | Rate Per Quality Test |
| 325 | 2097 | Hydroxy Chloroquine Tab 200mg | 200mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 326 | 2304 | Hydroxy Propyl Methyl Cellulose Eye Drops 0.3% in 10 ml | 0.3% in 10 ml,1 X 25 Vials | MED | Rate Per Quality Test |
| 327 | 2305 | Hydroxy Urea 500mg Cap | 500mg,10 X 10 Aluminium Blister Foil Pack | MED | Rate Per Quality Test |
| 328 | 1676 | Hydroxyethyl starch BP (Hetastarch) with 450K dalton/Tetra starch Hydroxyethyl starch 130K dalton molecular weight,24 OR 4 X 6 IN ONE CARTON SEPARATION BETWEEN EACH BOTTLES IS MUST | Hydroxyethyl starch BP (Hetastarch) with 450K dalton/Tetra starch Hydroxyethyl starch 130K dalton molecular weight,24 OR 4 X 6 IN ONE CARTON SEPARATION BETWEEN EACH BOTTLES IS MUST | MED | Rate Per Quality Test |
| 329 | 1125 | Hyoscine Butyl Bromide Injection IP 20 mg / ml 1 amp | 20 mg / ml 1 amp , 10 x 10,type-1 glass amp/vial | MED | Rate Per Quality Test |
| 330 | 2306 | Hyoscine Butyl Bromide Injection 20 mg / ml 1 ml Ampule | 20mg/ml 1ml,1 X 50 Amps | MED | Rate Per Quality Test |
| 331 | 10800 9 | Ibuprofen Syrup or Oral Suspension 100mg in 5ml in 30ml bottle with measuring Cap | Ibuprofen Syrup or Oral Suspension 100mg in 5ml in 30ml bottle with measuring Cap | MED | Rate Per Quality Test |
| 332 | 1824 | Ichthymol 1.5gm Glycerine upto 15ml NFL III | | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 333 | 1713 | IFA syrup | 1ml of IFA Syrup containing 20mg of elemental iron and 100mcg of folic acid in 60ml in pet bottle with 1ml dropper,5 x 10 bottles / 60ml x10x10 bottles. | MED | Rate Per Quality Test |
| 334 | 2308 | Ifosphamide 1gm per vial | 1gm per vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 335 | 2309 | IgM enriched Immunoglobulin IgM 12%, IgG 76% & IgA 12% concentrate 10ml | IgM 12%, IgG 76% & IgA 12% concentrate 10ml,1 X 10ml Vials | MED | Rate Per Quality Test |
| 336 | 2098 | Imatinib Mesylate Tab 400mg(Addl. Indication) | 400mg(Addl. Indication),10 x 10 or 50 x 10 blister with aluminum foil pack or bottle of 10 Tablets | MED | Rate Per Quality Test |
| 337 | 2099 | Imipenem 500mg + Clistatin 500mg Inj. | 500mg+500mg , 5 X5 Or 10 X 5 | MED | Rate Per Quality Test |
| 338 | 2310 | Indacaterol 110mcg+Glycopyrronium 50 mcg Capsules+ inhaler | 110mcg+ 50 mcg, 1 X 25 Inhalers | MED | Rate Per Quality Test |
| 339 | 2461 | Infliximab 100 mg in 10 ml Vial | 10 ml vial , 1x10x10 / 1x5x10 | MED | Rate Per Quality Test |
| 340 | 2311 | Inj. Glycopyrrolate (0.5mg) + Neostigmine (2.5mg) / 5 ml | (0.5mg) + (2.5mg)/ 5 ml | MED | Rate Per Quality Test |
| 341 | 2472 | Inj. Hydroxypropyl methyl cellulose (2%) with cannula 5ml (Vials) | 0 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------------|
| 342 | 1634 | Insulin Injection (Soluble) Human Injection IP 40 IU / ml in 10 ml vial | 40 IU / ml in 10 ml vial , 5 x 5 type-1 glass | MED | Rate Per Quality Test |
| 343 | 1716 | Iron Folic Acid Large Blue Enteric Coated | Each enteric coated tablet contains- Dried Ferrous Sulphate IP 335mg, equivalent to Elemental iron 100mg, Folic Acid IP 500mcg, Colours - Titanium Dioxide IP & Indigo Carmine , 10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 344 | 2168 | Iron Folic Acid Large Red Enteric Coated | Each enteric coated tablet contains: Dried Ferrous Sulphate IP 335 mg equivalent to Elemental Iron 100mg , Folic Acid IP 500 mcg, Colour - Red, 10 x 10 blister with Aluminium foil pack. | MED | Rate Per Quality Test |
| 345 | 2167 | Iron Folic Acid Small Pink Enteric Coated | Each enteric coated tablet contains: Dried Ferrous Sulphate IP 150mg, equivalent to Elemental iron 45mg, Folic Acid IP 400mcg, Colours - Pink | MED | Rate Per Quality Test |
| 346 | 2167. 01 | Iron Folic Acid Small Pink Sugar Coated Tablets | Each sugar coated tablet contains Elemental Iron 45mg, Folic Acid IP 400mcg, color Pink | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 347 | 2168.03 | Iron Folic Acid Tablets Blue Sugar Coated | Each Sugar coated tablet contains Dried Ferrous Sulphate IP equivalent to Elemental Iron 60mg Folic Acid IP- 500 mcg Color - Blue | MED | Rate Per Quality Test |
| 348 | 2168.02 | Iron Folic Acid Tablets Red Sugar Coated | Each Sugar coated tablet contains Dried Ferrous Sulphate IP equivalent to Ferrous Iron 60mg Folic Acid IP - 500 mcg Color Red | MED | Rate Per Quality Test |
| 349 | 608 | Iron Sucrose Injection BP 100 mg / 5ml Ampoule/Vial | 100 MG / 5ML Ampoule/Vial , 5ml x10x10 (or) 5ml x5x10 | MED | Rate Per Quality Test |
| 350 | 355 | Isoflurane for Inhalation (Contains Isoflorane BP) 100ml | 100ml , 100 ml X10 | MED | Rate Per Quality Test |
| 351 | 1437 | Isolyte-M Injection | Each 100ml Contains Dextrose (As Anhydrous) IP5.0G, Sodium Chloride Ip0.1G, Sodium Acetate IP 0.28G, Potassium Chloride 0.15G, Disabsic Pottasiom Phosphate USP 0.13G, Water For Injection Ipqs, Stabiliser Sodium Metabisulphit, Ipqs Ph- Adjusted With HCL1,00 , 500 ml plastic bottle 4x6 (seporation between bottles is must). | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------------|
| 352 | 391 | Isolyte-P Injection | Each 100ml contains Dextrose (as anhydrous) IP5.0G, Potassium Chloride IP0.13G, Sodium Acetate IP0.32G, Dibasic Potassium Phosphate USP0.0269, Magnesium Chloride IP0.031G, water for injection IPQS, Stabiliser sodium Metabisulphite IPQS, Ph adus with HCL , 500 ml plastic bottle 1 x 4 x 6 =24 bottles | MED | Rate Per Quality Test |
| 353 | 2149 | Isoniazide (INH) Tab. 300mg | 300mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 354 | 2185 | Isoniazide (INH) Tab.100mg | 100MG,10 X 10 OR 50X10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 355 | 1843 | Isoprenaline Hcl Injection IP 200 micrograms / ml | 200 micrograms / ml , 2ml amp 10 x 10 / 5x10 type-1 glass | MED | Rate Per Quality Test |
| 356 | 2313 | Isosorbide Dinitrate Tablets 10mg | 10mg,10 X 10 or 5x10x10 Aluminum Foil Pack | MED | Rate Per Quality Test |
| 357 | 1844 | Isosorbide Dinitrate Tablets 20mg | 20 mg,10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 358 | 1845 | Isoxsuprine Hcl Injection 5 mg / ml 2 ml | 5 mg / ml 2 ml , 2ml amp 10 x 10 /5x10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 359 | 1636 | Isoxsuprine Hcl Tablets 10 mg | 10 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 360 | 2315 | Itraconazole 100 mg Capsule | 100 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 361 | 2316 | Itraconazole Capsule 100 mg | 100 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 362 | 2104 | Ivabradine HCL Tablets 5 mg | 5mg, 10 X 10 or 50X10 Blister With Aluminum Foil Pack (or) 14X4. | MED | Rate Per Quality Test |
| 363 | 1846 | Ivermectin Tablets 3mg | 3mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 364 | 2317 | Ivermectin Tablets 6mg | 6mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 365 | 2318 | Japanese Encephalitis Vaccine, Inactivated (Absorbed, Human) IP 0.5ml vial | IP 0.5ml vial,1 X 10 Vials | MED | Rate Per Quality Test |
| 366 | 404 | Ketamine Hcl Injection IP 50mg / ml in 10-ml Vial | 50mg / ml in 10-ml Vial , 50mg / ml in 10-ml vial 10mlx5x10 (or) 10mlx 5 x 5 | MED | Rate Per Quality Test |
| 367 | 2473 | Ketorolac 0.5% Eye Drops | Ketorolac 0.5% Eye Drops | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| | | | | | |
| 368 | 2319 | Ketorolac Tromethamine Injection 30mg /ml, 1 ml Ampoule | 30mg / ml, 1ml, 1 X 50 Amps | MED | Rate Per Quality Test |
| 369 | 1847 | L- Asparaginase Injection vial 5000 IU | 5000 IU , Each | MED | Rate Per Quality Test |
| 370 | 1694 | Labetalol Hcl Injection IP 5mg / ml in 10ml vial | 5mg / ml in 10ml vial , 5 x 5 / 10mlx5x10 , type-1 glass | MED | Rate Per Quality Test |
| 371 | 2320 | Labetolol Hydrochloride Tablet IP 100mg | 100mg,Film coated 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 372 | 1637 | Lactulose Solution 3.325gm/5ml in 100ml bottle | 3.325gm/5ml in 100ml bottle, 100ml x 50 plastic bottle | MED | Rate Per Quality Test |
| 373 | 1852 | Lamivudine and Zidovudine Tablets IP 150mg+300mg | 150mg+300mg , 30 CAPSULES IN A HDPE WHITE COLOUR BOTTLE | MED | Rate Per Quality Test |
| 374 | 1853 | Letrozole Tablets 2.5mg | 2.5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 375 | 1855 | Levamisole Tablets IP 150mg | 150mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 376 | 2107 | Levetiracetam Tab 500mg | 500mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 377 | 2108 | Levacetirizine dihydrochloride 5mg + Montelukast 10mg tablet | Levacetirizine dihydrochloride 5mg +Montelukast 10mg tablet , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 378 | 2323 | Levacetirizine Syrup 2.5mg/5ml in 60ml bottle | 2.5mg/5ml in 60ml bottle,1 X 50 Bottles | MED | Rate Per Quality Test |
| 379 | 1856 | Levodopa 100mg +Carbidopa 10mg Tablets I.P | Levodopa 100mg +Carbidopa 10mg Tablets I.P,30 Capsules in a HDPE White Colour Bottle | MED | Rate Per Quality Test |
| 380 | 2324 | Levofloxacin Injection 5 mg/ml 50 ml vial | 5 mg/ml 50 ml vial | MED | Rate Per Quality Test |
| 381 | 2325 | Levofloxacin Tablet 500 mg | 500 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 382 | 2326 | Levofloxacin Tablet 750 mg | 750 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 383 | 2111 | Levothyroxine 50mcg tablets | 50mcg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 384 | 2327 | Levothyroxine Tablets 25mcg | 25mcg,Amber color bottle | MED | Rate Per Quality Test |
| 385 | 1438 | Levothyroxine Tablets IP 100 micrograms(un coated) | 100micrograms , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 386 | 757 | Lignocaine Hcl Gel IP 2% in 30 gms tube | 2% in 30 gms tube , 30 gm x 10x10 tubes | MED | Rate Per Quality Test |
| 387 | 420 | Lignocaine and Adrenaline Injection IP (Contains Lignocaine Hcl 2% and Adrenaline 1 - 200 000) in 30 ml Vial | 30 ml Vial , 30 ml x 5 x 4 | MED | Rate Per Quality Test |
| 388 | 1857 | Lignocaine Eye Drops BP 4 % in 5ml vial | | MED | Rate Per Quality Test |
| 389 | 417 | Lignocaine Hcl Injection IP 5% in 2ml ampoule | 5% in 2ml ampoule , 2 ml 5X10 or 10 X10 | MED | Rate Per Quality Test |
| 390 | 409.0 1 | Lignocaine Hcl Injection 2% in 30 ml Vial | 2% in 30 ml Vial , 30 ml x 5 x 4 | MED | Rate Per Quality Test |
| 391 | 2329 | Lignocaine Hydrochloride Gel IP 10 percentage 50 gm | (Lignocaine Gel, Lidocaine Hcl Gel, Lidocaine Gel): Strength: 1percent w/v and 2percent w/ v | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| | | | | | |
| 392 | 2330 | Lignocaine Hydrochloride Injection I.P. 5% w/v | 5% w/v, 1 X 25 Amps | MED | Rate Per Quality Test |
| 393 | 1724 | Linezolid Tablets IP 600 mg | 600 mg, 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 394 | 2331 | Linezolid Injection 2mg/ml, 300 ml vial | 2mg/ml, 300 ml vial | MED | Rate Per Quality Test |
| 395 | 1304 | Lipids I.V. 20% In 250ml Bottles | 250ml, 250ml bottle x 5 | MED | Rate Per Quality Test |
| 396 | 2333 | Liquid Paraffin 100 ml | 100 ml, 1 X10 Bottles | MED | Rate Per Quality Test |
| 397 | 2334 | Liquid Paraffin 3.75 ml + milk of Magnesia 11.25 ml each 15 ml contain 170 ml bottle, 1 X10 Bottles Syrup | 3.75 ml + 11.25 ml each 15 ml contain 170 ml bottle, 1 X10 Bottles | MED | Rate Per Quality Test |
| 398 | 2335 | Liquid Paraffin 500ml | 500ml, 1 X10 Bottles | MED | Rate Per Quality Test |
| 399 | 1864 | Lithium Carbonate Tablets IP 450mg CR | 450mg, 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------------|
| 400 | 1162 | Loperamide Tab 2mg | 2mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 401 | 2152 | Lopinavir Tab 200mg + Ritonavir Tab 50mg | Lopinavir Tab 200mg + Ritonavir Tab 50mg, 60 Tablets in a HDPE White Colour Bottle. | MED | Rate Per Quality Test |
| 402 | 2336 | Lorazepam Injection 2mg/ml, 2ml ampoules | 2mg/ml, 2ml | MED | Rate Per Quality Test |
| 403 | 2337 | Lorazepam Tablet 2mg | 2mg,10 X 10 Or 5X10X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 404 | 1308 | Losartan Potassium Tablets IP 50 mg (film coated) | 50 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 405 | 2458 | Loteprednol eye drops 0.5%w/v | 0.5%w/v,1x25 | MED | Rate Per Quality Test |
| 406 | 1428 | Lysol (Cresole 50% with soap solution 50%) 500ml | 500ml , 500 ml Clear Plastic Bottle (Hard) X 20 | MED | Rate Per Quality Test |
| 407 | 1441 | Magnesium Sulphate Injection IP 500 mg /ml, in 2ml ampoule | 500 mg /ml, in 2ml ampoule , 2 ml amp 1x10x 10 (or) type-1 glass | MED | Rate Per Quality Test |
| 408 | 1639 | Mannitol 20% I.V. Infusion IP 100ml bottle BFS/FFS | 100ml bottle , 100ml plastic bottle x 50 / 5 x 5 x 4 BFS / FFS | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 409 | 2339 | Mebeverine Hydrochloride IP 135mg Tablet | 135mg Tablet, 10 x 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 410 | 1865 | Mefenamic acid Tablets BP 500 mg | 500 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 411 | 1866 | Mefloquine Hcl IP Tablets 250mg | 250mg , 10 x 10 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 412 | 1868 | Melphalan Tablets IP 2 mg | 2 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 413 | 1867 | Melphalan Tablets IP 5 mg | 5 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 414 | 2340 | Memantine 10mg Tablet | 10mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 415 | 714 | Menadine Sodium Bisulphate Inj 10mg/ml 1ml Amp USP | Inj 10mg/ml 1ml Amp USP , 1 ml Amp Amber Colour Amp 10 X 10 Type-I Glass | MED | Rate Per Quality Test |
| 416 | 1442 | Mephentramine Sulphate Injection 30 mg /ml in 10 ml vial | 30 mg /ml in 10 ml vial , 5 x 5 or 5 x 10, type-1 glass | MED | Rate Per Quality Test |
| 417 | 1870 | Mercaptopurine Tablets IP 50 mg | 50 mg, 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 418 | 1700 | Meropenam Injection IP 1gm vial | 1gm for vial , 30 ml vial x5x 5, type-1 glass | MED | Rate Per Quality Test |
| 419 | 2341 | Meropenam Injection IP 500mg for vial | IP 500mg for vial, 1 X 25 Vials | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| 420 | 2342 | Mesalazine Tablet 1.2 gm | 1.2 gm,10 x 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 421 | 441 | Metformin Tablets IP 500 mg | 500 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack, | MED | Rate Per Quality Test |
| 422 | 1873 | Methimazole Tablet 5mg | | MED | Rate Per Quality Test |
| 423 | 1874 | Methotrexate Tablets IP 2.5 mg | 2.5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 424 | 1875 | Methotrexate Injection IP 50 mg / ml in 2ml amp | 50 mg / ml in 2ml amp , 2ml amp 10 x 10 type-1 glass or 5x 10 | MED | Rate Per Quality Test |
| 425 | 1876 | Methotrexate Tablets IP 7.5 mg | 7.5 mg , 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 426 | 2102 | Methoxy Polyethylene glycolepoetin beta Inj. 50mcg (Single dose pre-filled syringe) | 50mcg , 1X10X10 | MED | Rate Per Quality Test |
| 427 | 1640 | Methyl Cobalamin Injection 500mcg in 1 ml | 500mcg in 1 ml , 1ml amp 5 x 10 type-1 glass / 10x10 type-1 | MED | Rate Per Quality Test |
| 428 | 1678 | Methyl Cobalamin Tablets 500mcg | 500mcg , 10 x 1 0 or 50 x 10 aluminum foil pack | MED | Rate Per Quality Test |
| 429 | 463 | Methyl Ergometrine maleate Injection IP 0.2 mg / ml | 0.2 mg / ml , 1ml amp 10 x 10 type-1 glass / 5 X 10 | MED | Rate Per Quality Test |
| 430 | 1310 | Methyl Prednesolone Sodium Succinate Injection USP 500 mg | 500mg , 5ml amber colour vial 5x5 or 10x5 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 431 | 2343 | Methyl Prednisolone IP 4mg Tablet | 4mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 432 | 2344 | Methyl Prednisolone IP 8mg Tablet | 8mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 433 | 1877 | Methyldopa Tablets IP 250 mg,(film coated) | 250 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 434 | 1879 | Metolazone Tablets USP 5mg | | MED | Rate Per Quality Test |
| 435 | 2345 | Metoprolol 5mg/5ml Injection Ampule | 5mg/5ml,1X50 Amp | MED | Rate Per Quality Test |
| 436 | 1880 | Metoprolol Succinate Prolonged Release Tablets IP 25 mg | 25 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 437 | 449 | Metoprolol Succinate Prolonged Release Tablets IP 50 mg | 50 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 438 | 438.0 1 | Metronidazole Tablets IP 400 mg (film coated) | 400 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 439 | 1643 | Metronidazole benzoate Oral Suspension IP 100mg/5ml in 60ml | 100mg/5ml in 60ml , 60 ml x 100 bottles amber colour pet bottle | MED | Rate Per Quality Test |
| 440 | 440 | Metronidazole IV Infusion IP 500mg in 100 ml | 500mg in 100 ml , 5 x 5 x 4 or 100ml x4x6x4 BFS / FFS | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 441 | 1642 | Metronidazole Tablets IP Film coated 200 mg | 200 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 442 | 475 | Miconazole Nitrate Cream IP 2% 30gm tube -Cream | 2% 30gm , 30 gm x 10x10 | MED | Rate Per Quality Test |
| 443 | 1829 | Midazolam Inj 1mg/ml 10ml | Inj 1mg/ml 10ml , 10ml vial 10mlx5x10 | MED | Rate Per Quality Test |
| 444 | 1313 | Mifepristone Tab. 200mg | 200mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 445 | 1401 | Misoprostol Tablets 200 mcg | 200 mcg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 446 | 2113 | Montelukast Tab 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 447 | 1885 | Morphine Sulphate Tablets BP 10 mg | 10 mg,10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 448 | 2475 | Moxifloxacin plus Prednisolone acetate Eye Drops | 0 | MED | Rate Per Quality Test |
| 449 | 1981 | Moxifloxacin Tab. 400mg | 400mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 450 | 1644 | Multivitamins Tablets (Therapeutic) | 10 X 10 or 50 X 10 Blister with aluminum foil pack, Formula:Methylcobalami n500mcg+ Ascorbic acid100mg+Niacinamide 50mg+Vit E25mg+Calcium Pantothenate12.5mg+ Vit B1 10mg +Riboflavin 10mg + VitB6 3mg+ Vit A5000IU+ Folic Acid1mg + Zinc Oxide15mg + CopperGluconate 2.5mg +Manganese 1.4mg+Chromium 65mcg+Selenium 60mcgTablets for Vitaminand mineral deficiencystates in Adultpatients. | MED | Rate Per Quality Test |
| 451 | 2347 | Mupirocin Oint. 2% 15 gm | 2% 15gm,1 X10 Tubes | MED | Rate Per Quality Test |
| 452 | 1888 | Mycophenolate mofetil Tab 500mg | 500mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 453 | 1889 | N- Acetylcystine Injection 200mg/ml, in 5ml amp | 200mg/ml, in 5ml amp , 5 ml X 5 X 5 or 10 X 5 type-1 glass | MED | Rate Per Quality Test |
| 454 | 2348 | Nacl 3% (Sodium Chloride) ,100ml bottle I.V | 100ml bottle ,I.V,1X24 Bottles | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 455 | 1890 | Naloxone HCL Injection USP 400mcg/ml, 1ml amp | 400mcg/ml, 1ml amp,1ml Amp 1x10x 10 or 1x10x5 Type-1 Glass | MED | Rate Per Quality Test |
| 456 | 2350 | Naproxen Sodium 250mg Tablet | 250mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 457 | 2351 | Naproxen Sodium 500mg Tablet | 500mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 458 | 2457 | Natamycin eye drops 5%w/v | 5%w/v,1x25 | MED | Rate Per Quality Test |
| 459 | 1883 | Natural Micronized Progesterone Capsule 200 mg | 200 mg , 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 460 | 2352 | Natural Progesterone Injection 100mg/2 ml 2ml Ampule | 100mg/2 ml 2ml,1 X50 Amp | MED | Rate Per Quality Test |
| 461 | 1892 | Neomycin ointment 0.5% w/v 30gm | 0.5% w/v 30gm , 30gm x 20 x 10 | MED | Rate Per Quality Test |
| 462 | 1726 | Neomycin Skin Ointment 100gm tube | 100GM TUBE,1X10 (OR) 1X 25 TETRAPACK | MED | Rate Per Quality Test |
| 463 | 1314 | Neostigmine Injection IP 0.5 mg/ ml in 5ml vial | 0.5 mg/ ml in 5ml vial, 5ml x 5 x 5 type-1 glass vial / amp | MED | Rate Per Quality Test |
| 464 | 2353 | Nepafenac 0.1%w/v Eye Drops , 5ml Vial | 0.1%w/v Eye Drops , 5ml Vial,X25 Vials | MED | Rate Per Quality Test |
| 465 | 1894 | Nevirapine Tablets IP 200mg | 200mg , 10 X 10 OR 50X10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 466 | 2115 | Nicorandil Tab 5mg | 5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 467 | 4004 | Nicotine Patch 14 mg | Nicotine Patch 14 mg NTCP Program | MED | Rate Per Quality Test |
| 468 | 4003 | Nicotine Patch 21 mg | Nicotine Patch 21 mg NTCP Program | MED | Rate Per Quality Test |
| 469 | 4005 | Nicotine Patch 7 mg | Nicotine Patch 7 mg NTCP Program | MED | Rate Per Quality Test |
| 470 | 1895 | Nifedipine sustained release Tab IP 20 mg | 20 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 471 | 497 | Nifidepine Capsules IP 10mg | 10mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 472 | 2359 | Nifidipine Retard Tablet 20mg | 20mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 473 | 1896 | Nitrofurantoin Tablets IP 100 mg | 100 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 474 | 1897 | Nitroglycerine (N.T.G.) Injection 5mg/ml in 5 ml | 5mg/ml in 5 ml , 10 x 10 / 5 X 10 type-1 glass | MED | Rate Per Quality Test |
| 475 | 1898 | Non Ionic Contrast Media 370/50, 50ml | 370/50, 50ml , Non Ionic Contrast Media 370/50, 50ml Mono Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 476 | 1899 | Non Ionic Contrast Media 400/100 (100ml) | 400/100 (100ml) , 100ML MONOPACK | MED | Rate Per Quality Test |
| 477 | 1900 | Non Ionic Contrast Media 400/50 (50ml) | 400/50 (50ml) , Non Ionic Contrast Media 400/50 (50ml) Mono Pack | MED | Rate Per Quality Test |
| 478 | 2364 | Noradrenaline Injection 1mg/ml, 2ml ampoules | 1mg/ml,2ml,1 X50 Amp | MED | Rate Per Quality Test |
| 479 | 1696 | Norethisterone Tablets IP 5 mg | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 480 | 482 | Norfloxacin Tablets IP 400mg | 400mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 481 | 1901 | Octreotide Injection 100mcg/ml | 100mcg/ml , 1ml amp 10 x 10 or 5x10 type-1 glass | MED | Rate Per Quality Test |
| 482 | 1660 | Ofloxacin ophthalmic solution IP 0.3%w/v in 5ml vial | 0.3%w/v in 5ml vial , 5ml x 5 x 5 | MED | Rate Per Quality Test |
| 483 | 1902 | Ofloxacin Tablets 100mg | 100mg, 5X10X10 BLISTER WITH ALUMINUM FOIL PAC. | MED | Rate Per Quality Test |
| 484 | 1528 | Ofloxacin Tablets IP 200 mg | 200 mg , 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 485 | 1702 | Ofloxacin Suspension 50 mg /5 ml , 60 ml | 50 mg /5 ml ,60 ml X 100 Bottles Amber Colour Pet Bottle | MED | Rate Per Quality Test |
| 486 | 2366 | Oint.Salicylic Acid IP 12.0% w/w 50 grms tube | 12.0% w/w 50 grms,1 X10 Tubes | MED | Rate Per Quality Test |
| 487 | 2367 | Oint.Salicylic Acid IP 6.0% w/w 30 grms tube | 6.0% w/w 30 grms,1 X10 Tubes | MED | Rate Per Quality Test |
| 488 | 2368 | Olanzapine 2.5mg Tablet | 2.5mg,2.5mg , 10 x 10 milky white PVC alluminium foil pack | MED | Rate Per Quality Test |
| 489 | 1904 | Olanzapine tablets 10mg | 10mg , 10 x 10 milky white pvc alluminium foil pack | MED | Rate Per Quality Test |
| 490 | 1903 | Olanzapine tablets 5 mg | 5 mg , 10 x 10 milky white pvc alluminium foil pack | MED | Rate Per Quality Test |
| 491 | 2369 | Olmesartan Medoxomil Tablets 40mg | 40mg,10 X 10 Or 5X10X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 492 | 1905 | Olopatdine eye drops 0.1% | 0.1%,5 ml X 5 X 5 Or 10 X5 FFS / BFS | MED | Rate Per Quality Test |
| 493 | 2117 | Olsertain Medoxomil 40 mg Tabs | 40 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 494 | 1318 | Ondansetron Injection IP 2mg/ml 2ml amp | 2mg/ml 2ml amp , 2ml amp 10 x 5 and 10 x 10 packing specification.type-1 glass | MED | Rate Per Quality Test |
| 495 | 1647 | Ondansetron Syrup IP 2mg/5ml in 30 ml bottle | 2mg/5ml in 30 ml bottle , 30 ml x 100 amber colour pet bottle | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 496 | 1317 | Ondansetron Tablets IP 4 mg | 4 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 497 | 513.0 1 | Oral Rehydration Salts IP (ORS) 20.5gm WHO formula with citrate salts | 20.5gm , 20.5 gm pouch tri laminated aluminum foil cover with paper label | MED | Rate Per Quality Test |
| 498 | 2186 | Oseltamivir Caps 30 mg | Each Capsules Contain Oseltamivir Phosphate IP Equivalent to Oseltamivir 30 mg,10 X 10 Blister With Aluminium Foil Pack | MED | Rate Per Quality Test |
| 499 | 1470 | Oseltamivir Capsules 75mg | Each Capsules Contain Oseltamivir Phosphate IP Equivalent to Oseltamivir 75mg,10 X 10 Blister With Aluminium Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|--|---|----------|-----------------------|
| 500 | 2171 | Oseltamivir Syrup 75ml | Each 1 ml of the reconstituted Suspension contains Oseltamivir Phosphate IP equivalent to Oseltamivir 12mg,Bottle of 12mg/ml in 75 ml | MED | Rate Per Quality Test |
| 501 | 2372 | Oxaliplatin 100mg Injection vial | 100mg vial,1X 25 Vials | MED | Rate Per Quality Test |
| 502 | 2373 | Oxaliplatin 50mg Injection vial | 50mg vial,1X 25 Vials | MED | Rate Per Quality Test |
| 503 | 1906 | Oxybutynin Tablets BP 2.5mg | 2.5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 504 | 516.0 1 | Oxytocin Injection IP 5 IU / ml 1 ml amp | 5 IU / ml 1 ml amp , 1ml amp 10 x 10 / 5 X 10 type-1 glass | MED | Rate Per Quality Test |
| 505 | 1907 | Paclitaxel Injection IP 30 mg / 5 ml | 30 mg / 5 ml , 30 mg /ml 5ml Vial X 5 X10 or 5mlX 5X5 Type-I Glass | MED | Rate Per Quality Test |
| 506 | 2374 | Paclitaxel 260mg Injection vial | 260mg vial,1X 25 Vials | MED | Rate Per Quality Test |
| 507 | 1319 | Pantaprazole (Enteric Coated) Tablets 40mg | 40mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|---|--|----------|-----------------------|
| 508 | 1649 | Pantaprazole Injection 40mg/10ml | 40mg/10ml , 5 x 5 , type-1 glass | MED | Rate Per Quality Test |
| 509 | 527.0 1 | Paracetamol Injection 300mg in 2ml | 300mg in 2ml , 2ml amp 10 x 10 / 5 X 10 type-1 glass | MED | Rate Per Quality Test |
| 510 | 10800 2 | Paracetamol oral Suspension 250mg in 5ml in 60ml bottle with measuring Cap | Paracetamol oral Suspension 250mg in 5ml in 60ml bottle with measuring Cap | MED | Rate Per Quality Test |
| 511 | 2454 | Paracetamol Paediatric Oral Suspension IP 15ml,125mg/5ml | 15ml,125mg/5ml with 1ml pillar,1x10 | MED | Rate Per Quality Test |
| 512 | 2119 | Paracetamol Solution for Infusion (10mg/ml) in 100ml glass bottle i.e.1gm/100ml BFS/FFS | 1gm/100ml , 1X10X10 or 1X5X10 | MED | Rate Per Quality Test |
| 513 | 1701 | Paracetamol Syrup IP (Non Alcohol based) 125 mg / 5 ml in 60ml | 125 mg / 5 ml in 60ml , 60 ml x 100 bottles amber colour pet bottle | MED | Rate Per Quality Test |
| 514 | 525 | Paracetamol Tablets IP 500 mg | 500 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 515 | 2453 | Paracetamol Tablets IP 650mg | 650mg,10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 516 | 2375 | Paraffin Wax 500 gms | 500 gms,1 X 20 Tins | MED | Rate Per Quality Test |
| 517 | 2086 | Pegfilgrastim 6 mg | Pegfilgrastim 6 mg, Pegylated Granulocyte Colony, Stimulating factor 6 mg, D-Sorbitol 30 mg, Polysorbate 20 (Tween 20) 0.02 mg, Sodium 0.02 mg. Acetate 0.35 mg , 1X10X10 or 1X5X10 | MED | Rate Per Quality Test |
| 518 | 2120 | Pegylated Interferon Alfa-2a (40 KD) 135mcg (Single dose pre-filled syringe) | 135mcg , 1X10X10 OR 1X5X10 | MED | Rate Per Quality Test |
| 519 | 2121 | Pegylated Interferon Alfa-2a (40 KD) 180mcg Single dose pre-filled syringe) | 180mcg Single dose pre-filled syringe),1 x 10 x 10 or 1 x 5 x 10 | MED | Rate Per Quality Test |
| 520 | 2176 | Pegylated Interferon Alfa-2b (40 KD) 50mcg (Single dose pre-filled syringe) | ALFA-2B (40 KD) 50mcg,1X10X10 OR 1X5X10 | MED | Rate Per Quality Test |
| 521 | 582 | Pentazocine lactate Injection IP30 mg / ml in 1ml Amp | 30 mg / ml in 1ml Amp , 10x 10 or 1x5x10 type-1 glass | MED | Rate Per Quality Test |
| 522 | 586 | Peritoneal Dialysis Solution IP in 1000 ml | Peritoneal Dialysis Solution IP in 1000 ml | MED | Rate Per Quality Test |
| 523 | 1650 | Permethrin Cream 5% 30gms tube | 5% 30gms , 30 gm x 10x10 | MED | Rate Per Quality Test |
| 524 | 2379 | Pethidine Hydrochloride Injection BP 50mg/ ml | BP 50mg/ ml,1 X 50 Amps | MED | Rate Per Quality Test |
| 525 | 579 | Pheniramine Maleate Injection IP 22.75 mg / ml in | 22.75 mg / ml in 2ml amp , 2 ml amp 1x10x 10 or 1x5x10 type-1 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------------|
| | | 2ml amp | glass | | |
| 526 | 2380 | Phenobarbitone Injection 200mg/ml,1ml Ampoules | 200mg/ml,1ml | MED | Rate Per Quality Test |
| 527 | 1447 | Phenylephrine Hcl Ophthalmic solution Drops USP 5% 5 ml | 5% 5 ml , 5ml X 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |
| 528 | 1651 | Phenytoin Oral Suspension 25mg/ml 60ml bottle | 25mg/ml 60ml bottle , 60ml x 100 , amber colour pet bottle | MED | Rate Per Quality Test |
| 529 | 752 | Phenytoin sodium Injection IP 50mg/ml in 5ml vial | 50mg/ml in 5ml vial , 5 ml Amp 1X10X 10, type- 1 glass | MED | Rate Per Quality Test |
| 530 | 1167 | Phenytoin sodium Tablets IP 100mg | 100mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 531 | 2382 | Phenytoin sodium Tablets IP 300mg | 300mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 532 | 1911 | Pilocarpine nitrate eye Drops IP 4% 5 ml | 4% 5 ml , 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------------|
| 533 | 2122 | Pioglitazone Tab 15mg | 15mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 534 | 2383 | Piperacillin + tazobactum Injection 2.25 gm | 2.25 gm,1 X 25 Vials | MED | Rate Per Quality Test |
| 535 | 1652 | Piperacillin + tazobactum Injection 4gm +0.5gm | 10ml vial x 5 x 5 or 10 x 5 | MED | Rate Per Quality Test |
| 536 | 2384 | Piracetam 800mg Tablet | 800mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 537 | 1839 | Piracetam Tablets 400mg | 400mg,10 X 10 (Or) 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 538 | 2385 | Polyethylene glycon with elecrolytes for oral solution 137.15 gms powder | 137.15 gms,1 X 50 Sachets | MED | Rate Per Quality Test |
| 539 | 2386 | Porcine Lung Surfactant 1.5 ml 120mg | 1.5 ml 120mg,1 X 10 Respules | MED | Rate Per Quality Test |
| 540 | 2387 | Porcine Lung Surfactant 3ml 240mg | 3ml 240mg,1 X 10 Respules | MED | Rate Per Quality Test |
| 541 | 2388 | Potassium Chloride Injection 150mg/ml,10ml Ampoule | 150mg/ml,10ml,1 X 25 Amps | MED | Rate Per Quality Test |
| 542 | 2389 | Povidone Iodine Eye Drops 5%, 5ml Vial | 5%, 5ml Vial,1 X 25 Vials | MED | Rate Per Quality Test |
| 543 | 1913 | Povidone Iodine Ointment USP 5%, 30Gm | 5%, 30Gm , 30gm x 10 x 10 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 544 | 1653 | Povidone Iodine Ointment USP IP 5%, 100gm | 5%, 100gm , 100 gm x 10 x 10 | MED | Rate Per Quality Test |
| 545 | 104 | Povidone Iodine Scrub IP 7.5% W/V,500ml | 7.5% w/v,500ml, 500 ml Bottle Packing: 500 ml Bottle Carton: 20X 500ml. | MED | Rate Per Quality Test |
| 546 | 753 | Povidone Iodine Solution 5% , 500 ml bottle | Povidone Iodine Solution 5% , 500ml bottle packing - 500ml bottle carton- 20 x 500ml | MED | Rate Per Quality Test |
| 547 | 1265 | Pralidoxime Chloride (2-PAM) Injection IP 1 grm Lyophilised Vials with diluent 20ml amp | 20ml amp , With diluent 20ml amp 5x5 | MED | Rate Per Quality Test |
| 548 | 2123 | Pramipexole 0.250mg | 0.250mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 549 | 1914 | Praziquantel Tablets IP 600 mg | 600 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 550 | 2125 | Prazosin Tab 5mg | 5mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 551 | 577 | Prednesolone Tab 10mg | 10mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 552 | 1492 | Prednesolone Tab 20mg | 20mg (Both Regular and Dispersable), 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 553 | 2158 | Prednesolone Tab 40mg | 40mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 554 | 576 | Prednisolone Tablets IP 5mg | 5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 555 | 2127 | Pregabalin SR 75mg + Methylcobalamin 1500mcg Tablets | Each Tablet contains Pregabalin SR 75mg + Methylcobalamin 1500mcg Tablets 500mg 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 556 | 2126 | Pregabalin SR Tablet 75mg | Each Tablet contains Pregabalin SR 75mg 10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 557 | 1519 | Primaquine Tablets IP 7.5 mg | 7.5 mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 558 | 1521 | Primaquine Tablets IP 2.5 mg | 2.5 mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|--|---|----------|-----------------------|
| 559 | 2391 | Probio Capsule (Ig) | Total Probiotic not less than 1.25 billion CFU (Lactobacillus acidophilus, Lactobacillus rhamnosus, Bifidobacterium longum, Saccharomyces boulardii){Sachet to capsule amended in T no 14.2-1} | MED | Rate Per Quality Test |
| 560 | 2128 | Probiotic Tablets/Capsules (1 Billion Of CFU Of Lactobacillus Rhamnosus GR-1 And Lactobacillus Reuteri RC-14) , 10 X 10 or 50 X 10 Blister with aluminum foil pack | Probiotic Tablets/Capsules (1 Billion Of CFU Of Lactobacillus Rhamnosus GR-1 And Lactobacillus Reuteri RC-14) , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 561 | 10800 4 | Probiotics Sachets | Probiotics Sachets | MED | Rate Per Quality Test |
| 562 | 566 | Promethazine Hcl Injection IP 25 mg / ml in 2ml ampoule | 25 mg / ml in 2ml ampoule , 2 ml amp 1x10x 10 / 1 X 5X 10 type-1 glass | MED | Rate Per Quality Test |
| 563 | 564.0 1 | Promethazine Hcl Syrup IP 5 mg / 5 ml in 60ml | 5 mg / 5 ml in 60ml , 60ml x 100 amber colour pet bottle | MED | Rate Per Quality Test |
| 564 | 2477 | Proparacaine hydrochloride 0.5 % Eye Drops | 0 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 565 | 1323 | Propofol Injection BP 1% in 20ml vial | 1% in 20ml vial , 20 ml vial x 5 | MED | Rate Per Quality Test |
| 566 | 543 | Propranolol Hcl Tablets IP 40 mg | 40 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 567 | 1920 | Protamine Sulphate Injection IP 10 mg / ml in 5ml | 10 mg / ml In 5ml Ampoule,5 ml Vial X 5 X 5 Type -1 Glass | MED | Rate Per Quality Test |
| 568 | 1924 | Pyrazinamide Tab IP 500mg | 500mg , 10 x 10 or 50 x 10 | MED | Rate Per Quality Test |
| 569 | 1983 | Pyrazinamide Tab. 750 mg | 750 mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 570 | 1925 | Pyridostigmine Tablets BP 60 mg | 60 mg,10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 571 | 2393 | Pyridoxine HCL CR Tab. 100mg | 100mg | MED | Rate Per Quality Test |
| 572 | 574 | Pyridoxine Hcl Tablets IP 5 mg | 5 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 573 | 2154 | Pyridoxine Tab100mg | 100mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 574 | 1927 | Pyridoxine Tablets 10 mg | 10 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 575 | 2190 | Pyridoxine Tablets 25mg | 25mg, 10 x 10 or 50 x 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| | | | | | |
| 576 | 2396 | Quadrivalent Influenza Vaccine Injection | 1. An A/Michigan/45/2015(H1N1)pdm09-like virus; 2. an A/Singapore/INFIMH-16-0019/2016(H3N2)-like virus; and 3. aB/Phuket/3073/2013-like virus (B/Yamagata/16/88 lineage). It is recommended that quadrivalent vaccines containing two influenza B viruses contain the above three viruses and B/Brisbane/60/2008-like virus (Victoria Lineage), Single Prefilled Syringes. | MED | Rate Per Quality Test |
| 577 | 2395 | Quadrivalent Human Papilloma Virus Vaccine Injection (0.5ml PFS) | (0.5ml PFS), 1 X 10 Vials | MED | Rate Per Quality Test |
| 578 | 2397 | Quetiapine 25mg Tablet | 25mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 579 | 2398 | Quetiapine 50mg Tablet | 50mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 580 | 2195 | Quinine Dihydrochloride Injection 300mg | 300mg/ml, 2ml ampoules IM/IV X5X10 / 1X5X10 Type-1 Glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 581 | 2399 | Quinine Sulphate Injection 600mg/ 2ml Ampule | 600mg/ 2ml | MED | Rate Per Quality Test |
| 582 | 1929 | Quitiapine Tab 100mg | 100mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 583 | 1681 | Rabies Anti serum Injection Immunoglobulin, Equine 300 IU/ml | 300 IU/ml , 300 IU/ml | MED | Rate Per Quality Test |
| 584 | 2463 | Rabies Human monoclonal antibodies Injection | 100 IU/2.5 ml(r DNA) , 100 IU/2.5 ml(r DNA) | MED | Rate Per Quality Test |
| 585 | 1511 | Rabies Vaccine Human use (Cell Culture) IP ID ROUTE | ID ROUTE , with 1ml syringe | MED | Rate Per Quality Test |
| 586 | 1511. 01 | Rabies Vaccine Human use (Cell Culture) IP ID Route,0.5ml | ID Route,0.5ml | MED | Rate Per Quality Test |
| 587 | 1930 | Ramipril Tablets IP 5mg | 5mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 588 | 605 | Ranitidine Hcl (Film Coated) Tablets IP 150 mg | 150 mg , 10 x 10 or 50 x 10 aluminum foil pack | MED | Rate Per Quality Test |
| 589 | 607 | Ranitidine Hcl Injection IP 25 mg / ml in 2ml amp | 25 mg / ml in 2ml amp , 2ml amp 10 x 10 t or 5x10 type-1 glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------|---|----------|-----------------------|
| 590 | 3456.02 | Remdesivir 100mg | Remdesivir 100mg | MED | Rate Per Quality Test |
| 591 | 1931 | Ribavarin Capsules 200 mg | 200 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 592 | 1935 | Rifampicin Capsules IP 450 mg | 450 mg , 10x10 / 50 x 10 | MED | Rate Per Quality Test |
| 593 | 2130 | Rifaximin Ph.Eur Tab 550mg | 550mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 594 | 2407 | Risperidone 0.5mg Tablet | 0.5mg | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 595 | 2464 | Risperidone prolonged release 25 mg Suspension | 25mg Suspension | MED | Rate Per Quality Test |
| 596 | 1134 | Risperidone Tablets USP 2 mg | 2 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 597 | 2131 | Rituximab (R-DNA origin) 500mg Inj | 500mg Inj , 1X10X10 or 1X5X10 | MED | Rate Per Quality Test |
| 598 | 2409 | Rocuronium Bromide Injection 10mg/ml, 2.5ml Vials | 10mg/ml, 2.5ml Vials | MED | Rate Per Quality Test |
| 599 | 2410 | Ropinirole ER Tablets 1 mg | 1 mg each film coated tab contains; Ropinirole Hcl equi. To Ropinirole 1 mg | MED | Rate Per Quality Test |
| 600 | 2411 | Ropivacaine Injection 0.75mg%, 10ml Vial | 0.75mg%, 10ml Vial,1 X 25 Vilas | MED | Rate Per Quality Test |
| 601 | 2135 | Rosuvastatin Calcium 10 mg Tablet(Additional Indication) | 10 mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 602 | 2412 | Rosuvastatin Calcium 20 mg Tablet | 20 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 603 | 2414 | S. Metoprolol PR Tablet 25mg | 25mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 604 | 2416 | Sacubutril + Valsartan film coated Tablet 50mg | 50mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 605 | 2417 | Salbutamol MDI 100 mcg per Dose 200 Metered Doses | 100 mcg per dose 200 metered doses, 1 X 10 Inhalers | MED | Rate Per Quality Test |
| 606 | 1656 | Salbutamol Nebulising Solution IP 15 ml | 15ml, 5 x 5 | MED | Rate Per Quality Test |
| 607 | 636 | Salbutamol Sulphate Syrup IP 2 mg / 5 ml in 100 ml bottle | 2 mg / 5 ml in 100 ml bottle , 100ml x 50 amber colour pet bottle | MED | Rate Per Quality Test |
| 608 | 635 | Salbutamol Sulphate Tablets IP 2 mg | 2 mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 609 | 1682 | Salicylic Acid Cream 5% , 30gms tube | 5% , 30gms tube , 30gm x 10 x 10 (10 tubes tetra pack) | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 610 | 2198 | Seasonal Influenza Vaccine (Quadrivalent Vaccine) | 1. An A/Michigan/45/2015(H1N1)pdm09-like virus; 2. an A/Singapore/INFIMH-16-0019/2016(H3N2)-like virus; and 3. aB/Phuket/3073/2013-like virus (B/Yamagata/16/88 lineage). It is recommended that quadrivalent vaccines containing two influenza B viruses contain the above three viruses and B/Brisbane /60/2008-like virus (Victoria Lineage), 10 doses per Vial (Vaccine in Vial) | MED | Rate Per Quality Test |
| 611 | 2192 | Seasonal Influenza Vaccine Injection of 0.5ml | Seasonal Influenza Vaccine Injection of 0.5ml in pre filled syringe should contain the following virus strains. a) An A/Michigan/45/2015(H1N1)pdm09-like virus. b) an A/Hong Kong/4801/2014(H3N2)-like Virus and C) a B/Brisbane/60/2008-like virus, 0.5ml in pre filled syringe. | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 612 | 10321 | Self Carbonating Prescription Slips | Half to A4 size 70 gsm black and white self carbonated prescription slips bounded in 50 pack (1+1) with 90 gsm brown coversheet on both sides | MED | Rate Per Quality Test |
| 613 | 1325 | Serrapeptidase tablets IP 10mg | 10mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 614 | 2418 | Sertaconazole Nitrate (Pessaries) 500 mg Tablet | 500 mg Tablet,10 X 10 Aluminium Blister Packs | MED | Rate Per Quality Test |
| 615 | 2419 | Sertaconazole Nitrate BP 2% w/v Propylene Glycol base q.s. Pack - Bottle of 15 ml | BP 2% w/v 15 ml,1 X25 Bottles | MED | Rate Per Quality Test |
| 616 | 2420 | Sertaconazole Nitrate BP 2% w/v Propylene Glycol base q.s. Pack - Tube of 15 gms | BP 2% w/v 15 gms,1 X 10 Tubes | MED | Rate Per Quality Test |
| 617 | 2421 | Sertaconazole Nitrate powder 2%w/w 100grm bottle | 2%w/w 100grm bottle,1 X 25 Bottles | MED | Rate Per Quality Test |
| 618 | 2012 | Sertraline Tab 50MG | 50mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 619 | 1947 | Sertraline Tab 25mg | 25mg , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 620 | 1326 | Sevoflurane for Inhalation in 250ml bottle (contains Sevoflurane)(USP) | 250ml Bottle,250ml Bottle X 5 (Mono Pack) | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| 621 | 2422 | Sildinafil Citrate 20mg Tablet | 20mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 622 | 1948 | Silicon Oil Injection 1000mm 2/5 (cst) Injection 10ml Vial | 1000mm 2/5 (cst) Injection 10ml Vial , 5 x 5 , type-1 glass | MED | Rate Per Quality Test |
| 623 | 647 | Silver Sulphadiazine Cream USP 1%W/W, 100gms tube | 1%W/W, 100gms tube , 100 gm x 10 x 10 (10 tetra pack) | MED | Rate Per Quality Test |
| 624 | 2138 | Sitagliptin Tab 50mg | 50mg , 1X 7 or 10 x 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 625 | 2169 | Snake Venum Anti Serum IP Liquid Form | Snake Venum Anti Serum IPLiquid Form Polyvalent Anti Snake Venum, 10 ml Vial Serum Enzyme Refined. Contain Equivalent of Purified Equine Globulins, 1ml of Reconstituted Serum Neutrolizes 0.6mg of Dried Cobra Naja-Naja Venom. 0.45mg of The Dried Common Kraite Bungaral , 10ml monopack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 626 | 651 | Sodium Bicarbonate Injection IP 10ml | 10ml , 5 x 5 , Type-1 glass | MED | Rate Per Quality Test |
| 627 | 2423 | Sodium Chloride Eye drops 5% 5ml | 5% 5ml,1 X 25 Vials | MED | Rate Per Quality Test |
| 628 | 640 | Sodium Chloride Injection IP 0.9%in 500ml BFS / FFS | 0.9% in 500ml BFS / FFS , 500ml x 24 plastic bottle (6x4) separation between each bottle is must BFS / FFS | MED | Rate Per Quality Test |
| 629 | 2478 | Sodium Cromoglycate 2% Eye Drops | 0 | MED | Rate Per Quality Test |
| 630 | 2424 | Sodium Dichloroisocyanurate 35mg Tablet | 35mg,1000 Tablets in a Plastic Tin. | MED | Rate Per Quality Test |
| 631 | 2425 | Sodium Valporate Injection 500mg / 5ml Vial | 500mg / 5ml Vial | MED | Rate Per Quality Test |
| 632 | 2426 | Sodium Valporate Syrup 200mg / 5 ml,100ml Syrup | 200mg / 5 ml,100ml Syrup, 1 X 50 Bottles. | MED | Rate Per Quality Test |
| 633 | 2140 | Sodium Valporate Tab 500mg | 500mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 634 | 1953 | Sodium valporate Tablets IP 200mg | 200mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 635 | 2427 | Sofosbuvir 400mg +Valpatasvir 100mg Tablets | 400mg +100mg,10 X 10 Aluminium Blister Packs | MED | Rate Per Quality Test |
| 636 | 2428 | Spiramycin Tablet 3.0 M.I.U | 3.0 M.I.U | MED | Rate Per Quality Test |
| 637 | 1254 | Spironolactone Tablets IP 25 mg, | 25mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 638 | 2429 | Spironolactone Tablets IP 50 mg | 50 mg,10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 639 | 1120 | Stable Bleaching Powder 25Kgs As per IS 1065-1989 Grade-I or equivalent 34% , Each | 25Kgs As per IS 1065-1989 Grade-I or equivalent 34% , Each | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 640 | 602.0 2 | Streptokinase Injection IP 15,00,000 IU 10ml vial | 1500000 IU 10ml vial , 5 x 5 type-1 glass TetraPack | MED | Rate Per Quality Test |
| 641 | 611 | Streptomycin Sulphate Injection IP 0.75g | 0.75g , Streptomycin Sulphate Injection IP 0.75g | MED | Rate Per Quality Test |
| 642 | 1955 | Streptomycin Sulphate Injection IP 1g | 1g , 1X25 (OR) 1X50 | MED | Rate Per Quality Test |
| 643 | 756 | Succinyl Choline Injection IP 50 mg / ml in 10ml vial | 50 mg / ml in 10ml vial , 5 x 5 , type-1 glass | MED | Rate Per Quality Test |
| 644 | 1256 | Sucralfate Sulphate Suspension For Oral Administration Contains 1 G Of Sucralfate Per 10 ml In 100ml Bottle, Amber Colour Pet Bottle | 10 ml in 100ml Bottle, Amber Colour Pet Bottle , 5 x 5 x 4 | MED | Rate Per Quality Test |
| 645 | 1474 | Sulfadoxine + Pyrimethamine 500 mg Sulfadoxine + 25 mg Pyrimethamine Tablets IP , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | Sulfadoxine + Pyrimethamine 500 mg Sulfadoxine + 25 mg Pyrimethamine Tablets IP , 10 x 1 0 or 50 x 10 blister with aluminum foil pack. | MED | Rate Per Quality Test |
| 646 | 1957 | Sumatriptan Succinate Tablets BP 50mg | 50mg,10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 647 | 1958 | Surfactant suspension for intratracheal instillation, Natural surfactant 25 mg/ ml 4ml amp or 27 mg / 5ml | 25 MG/ ML 4ML AMP or 27 mg / 5ml , 1ml amp 10 X 10 / 5 x 10 Type-I Glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 648 | 653 | Surgical Spirit Solution BP in 500ml | 500ml , 500 ml clear plastic bottle (hard) x 20 bottles in one box | MED | Rate Per Quality Test |
| 649 | 2431 | Suspension posaconazole oral 40 mg / ml bottle of 105 ml | 40 mg / ml 105 ml | MED | Rate Per Quality Test |
| 650 | 1959 | Tacrolimus Capsules 1mg | 1mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 651 | 1961 | Tacrolimus Capsules 5 mg | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 652 | 1960 | Tacrolimus Capsules 0.5mg | 0.5mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 653 | 1257 | Tamoxifen Citrate Tablets IP 10 mg, | 10 mg , 10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 654 | 1962 | Tamoxifen Citrate Tablets IP 20 mg | 20 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 655 | 1963 | Tamsulosin HCL Capsules 400 mcg BP/USP | 400 mcg,10 X 10 Or 50 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 656 | 1964 | Telmisartan Tablets BP 40mg | 40mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 657 | 2451 | Teneligliptin 20 mg | 20 mg, 1 X 7 (or) 10 X 10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 658 | 1711 | Tenofovir 300 + Lamivudine 300 | 300 + 300 , 10 X 10 OR 50X10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 659 | 1965 | Tenofovir Disoproxil Fumarate Tablets IP 300 mg(Uncoated) | 300 mg , 10 X 10 OR 50 X 10 BLISTER WITH ALUMINUM FOIL PACK | MED | Rate Per Quality Test |
| 660 | 1275 | Tetanus Vaccine (Adsorbed) IP 5ml vial | 5ml vial , 5ml vial 5x5 | MED | Rate Per Quality Test |
| 661 | 1275. 01 | Tetanus Vaccine (Adsorbed) IP 0.5ml Ampoule | 0.5ml Ampoule, 120Amps x 12 | MED | Rate Per Quality Test |
| 662 | 2432 | Thiamine Injection 100mg / ml vial 2 ml | 100mg / ml vial 2 ml,1 X 25 Vials | MED | Rate Per Quality Test |
| 663 | 2433 | Thiamine Tablet 50mg | 50mg, 10 X 10 (or) 50 X 10 Blister With Aluminum Foil Pack. | MED | Rate Per Quality Test |
| 664 | 664 | Thiopentone Sodium Injection IP 0.5gm /ml | 0.5gm /ml , 0.5 gm x 20 vials with distilled water, amber colour type 1 glass | MED | Rate Per Quality Test |
| 665 | 672 | Timolol Maleate eye Drops IP 0.25%, 5 ml | 0.25%, 5 ml , 5ml x 5 x 5 or 5x10 | MED | Rate Per Quality Test |
| 666 | 2434 | Timolol Maleate eye Drops IP 0.5%, 5 ml | 0.5%, 5 ml,1 X 25 Vials | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 667 | 1966 | Tissue plasminogen activator TPA 40mg | 40mg , Tissue Plasminogen Activator TPA | MED | Rate Per Quality Test |
| 668 | 1967 | Tobramycin Eye drops 0.3% in 5 ml vial | 0.3% in 5 ml vial , 5ml x 5 x 5 | MED | Rate Per Quality Test |
| 669 | 1968 | Tolterodine Tartrate Capsules 2mg | Each capsule contains: Tolterodine Tartrate- 2mg (as extended release pellets),10 X 10 Or 50X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 670 | 2161 | Topiramate Tab 50mg | 50mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 671 | 2436 | Tramadol Capsule 50 mg | 50mg,10 X 10 Or 5X10X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 672 | 1329 | Tramadol Injection Each ml Contains Tramadol Hcl BP 100 mg /2ml | 100 mg /2ml , 10x 10 or 1 x 5 x 10type-1 glass | MED | Rate Per Quality Test |
| 673 | 1750 | Tranexamic Acid Tablets BP 500mg | 500mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 674 | 1659 | Tranexamic Acid Injection BP 500mg/5ml 5ml vial and ampoule | 500mg/5ml 5ml Vial and ampoule,5ml vial x 5 x 5, type-1 glass | MED | Rate Per Quality Test |
| 675 | 1970 | Tranexamic acid Tablets BP 250mg | 250mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 676 | 2173 | Trastuzumab for Injection (r-DNA Origin) 150 mg | 150mg , MonoPack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------------|
| 677 | 2103 | Trastuzumab Inj. (r-DNA Origin) 440mg vial | 440mg , Mono Pack | MED | Rate Per Quality Test |
| 678 | 2479 | Travoprost 0.004% Eye Drops | 0 | MED | Rate Per Quality Test |
| 679 | 1683 | Triamcinalone acetate Injection IP 40mg/ml 1ml vial | 40mg/ml 1ml vial , 1ml vial 10 x 10 or 5x 10,type-1 glass | MED | Rate Per Quality Test |
| 680 | 2480 | Triamcinolone acetonide.Inj (Intravitreal Inj of 4mg in 0.1ml of Triamcinolone acetonide) | 0 | MED | Rate Per Quality Test |
| 681 | 1908 | Trichlofos BP 500mg/5ml BP | 500mg/5ml BP , 60mlx 50 , amber colour pet bottle | MED | Rate Per Quality Test |
| 682 | 678 | Trifluoperazine Tablets IP 5 mg | 5 mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 683 | 1172 | Trihexyphenidyl Hcl Tablets IP 2mg | 2mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 684 | 1971 | Trimetazidine Tablets 20mg | 20mg , 10 x 1 0 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 685 | 1372 | Tropicamide + Phenylephrine Eye drops 5 ml | 5 ml , 5ml x 5 x 5 | MED | Rate Per Quality Test |
| 686 | 1373 | Tropicamide Eye drops BP 0.5% in 5ml vial | 0.5% in 5ml vial , 5ml X 5 X 5 or 10 X5 FFS/BFS | MED | Rate Per Quality Test |
| 687 | 2481 | Trypan Blue Inj (0.8mg/ml) | 0 | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 688 | 1972 | Trypanblue Injection 0.06% w/v | 0.06% w/v , 1 x 10 x 10 or 5 x 10, type-1 glass | MED | Rate Per Quality Test |
| 689 | 2437 | Trypsin and Chymotrypsin Tablets 10 mg | 10 mg, 10 X 10 or 5x10x10 Blister with Aluminum Foil Pack | MED | Rate Per Quality Test |
| 690 | 2162 | Ursodeoxycholic acid 300mg | 300mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 691 | 1973 | Valthemine bromide injection 8mg /ml. | 8mg / ml. , 1ml 10X10 or 5X 10 type -1 glass | MED | Rate Per Quality Test |
| 692 | 1830 | Vancomycine Intravenous Infusion IP Inj 1gm Vial | 1GM VIAL, 10 X 10 / 10ML X 5 X 10 | MED | Rate Per Quality Test |
| 693 | 1330 | Vecuronium bromide Injection 4 mg / 2 ml | 4 mg / 2 ml, 2ml amp 10 X 10 OR 5 X 10 TYPE-1 GLASS. | MED | Rate Per Quality Test |
| 694 | 2163 | Verapamil Tab 40mg | 40mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 695 | 2164 | Verapamil Tab 80mg | 80mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 696 | 2175 | Vildagliptin Tablets 50mg | 50mg , Both 10 X10 And 1X14 (2 Strips In A Box Allowed) | MED | Rate Per Quality Test |
| 697 | 1263 | Vinblastine Injection IP 10mg/10ml vial | 10mg/10ml , 10 mg / 10 ml Vial X 5 X 5 Type-I Glass | MED | Rate Per Quality Test |
| 698 | 1974 | Vincristine Injection IP 1mg/ml in 1ml amp | 1mg/ml in 1ml amp , 1ml amp 10 X 10 or 5 X 10 type-I glass | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------------|
| 699 | 711 | Vitamin A & D (Therapeutic) 5000 I.U of vitamin A + 400 I.U Vitamin D3 IP Capsule | 5000 I.U of vitamin A + 400 I.U , 10 x 10 or 50 x 10 blister with aluminum foil pack | MED | Rate Per Quality Test |
| 700 | 1370 | Vitamin A Paediatric Retinol Solution 100000 IU per ml in 100ml | Each ml Contains 1 Lakh I.U. Equivalent to 109500 I.U. Per Gram. Packing, Amber Coloured Glass Bottle. Individual Monopack With Plastic spoon with measurement of 1ml and 2ml markings. | MED | Rate Per Quality Test |
| 701 | 2193 | Vitamin K1 (Phytonadione) Inj 1mg | Vitamin K1 (Phytonadione) Inj 1mg | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|---|--|----------|-----------------------|
| 702 | 2165 | Voglibose Tab 0.2mg | 0.2mg , 10 X 10 or 50 X 10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 703 | 2482 | Voriconazole Eye Drops 30mg with 3ml Distled Water | 0 | MED | Rate Per Quality Test |
| 704 | 1975 | Warfarin sodium Tablets IP 5 mg | 5 mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 705 | 1976 | Warfarin sodium Tablets IP 3 mg | 3 mg , 10 X 10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 706 | 655 | Water for Injection IP 10 ml amp | 10 ml amp , 1 x 50 | MED | Rate Per Quality Test |
| 707 | 1454 | Xylometazoline Nasal Drops 0.1% w/v 10 ml | 0.1% w/v 10 ml , 5 x 5 | MED | Rate Per Quality Test |
| 708 | 1710 | Zidovudine 300 + Lamivudine 150 + Nevirapine 200mg Tab. | 300mg+150mg+200mg , | MED | Rate Per Quality Test |
| 709 | 1718. 1 | Zinc Sulphate Dispersible Tab 20mg | 20mg , 10X10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |
| 710 | 2440 | Zinc Sulphate Dispersible Tablet 10mg | 10mg,10X10 or 50X10 Blister with aluminum foil pack | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 711 | 1718 | Zinc Syrup in 20 mg /5 ml in 100 ml bottle | Zinc Syrup in 20 mg /5 ml in 100 ml bottle , 100ml x 20 amber colour pet bottle in one box | MED | Rate Per Quality Test |
| 712 | 2441 | Zolpidem Tablets 10mg | 10mg,10 X 10 Or 5X10X10 Blister With Aluminum Foil Pack | MED | Rate Per Quality Test |
| 713 | 2443 | Zuclopentixol (Acetate / Decanoate) Injection I.P 50 mg | 50mg | MED | Rate Per Quality Test |
| 714 | 3456. 01 | ACTEMRA TOCILIZUMAB INJECTION 400MG | TOCILIZUMAB 400MG/20ML | MED | Rate Per Quality Test |
| 715 | 3456. 06 | ACTEMRA TOCILIZUMAB INJECTION 80MG | ACTEMRA TOCILIZUMAB INJECTION 80MG | MED | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 716 | 5655 | 0.5ml AD syringe 23 Guage 25mm Length | 0.5ml AD syringe 23 Guage 25mm Length, Sterile, Individually wrapped packing. As per Tender document | SUR | Rate Per Quality Test |
| 717 | 10344 | 10% Sodium Hypochloride | 10% Sodium Hypochloride 5 liter | SUR | Rate Per Quality Test |
| 718 | 10274 | 10/0 Suture double arm | 10/0 Suture double arm,Box of 12 foils,Each | SUR | Rate Per Quality Test |
| 719 | 10354 | 10-0 nylon spatulated needle (Boxes) | 10-0 nylon spatulated needle (Boxes) | SUR | Rate Per Quality Test |
| 720 | 10355 | 10-0 Vicryl cutting needle (Boxes) | 0 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------------|
| 721 | 5933 | 3 WayStop cock | Sterile, Disposable, Rotating male luer lock & 2 female luer connectors with arrow indication on rotator to indicate direction of flow with transparent polycarbonate body. , Each | SUR | Rate Per Quality Test |
| 722 | 10262 | 5 mm inserts for lap instruments grasper non toothed | grasper non toothed , Each | SUR | Rate Per Quality Test |
| 723 | 10261 | 5 mm inserts for lap instruments grasper toothed | grasper toothed, Each | SUR | Rate Per Quality Test |
| 724 | 10260 | 5 mm inserts for lap instruments maryland dissector | maryland dissector , Each | SUR | Rate Per Quality Test |
| 725 | 10263 | 5 mm inserts for lap instruments scissors curved | scissors curved , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------|
| 726 | 10356 | 5-0 black silk suture (Box of 12) | 5-0 black silk suture (Box of 12) | SUR | Rate Per Quality Test |
| 727 | 10357 | 6-0 Vicryl double armed cutting needle (Boxes) | 0 | SUR | Rate Per Quality Test |
| 728 | 20210 90 | 60mm cartridges for laproscopic battery operated endocutter with Built in knife & articulation with gripping surface technology blue,gold& green reloads | 60mm cartridges for laproscopic battery operated endocutter with Built in knife & articulation with gripping surface technology blue,gold& green reloads | SUR | Rate Per Quality Test |
| 729 | 10272 | 7/0 Suture double Arm | 7/0 Suture double Arm,Each | SUR | Rate Per Quality Test |
| 730 | 10251 | 96 Hours Online Iv Bacterial Filters 0.2 Micron Size | 0.2 Micron Size,Each | SUR | Rate Per Quality Test |
| 731 | 5776 | A1 Lectin 5ml | 5ml,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-----------------------------|--|----------|-----------------------|
| 732 | 10189 | Abdominal Drain Kit - 28 FG | Sterile, Disposable, soft abdominal drainage catheter with radio opaque line on it withatraumatic and rounded open distal end with eyes with markings at 2cms interval from last eye with collection bag of 2ltrs. A loop to hang the bag on the cot. , Each | SUR | Rate Per Quality Test |
| 733 | 10190 | Abdominal Drain Kit - 32 FG | Sterile, Disposable, soft abdominal drainage catheter with radio opaque line on it withatraumatic and rounded open distal end with eyes with markings at 2cms interval from last eye with collection bag of 2ltrs. A loop to hang the bag on the cot. , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 734 | 5500 | Abdominal Drain Kit- 24 FG | Sterile, Disposable, soft abdominal drainage catheter with radio opaque line on it withatraumatic and rounded open distal end with eyes with markings at 2cms interval from last eye with collection bag of 2ltrs. A loop to hang the bag on the cot. , Each | SUR | Rate Per Quality Test |
| 735 | 20210 78 | ABG Machine Solutions | ABG Machine Solutions | SUR | Rate Per Quality Test |
| 736 | 10307 | Absorbabale, monofilament, undyed, Polyglecaprone, Sterile Size 3-0(Suture code - 1326) | 3/8 Circle reverse cutting 25mm needle, suture length of 70cm | SUR | Rate Per Quality Test |
| 737 | 20210 20 | Absorbable Hearnia Fixation Device for Laparoscopic with 25 straps (Tachers) | Absorbable Hearnia Fixation Device for Laparoscopic with 25 straps (Tachers) | SUR | Rate Per Quality Test |
| 738 | 20211 19 | Absorbable Adhesion Barrier | Absorbable Adhesion Barrier | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 739 | 5681 | Absorbable gelatin sponge | Does not contain any carcinogenic materials or less than 1ppm of Formaldehyde and is sterilized by dry heat with less than 0.5EU/Device.(Size 7CM X5CM 1Cm)/ sterial,non toxic, pyrogen free US / FDA Approved , Box of 20 Foils | SUR | Rate Per Quality Test |
| 740 | 5694 | Absorbable surgical suture USP sterilized surgical needle suture Size 6-0 | Undyed Monofilament 3/8 circle reverse cutting 16 mm Needle violet brided coated - 45cm Polygrecaporene , Box of 12 Foils | SUR | Rate Per Quality Test |
| 741 | 5823 | Absorbable surgical suture USP (Synthetic) sterilized surgical needle suture 0- 1/2 | Sterilized surgical needle suture (coated braided polyglycolic acid suture) - 40 heavy needle (Size 1-0, 90cm, 1/2 Circle RB 40mm Heavy) , Box of 12 Foils | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------------|
| 742 | 20211 11 | Absorbable, antibacterial Poliglecaprone 25,Sterilized Monofilament surgical suture, size 3-0 (Box of 12 Foils) | Absorbable, antibacterial Poliglecaprone 25,Sterilized Monofilament surgical suture, size 3-0 (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 743 | 5822 | Absorbable, Braided, violet, PGA (Polyglycolic acid) Sterile, surgical suture 1/0(Suture code - 2338) | 1/2 Circle, Round body, 30mm Needle, Suture Length 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 744 | 10242 | Absorbable, Braided, violet, PGA (Polyglycolic acid) Sterile, surgical suture 6/0(Suture code - 2670) | 1/4 circle micro (Premium) point spatulated, 8mm needle, Suture length 45cms, Double armed (Needle) , Box of 12 Foils | SUR | Rate Per Quality Test |
| 745 | 5827 | Absorbable, Braided, violet, Polyglactin 910 Sterile, Surgical suture 4-0 (Suture Code - 2443) | 3/8 circle, cutting,16mm Needle, Suture length 70cm , Box of 12 Foils | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 746 | 5701 | Absorbable, Braided, violet, Polyglycolic acid (PGA), Sterile surgical suture 1-0(Suture Code - 2518) | 1/2 Circle, Tapercut, 40mm needle, Suture Length 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 747 | 5703 | Absorbable, braided, violet, PGA, Sterile, Surgical suture 2-0(Suture code - 2317) | 1/2 circle, Round body, 30mm needle, Suture Length 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 748 | 5673 | Absorbable, Monofilament, Polydioxonone (PDO), Sterile, Surgical suture 1-0 | 1/2 circle, Round Body, 30mm needle, suture length 70cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 749 | 1040.01 | Absorbent Cotton 100 gms Net | Absorbent Cotton Wool IP each 100 gms Net weight. | SUR | Rate Per Quality Test |
| 750 | 1041 | Absorbent Cotton 500 gms Net | Absorbent Cotton Wool IP each 500 gms Net weight. | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 751 | 5654 | AD Syringes 1ml | Auto Disable Syrinage , Each | SUR | Rate Per Quality Test |
| 752 | 5297 | Adhesive Plaster Woven Fabric (Size - 10cms x 10mts) | Size-10cm x 10mts , Box of 3 Rolls | SUR | Rate Per Quality Test |
| 753 | 5299 | Adhesive Plaster Woven Fabric (Size - 5cm x 10mts) | Size-5cm x 10mts , Box of 6 Rolls | SUR | Rate Per Quality Test |
| 754 | 5922 | Alpha Cypermethrin 5% | Synthetic Pyrethroids Water Dispersible Powder(WDP)/Wettable Powder | SUR | Rate Per Quality Test |
| 755 | 5501 | Ambu Bag (Silicon) Adult | With e valve and reservoir (Adult) , Each | SUR | Rate Per Quality Test |
| 756 | 20210 01 | Ambu Bag (Silicon) Neonatal | Ambu Bag (Silicon) Neonatal | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 757 | 874 | Ambu Bag (Silicon) Pediatric | With e valve and reservoir (Pediatric) , Each | SUR | Rate Per Quality Test |
| 758 | 5791 | Anaesthesia circuits (Pediatric circuits) | Sterile, Disposable Pediatric circuits- Rendell Baker Soucek Facemasks Sizes 1 & 2, 15mm/22mm Angle Mount, 15mm Ayres T, 15cmx11mm Corrugated, 0.5Ltr. Breathing Bag with Bleed Value 23mm Male Plug-in Mount, 23mm/23mm Female/Fwmale Circuit Adaptar, all in a carrying case Blad , Each | SUR | Rate Per Quality Test |
| 759 | 5802 | Anaesthesia circuits (Ventilator circuits) | Sterile, Disposable closed circuits(Ventilator circuits) , Each | SUR | Rate Per Quality Test |
| 760 | 10358 | Anterior Chamber IOL | 0 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 761 | 20210 99 | Antibacterial Absorbable Surgical suture Polyglactin 910 1/2 circle reverse cutting 36mm OS Needle violet brided coated - 90cm, size-1-0.with Triclosan coating. (Box of 12 Foils) | Antibacterial Absorbable Surgical suture Polyglactin 910 1/2 circle reverse cutting 36mm OS Needle violet brided coated - 90cm, size-1-0.with Triclosan coating. (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 762 | 20210 98 | Antibacterial Absorbable Surgical suture Polyglactin 910 1/2 circle reverse cutting 40mm OS Needle violet brided coated - 90cm, size- 1.with Triclosan coating.(Box of 12 Foils) | Antibacterial Absorbable Surgical suture Polyglactin 910 1/2 circle reverse cutting 40mm OS Needle violet brided coated - 90cm, size- 1.with Triclosan coating.(Box of 12 Foils) | SUR | Rate Per Quality Test |
| 763 | 5688 | Antibacterial Absorbable Surgical suture 0 | Polyglactin 910 1/2 circle RB 40mm Needle violet brided coated - 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 764 | 5690 | Antibacterial Absorbable Surgical suture 1 inch | Polyglactin 910 1/2 circle RB 40mm Heavy Needle violet brided coated - 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |
| 765 | 5692 | Antibacterial Absorbable Surgical suture 2-0 | Polyglactin 910 1/2 circle RB 30mm Needle violet brided coated - 90cm , Box of 12 Foils | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 766 | 20211 05 | Antibacterial Absorbable Surgical suture 2-0 (Box of 12 Foils) | Polyglactin 910 1/2 circle RB , triclosan coated, 31mm Needle violet bridged coated - 100cm | SUR | Rate Per Quality Test |
| 767 | 20211 03 | Antibacterial Absorbable Surgical suture inch1 (Box of 12 Foils) | Polyglactin 910 1/2 circle RB, triclosan coated, 40mm Heavy Needle violet braided coated -100cm | SUR | Rate Per Quality Test |
| 768 | 20211 04 | Antibacterial Absorbable Surgical suture inch1-0 (Box of 12 Foils) | Polyglactin 910 1/2 circle RB, triclosan coated 40mm Heavy Needle violet braided coated - 100cm | SUR | Rate Per Quality Test |
| 769 | 1406 | Antimicrobial hand gel | As per IP Specifications 1000 ml,each | SUR | Rate Per Quality Test |
| 770 | 1406. 01 | Antimicrobial hand Sanitizer Liquid 5000 ml | Hand Sanitizer (5000 ml)) with Ethanol 80% (liquidbased) , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 771 | 4567.03 | Appron Extra Large size for Aarogyasri Trust | EXTRA LARGE SIZE 26inch x 38inch with Logos as per Tender | SUR | Rate Per Quality Test |
| 772 | 4567.02 | Appron Large Size For Aarogyasri Trust | LARGE SIZE 24inch x 36inch with logos as per tender | SUR | Rate Per Quality Test |
| 773 | 4567.01 | Appron Medium Size For Aarogyasri Trust | MEDIUM SIZE 22inch x 34inch Logo as per Tender | SUR | Rate Per Quality Test |
| 774 | 5923 | Arterial Cannula 20G | 20G , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 775 | 10328 | Asha Saree (White Color with Sky Blue Border) | <p>1. Unit Weight of Saree (Grams) Including Blouse -515 to 520 Grams, 2. Saree length 5.50 Mts(min)+80 Cms in built blouse - 6.30mtrs (min), and Saree Width - 110 to 113 Cms,</p> <p>3.GSM9Grams per Square meter)(+5% , - 2.5%) - 75, 4. Threads / dm (+5% , -2.5%) - 360 / 280, 5. Denier(+5%) - Wrap-80 , Weft-80, 6. %Composition - Polyester 100%(Leon Silk),</p> <p>7. Color fastness to washing 50C - 4(min), 8. Color Fastness to Light - 5(min)</p> | SUR | Rate Per Quality Test |
| 776 | 10331 | Auto Disable Re-use prevention Syringes Sterile 1cc 26G | RUP syringes for therapeutic injections (ISO 7886 - “ Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature)(Mfg By Hindustan Syringes and Medical Devices) | SUR | Rate Per Quality Test |
| 777 | 10332 | Auto Disable Re-use prevention Syringes Sterile 2cc 23G | RUP syringes for therapeutic injections (ISO 7886 - Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 778 | 10333 | Auto Disable Re-use prevention Syringes Sterile 2cc 24G | RUP syringes for therapeutic injections (ISO 7886 - Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature) | SUR | Rate Per Quality Test |
| 779 | 10336 | Auto Disable Re-use prevention Syringes Sterile 3cc 23G | RUP syringes for therapeutic injections (ISO 7886 - Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature) (Mfg By Becton Dickinson India Pvt Ltd) | SUR | Rate Per Quality Test |
| 780 | 10337 | Auto Disable Re-use prevention Syringes Sterile 3cc 24G | RUP syringes for therapeutic injections (ISO 7886 Part 4 Sterile hypodermic syringes for single use: - Part 4: Syringes with re-use prevention feature)(Mfg By Becton Dickinson India Pvt Ltd) | SUR | Rate Per Quality Test |
| 781 | 10338 | Auto Disable Re-use prevention Syringes Sterile 5cc 23G | RUP syringes for therapeutic injections (ISO 7886 - Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 782 | 10339 | Auto Disable Re-use prevention Syringes Sterile 5cc 24G | RUP syringes for therapeutic injections (ISO 7886 - Part 4 Sterile hypodermic syringes for single use: Part 4: Syringes with re-use prevention feature) | SUR | Rate Per Quality Test |
| 783 | 10330 | Auto Disabled Lancets | Auto disabled Lancets gama radiation sterile,Each Pack contains 100 Lancets (Rate per Lancet) | SUR | Rate Per Quality Test |
| 784 | 5696 | B.B. Silk Reel -1 | 6 ReelsX 25mtr , Box of 6 Reels | SUR | Rate Per Quality Test |
| 785 | 5697 | B.B. Silk Reel -2 -0 | 6 ReelsX 25mtr , Box of 6 Reels | SUR | Rate Per Quality Test |
| 786 | 5705 | B.B. Silk Reel -3 -0 | 6 ReelsX 25mtr , Box of 6 Reels | SUR | Rate Per Quality Test |
| 787 | 10304 | Bacillus Thuringiensis Var Israelensis(BTI) Aqueous Suspension | Serotype H-14 (Liquid) - Endotoxicity 2% | SUR | Rate Per Quality Test |
| 788 | 5940 | Bacillus thuringiensis var israelensi(BTI) Strain 164,Serotype,H-14 W.P | Description Of Stores: Bacillus Thuringiensis Var Israelensis (Bti) Strain 164,Serotype,H-14 W.P(TAC Approved). | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 789 | 10232 | Balanced Salt Solution Eye | Sterile Physiological Solution, containing Calcium Chloride 0.48 mg, Magnesium Chloride 0.30 mg, Potassium Chloride 0.75 mg, Sodium Acetate 3.90 mg, Sodium Chloride 6.40 mg, Sodium Citrate 1.70 mg , Each | SUR | Rate Per Quality Test |
| 790 | 1042 | Bandage Cloth (Medical) 20m x100cm | Cotton Bandage Cloth (Sch FII), Each 20m x 100 cm | SUR | Rate Per Quality Test |
| 791 | 5021 | Bandage, POP 15cmX2.7mt | 15cmX2.7mt , Each | SUR | Rate Per Quality Test |
| 792 | 5020 | Bandage, POP. 10cmX2.7mt | 10cmX2.7mt , Each | SUR | Rate Per Quality Test |
| 793 | 5914 | Barburs thread Size No 20 | Size 20No , Each | SUR | Rate Per Quality Test |
| 794 | 20210 80 | Beckman Harmone Analyser Cell Counter Solutions | Beckman Harmone Analyser Cell Counter Solutions | SUR | Rate Per Quality Test |
| 795 | 20210 79 | Beckman Harmone Analyser reagent Test Kits, Calibrators and its necessary Solutions | Beckman Harmone Analyser reagent Test Kits, Calibrators and its necessary Solutions | SUR | Rate Per Quality Test |
| 796 | 5924 | Blader wash syringes | Blader wash syringes , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 797 | 962 | Blades, Surgical S.S. No.11 (Stainless Steel) | As per IS-3319-1995, As per drugs and cosmetics Act 1940 , Box of 100 | SUR | Rate Per Quality Test |
| 798 | 963 | Blades, Surgical S.S. No.15 (Stainless Steel) | As per IS-3319-1995, As per drugs and cosmetics Act 1940 , Box of 100 | SUR | Rate Per Quality Test |
| 799 | 966 | Blades, Surgical S.S. No.22 (Stainless Steel) | As per IS-3319-1995, As per drugs and cosmetics Act 1940 , Box of 100 | SUR | Rate Per Quality Test |
| 800 | 5757 | Blood Glucose Testing Strips | Blood Glucose Testing Strips ,Individual strip in sterile pack with 100 strips in a pack. Every 1500 Strips One Glucometer shall be provided at free of Cost. Note : The DMW Pharmacist should verify the Quantity of strips received and Glucometers which are supplied free of cost for every 1500 strips. (Rate per Strip) | SUR | Rate Per Quality Test |
| 801 | 5725 | Blood Grouping Sera Anti A IGM 10 ml | IGM 10ml , Each | SUR | Rate Per Quality Test |
| 802 | 5722 | Blood Grouping Sera Anti AB IGM 10 ml | IGM 10ml , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 803 | 5724 | Blood Grouping Sera Anti B IGM 10 ml | IGM 10ml , Each | SUR | Rate Per Quality Test |
| 804 | 10239 | Blood transfusion set | For transfusion of blood and blood products, Sterile, Disposable, soft and kink resistant medical grade PVC tubing, transparent and flexible drip chamber with 200 micron blood filter, approximately 20 drops/ml, with 18 G hypodermic needle, , Each | SUR | Rate Per Quality Test |
| 805 | 10240 | Bonewax Non absorbable sterilized bone wax, 2- 2.5gms | Nonabsorbable sterilized bone wax, 2- 2.5gms , Box of 12 foils,each | SUR | Rate Per Quality Test |
| 806 | 5726 | Bovine Albumin 22% - 5 ml | 22% - 5 ml , Each | SUR | Rate Per Quality Test |
| 807 | 5931 | BP Cuff Adult | Adult , Each | SUR | Rate Per Quality Test |
| 808 | 5930 | BP Cuff Paediatric | Paediatric , Each | SUR | Rate Per Quality Test |
| 809 | 5928 | BP Handles size 3No | Size 3No,Each | SUR | Rate Per Quality Test |
| 810 | 5929 | BP Handles size 4No | Size 4No,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------|
| 811 | 5813 | Breathing Circuits - Adult with 2 Port Wye & Water Trap | 22mm Corrugated Plastic Hose X 3.2 mtrs, 2 port Wye, 22/22mm male/female Circuits Adapters X 2, 15mm/22mm angle mount with Water trap , Each | SUR | Rate Per Quality Test |
| 812 | 20210 48 | Catheter, Urinary, Nelton (disposable) Catheter No 16 | Catheter, Urinary, Nelton (disposable) Catheter No 16 | SUR | Rate Per Quality Test |
| 813 | 5624 | Catheter, Suction with lateral eye Sterile, Disposable,14mm, 54 cms Length | Sterile, Disposable,14mm, 54 cms length,Each | SUR | Rate Per Quality Test |
| 814 | 5623 | Catheter, Suction with lateral eye Sterile, Disposable,12mm, 54 cms Length | Sterile, Disposable,12mm, 54 cms length,Each | SUR | Rate Per Quality Test |
| 815 | 5504 | Catheter, Suction with lateral eye Sterile, Disposable,18mm, 54 cms length | Sterile, Disposable,18mm, 54 cms length , Each | SUR | Rate Per Quality Test |
| 816 | 5621 | Catheter, Suction with lateral eye Sterile, Disposable, 8mm,54 cms Length | Sterile, Disposable, 8mm, 54 cms length,Each | SUR | Rate Per Quality Test |
| 817 | 5507 | Catheter, Urinary Size - 14 | Sterile, Disposable, Size-14 Foleys, as per IS No-11497-1995 , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 818 | 5509 | Catheter, Urinary Size - 18 | Sterile, Disposable, Size-18 Foleys, as per IS No-11497-1995 , Each | SUR | Rate Per Quality Test |
| 819 | 5506 | Catheter, Urinary Size- 12 | Sterile, Disposable, Size-12 Foleys, as per IS No-11497-1995 , Each | SUR | Rate Per Quality Test |
| 820 | 20210 05 | Catheter, Urinary Size: 12 (Self Retaining Foleyes) | Catheter, Urinary Size: 12 (Self Retaining Foleyes) | SUR | Rate Per Quality Test |
| 821 | 5508 | Catheter, Urinary Size: 16 | Sterile, Disposable, Size: 16 Foleys, as per IS No:11497-1995,Each | SUR | Rate Per Quality Test |
| 822 | 20210 06 | Catheter, Urinary Size: 20 fr 3way | Catheter, Urinary Size: 20 fr 3way | SUR | Rate Per Quality Test |
| 823 | 5511 | Catheter,Urinary, Nelton (Disposable) Size - 14 | Sterile, Disposable, Size-14 FG, As per IS No-3055 , Each | SUR | Rate Per Quality Test |
| 824 | 20210 60 | Cautery Pencils disposable | PTFE coated non stick electrosurgical pencil with tip and holster, USFDA approved with non memory cable. | SUR | Rate Per Quality Test |
| 825 | 5678 | Cellulose for Heamostesis Size 7.6cm x 10.2 cm | Oxidized Regenerated Cellulose absorbable Hemostat Size 7.6cm X 10.2 cm | SUR | Rate Per Quality Test |
| 826 | 10198 | Central Venous line Triple lumin 5.5FG X 160mm with 0.032 stip gaid wire | Triple lumin 5.5FG X 160mm with 0.032 stip gaid wire Double,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| | | Double | | | |
| 827 | 10197 | Central Venous line Double Lumen/ 4FR/8cms | <p>Sterile, Disposable, Double Lumen. For catheterization by Seldinger technique. Biocompatible Polyurethane radioopaque indwelling catheter, tapered tip, interval depth markings, junction hub with eyes for suture placement, with introducer steel needle, vessel dilator, soft J tip guide wire with diameter of 0.018 inches and 50cms long, secondary fixation device. Luer lock syringe, Scalpel, air tight clamp on all the three limbs of catheter, SIZE- 4 FR, Length80 MM, Lumen Sizes- 22G(P), 22G(D) , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------------|
| 828 | 10195 | Central Venous line Double Lumen/ 7FR/16cms | Sterile, Disposable, Double Lumen. For catheterization by Seldinger technique. Biocompatible Polyurethane radioopaque indwelling catheter, tapered tip, interval depth markings, junction hub with eyes for suture placement, with introducer steel needle, vessel dilator, soft J tip guide wire with diameter of 0.035 inches and 50cms long, secondary fixation device. Luer lock syringe, Scalpel, air tight clamp on all the three limbs of catheter, SIZE- 7 FR, Length160 MM, Lumen Sizes- 16G(D), 16G(M) , Each | SUR | Rate Per Quality Test |
| 829 | 10194 | Central Venous line Triple Lumen 5.5FGx160mm with 0.032sgw single | Triple lumen 5.5FG X 160mm with 0.032 stip gaid wire Single,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------------|
| 830 | 10193 | Central Venous line Triple Lumen, 5.5FR/8cms | Sterile, Disposable, Triple Lumen. For catheterization by Seldinger technique. Biocompatible Polyurethane radioopaque indwelling catheter, tapered tip, interval depth markings, junction hub with eyes for suture placement, with introducer steel needle, vessel dilator, soft J tip guide wire with diameter of 0.018 inches and 50cms long, secondary fixation device. Luer lock syringe, Scalpel, air tight clamp on all the three limbs of catheter, SIZE- 5.5FR, Length 80 MM, Lumen Sizes- 22G(P), 20G(D), 22G(M) , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------------|
| 831 | 10191 | Central Venous line Triple Lumen/ 7FR/16cms | Sterile, Disposable, Triple Lumen. For catheterization by Seldinger technique. Biocompatible Polyurethane radioopaque indwelling catheter, tapered tip, interval depth markings, junction hub with eyes for suture placement, with introducer steel needle, vessel dilator, soft J tip guide wire with diameter of 0.035 inches and 50cms long, secondary fixation device. Luer lock syringe, Scalpel, air tight clamp on all the three limbs of catheter, SIZE- 7FR, Length 160 MM, Lumen Sizes- 18G(P), 16G(D), 18G(M) , Each | SUR | Rate Per Quality Test |
| 832 | 10202 | Central Venous line Triple lumin 5.5FG X 160mm with 0.032 stip gaid wire Triple | Triple lumin 5.5FG X 160mm with 0.032 stip gaid wire Triple,Each | SUR | Rate Per Quality Test |
| 833 | 10201 | Central Venous line Triple lumin 5FG X 160mm with 0.032 stip gaid wire Triple | Triple lumin 5FG X 160mm with 0.032 stip gaid wire Triple,Each | SUR | Rate Per Quality Test |
| 834 | 10196 | Central Venous line Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire Double | Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire Double,Each | SUR | Rate Per Quality Test |
| 835 | 10192 | Central Venous line Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire single | Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire single,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|---|---|----------|-----------------------------|
| 836 | 10200 | Central Venous line Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire Triple | Triple lumin 7.5FG X 160mm with 0.032 stip gaid wire Triple,Each | SUR | Rate Per Quality Test |
| 837 | 10199 | Central Venous line Triple lumin 7FGX 160mm with 0.032 stip gaid wire Triple | Triple lumin 7FGX 160mm with 0.032 stip gaid wire Triple , Each | SUR | Rate Per Quality Test |
| 838 | 3302 | Centrifuge Tubes(Falcon Tubes) | Centrifuge Tubes(Falcon Tubes) | SUR | Rate Per Quality Test |
| 839 | 5731 | Cheatle s Forceps - Stainless Steel 12 inches | Stainless Steel 12 inches, Each | SUR | Rate Per Quality Test |
| 840 | 20210 49 | Chest Draininge Catheter Disposable No : 14 | Chest Draininge Catheter Disposable No : 14 | SUR | Rate Per Quality Test |
| 841 | 20210 50 | Chest Draininge Catheter Disposable No : 16 | Chest Draininge Catheter Disposable No : 16 | SUR | Rate Per Quality Test |
| 842 | 5671 | Chromic Cat Gut, Sterile, Surgical Suture 1(Suture code - 4259) | 1/2 circle Round Body, 40mm heavy needle, Suture length 76cms , Box of 12 Foils | SUR | Rate Per Quality Test |
| 843 | 1083 | Chromic Cat Gut, Sterile, Surgical Suture 1/0(Suture code - 4254) | 1/2 Circle Round Body,30mm Heavy Needle , Suture length 76cms , Box of 12 foiles | SUR | Rate Per Quality Test |
| 844 | 1087 | Chromic Cat Gut, Sterile, Surgical Suture 2-0(Suture code - 4241) | 1/2 circle Round Body, 30mm needle, Suture length 76cms , Boxes of 12 Foils | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 845 | 883 | Clinical Thermometer (Digital) | Clinical Thermometer (Digital) , Each | SUR | Rate Per Quality Test |
| 846 | 5795 | Closed wound Suction Drain No.16 | Sterile, Disposable, 800ml bellow Chamber with connector with connecting kink resistant tube with clamp and Y connector, curved trocer with safety cap with redon drain catheter with a loop for hanging the drain to cot, Redon drain catheters are provided with radio opaque line and satin smooth eyes. Spare perforated redon catheter. , Each | SUR | Rate Per Quality Test |
| 847 | 20210 07 | Closed wound Suction Drain No.10 Twin Tubes | Closed wound Suction Drain No.10 - Twin Tubes | SUR | Rate Per Quality Test |
| 848 | 5797 | Closed wound Suction Drain No.12 | Sterile, Disposable, 800ml bellow Chamber with connector with connecting kink resistant tube with clamp and Y connector, curved trocer with safety cap with redon drain catheter with a loop for hanging the drain to cot, Redon drain catheters are provided with radio opaque line and satin smooth eyes. Spare perforated redon catheter. , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 849 | 20210 08 | Closed wound Suction Drain No.14 Twin Tubes | Closed wound Suction Drain No.14 Twin Tubes | SUR | Rate Per Quality Test |
| 850 | 6626 | Collagen Sheets (Size 10cmx10cm) | Bovine Derived Sterile Collagen Sheets, Size 10cmx10cm , 10cm x 10cm | SUR | Rate Per Quality Test |
| 851 | 6627 | Collagen Sheets (Size 15cmx30cm) | Bovine Derived Sterile Collagen Sheets, Size 15cmx30cm , 15cm x 30cm | SUR | Rate Per Quality Test |
| 852 | 5727 | Coomb Sera IgG C3d 10 ml | IgG C3d 10 ml , Each | SUR | Rate Per Quality Test |
| 853 | 5927 | Corrugated Silastic drain Needs Description | Needs Description , Each | SUR | Rate Per Quality Test |
| 854 | 20210 18 | Cover Slips 18mm x 22mm | Cover Slips 18mm x 22mm | SUR | Rate Per Quality Test |
| 855 | 20210 19 | Cover Slips 22mm x 50mm | Cover Slips 22mm x 50mm | SUR | Rate Per Quality Test |
| 856 | 10250 | CT Films Size 17 x 14 Fuji make | 17 x 14 Each | SUR | Rate Per Quality Test |
| 857 | 2188 | Cyphenothrin 5% EC in Ltrs | 5% EC,Each Litres | SUR | Rate Per Quality Test |
| 858 | 10359 | Dark Goggles | Dark Goggles | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 859 | 5518 | Delivery Kits for Sero positive | Please Note that the specification and description of this product and packing details are given after the Terms and Conditions in this Purchase Order. | SUR | Rate Per Quality Test |
| 860 | 12500 | Dengue NS1 Antigen detection kit by ELISA | As per Tender Specification. | SUR | Rate Per Quality Test |
| 861 | 886 | Developer 13.5 Lts | 13.5 Lts , Each | SUR | Rate Per Quality Test |
| 862 | 10203 | Developer 13.5 Lts Liquid Form | 13.5 Lts Liquid Form , Each | SUR | Rate Per Quality Test |
| 863 | 20210 55 | Diathermy earth REM pad Disposable | Adult dual plate, with 3m (10inch) pre-attached cord, USFDA Approved | SUR | Rate Per Quality Test |
| 864 | 10315 | Diflubenzuron 25% WP in Kgs | Insect Growth Regulator Larvicide,Each Kilogram. | SUR | Rate Per Quality Test |
| 865 | 10245 | Disposable needles 26 G | 26 G , Each | SUR | Rate Per Quality Test |
| 866 | 10226 | Disposable Bed Sheets width 58 inches Length 90 inches | SIZE- width 58 inches Length 90 inches , Each | SUR | Rate Per Quality Test |
| 867 | 5717 | Disposable Cuscos Vaginal Specula | Disposable,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 868 | 5717.01 | Disposable Cusco's Vaginal Specula small | Disposable Cusco's Vaginal Specula small | SUR | Rate Per Quality Test |
| 869 | 5717.03 | Disposable Cusco's Vaginal Specula Large | Disposable Cusco's Vaginal Specula Large | SUR | Rate Per Quality Test |
| 870 | 5717.02 | Disposable Cusco's Vaginal Specula Medium | Disposable Cusco's Vaginal Specula Medium | SUR | Rate Per Quality Test |
| 871 | 5522 | Disposable HUDSON's Mask small | Disposable HUDSON's Mask small | SUR | Rate Per Quality Test |
| 872 | 20211 12 | Disposable HUDSON's Mask Paediatric | Disposable HUDSON's Mask Paediatric | SUR | Rate Per Quality Test |
| 873 | 10245 .01 | Disposable needles 24 G - 1inch needle | Disposable needles 24 G - 1inch needle. | SUR | Rate Per Quality Test |
| 874 | 5712 | Disposable Perilaryngeal Airways | Should have ultra thin cuff for a high volume - low pressure seal. Cuff should be positioned in the upper Hypopharynx. Should have gently curved ramp near distal end for insertion of Bronchoscope. Should have the facility of ramping any ET Tube through it, Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------------|
| 875 | 5833 | Disposable syringe 1 CC Sterile, 26G 0.5 inch detachable needle | Sterile, 26G 0.5 inch detachable needle, Each | SUR | Rate Per Quality Test |
| 876 | 5011 | Disposable syringe with Needle Sterile 10cc, 20 Gauge | Sterile 10cc, 20 Gauge, ISNO: 12050 as per drugs & cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 877 | 5006 | Disposable Syringe with Needle Sterile 2cc, 23 Gauge | Sterile 2cc, 23 Gauge, ISNO: 12050 as per drugs and cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 878 | 5007 | Disposable Syringe with Needle Sterile 2cc, 24 Guage | Sterile 2cc, 24 Guage, ISNO: 12050 as per drugs and cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 879 | 5009 | Disposable Syringe with Needle Sterile 5cc, 23 Guage | Sterile 5cc, 23 Guage, ISNO: 12050 as per drugs & cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 880 | 5010 | Disposable Syringe with Needle Sterile 5cc,24 Guage | Sterile 5cc, 24 Guage ISNO: 12050 as per drugs & cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 881 | 5017 | Disposable Syringe with Needle Tuberculin, 26 Gauge 1/2 Inch 1cc Syringe with 26 Gauge 1/2 Inch needle | ISNO: 12050 as per drugs & cosmetics Act 1940,Each | SUR | Rate Per Quality Test |
| 882 | 10258 | Disposable trocars 10mm screw type | 10mm screw type , Each | SUR | Rate Per Quality Test |
| 883 | 10259 | Disposable trocars 5mm Screw type | 5mm Screw type , Each | SUR | Rate Per Quality Test |
| 884 | 10347 | Distilled Water 5 Lit Cans | Distilled Water 5 Lit Cans | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 885 | 10273 | Double arm 5/0 | Double arm 5/0,Each | SUR | Rate Per Quality Test |
| 886 | 5777 | Double Blood bags (with CPDA solution) 450 ml | <p>For whole blood collection, 450ml</p> <p>Packaging- Sterile, disposableSecondary Packaging is made of laminated polyester/aluminium/polyethylene Tubing-Memoryless tubing for better yield of components without damage during blood collection,Very clear thermal transfer printing for easy identification of pilot samples, Stable wall thicknessand inner diameter for mooth flow and collection of blood</p> <p>Label- Labels should be clear and easy to understand, should be resistant to tear, water and centrifugation force, the labels have to be barcoded.</p> <p>Outlet Port Pouch- Each outlet port fitted with a hermetically sealed tamper evident protector to maintain sterility of the internal surface, should be amenable to open with single - hand operation</p> <p>Needle- Ultra thin walled silicone coated needle,High quality needle for smooth phlebotomy Needle</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|------------------------------|---|----------|-----------------------------|
| | | | Protector -Composed of two parts. The outer layer is made of hard poly- propylene to ensure rigidity of cap.The inner layer is made of PVC to ensure hermetic closure with the hub Break off valve-The big break off valve to help in a smooth flow of component and duces processing time.The uniform break force of the click tip to ensure easy breakability. , Each | | |
| 887 | 20210 75 | Dropping Bottles 120ml | Dropping Bottles 120ml | SUR | Rate Per Quality Test |
| 888 | 20210 17 | ECG electrodes Paediatric | ECG electrodes Paediatric | SUR | Rate Per Quality Test |
| 889 | 20210 64 | ECG paper A4 Size Sheet | ECG paper A4 Size Sheet | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------------|
| 890 | 5793 | ECG electrodes Disposable adult, 55mm, Ag/Agcl/Solid adhesive pregelled (short teram) | Disposable adult, 55mm, Ag/Agcl/Solid adhesive pregelled (short teram) , Each | SUR | Rate Per Quality Test |
| 891 | 5792 | ECG paper 50mm X 30mtrs | 50mm X 30mtrs , Each Rool | SUR | Rate Per Quality Test |
| 892 | 10231 | Elastic crepe bandage 6 inch | Superior quality elastic crepe bandage, Combination of cotton and stretch material for comfort use, 99% cotton and 1% elastic, with non fraying edges, with with excellent dermophyllic properties, 6 inches width, length 4 meters. , Each | SUR | Rate Per Quality Test |
| 893 | 10230 | Elastic crepe bandage 4 inch | Superior quality elastic crepe bandage, Combination of cotton and stretch material for comfort use, 99% cotton and 1% elastic, with non fraying edges, with with excellent dermophyllic properties, 4 inches width, length 4 meters. , Each | SUR | Rate Per Quality Test |
| 894 | 20210 77 | Elisa Printer Roll 57x20mm | Elisa Printer Roll 57x20mm | SUR | Rate Per Quality Test |
| 895 | 10205 | Endotracheal Tube dia 5.5mm | Cuffed (Sterile, Disposable) dia 5.5mm , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-----------------------------|---|----------|-----------------------|
| 896 | 10206 | Endotracheal Tube dia 6.5mm | Cuffed (Sterile, Disposable) dia 6.5mm , Each | SUR | Rate Per Quality Test |
| 897 | 10207 | Endotracheal Tube dia 7.5mm | Cuffed (Sterile, Disposable) dia 7.5mm , Each | SUR | Rate Per Quality Test |
| 898 | 10204 | Endotracheal Tube dia 8.5mm | Cuffed (Sterile, Disposable) dia 8.5mm , Each | SUR | Rate Per Quality Test |
| 899 | 5532 | Endotracheal Tube dia 8mm | Cuffed (Sterile, Disposable), dia 8mm , Each | SUR | Rate Per Quality Test |
| 900 | 10208 | Endotracheal Tube dia 9.5mm | Cuffed (Sterile, Disposable) dia 9.5mm , Each | SUR | Rate Per Quality Test |
| 901 | 5529 | Endotracheal Tube dia 5mm | Cuffed (Sterile, Disposable) dia 5mm , Each | SUR | Rate Per Quality Test |
| 902 | 5229 | Endotracheal Tube dia 5mm | Endotracheal Tube dia 5mm | SUR | Rate Per Quality Test |
| 903 | 5530 | Endotracheal Tube dia 6mm | Cuffed (Sterile, Disposable) dia 6mm , Each | SUR | Rate Per Quality Test |
| 904 | 5531 | Endotracheal Tube dia 7mm | Cuffed (Sterile, Disposable) dia 7mm , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 905 | 5533 | Endotracheal Tube dia 9mm | Cuffed (Sterile, Disposable) dia 9mm , Each | SUR | Rate Per Quality Test |
| 906 | 10210 | Endotracheal Tube uncuffed disposable 2.5mm | Uncuffed (Sterile, Disposable) dia 2.5mm , Each | SUR | Rate Per Quality Test |
| 907 | 10209 | Endotracheal Tube uncuffed disposable 2mm | Uncuffed (Sterile, Disposable) dia 2mm , Each | SUR | Rate Per Quality Test |
| 908 | 10211 | Endotracheal Tube uncuffed disposable 3.5mm | Uncuffed (Sterile, Disposable) dia 3.5mm , Each | SUR | Rate Per Quality Test |
| 909 | 5706 | Endotracheal Tube uncuffed disposable 3mm | Uncuffed (Sterile, Disposable), dia 3mm , Each | SUR | Rate Per Quality Test |
| 910 | 10213 | Endotracheal Tube uncuffed disposable 4.5mm | Uncuffed (Sterile, Disposable) dia 4.5mm , Each | SUR | Rate Per Quality Test |
| 911 | 10212 | Endotracheal Tube uncuffed disposable 4mm | Uncuffed (Sterile, Disposable) dia 4mm , Each | SUR | Rate Per Quality Test |
| 912 | 10214 | Endotracheal Tube uncuffed disposable 5mm | Uncuffed (Sterile, Disposable) dia 5mm , Each | SUR | Rate Per Quality Test |
| 913 | 20210 72 | Enseal Open Probe with 20cms | Enseal Open Probe with 20cms | SUR | Rate Per Quality Test |
| 914 | 20210 73 | Enseal G2 Tissue Sealer Curved jaw Lap35cms with articulation and 360 degree | Enseal G2 Tissue Sealer Curved jaw Lap35cms with articulation and 360 degree rotation | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| | | rotation | | | |
| 915 | 20210 02 | Epidural Kit (Size 16G) | Epidural Kit (Size 16G) | SUR | Rate Per Quality Test |
| 916 | 10186 | Epidural Kit 18F | Sterile, Disposable kit Including standard LOR syringe, Epidural catheter of Length 1000 mm, Hydrophobic 0.2micron filter for additional safety & control against microbial infections with Filling volume of 0.45 ml, tuohy needle provided with clear depth marking for accurate insertion depth reading, Polished inner bevel edge, Detachable Connector. Separate twist lock connector for safe & secure attachment to the catheter for convenience of the procedure. (Size- 16G & 18G) , Each | SUR | Rate Per Quality Test |
| 917 | 968 | Episiotomy Scissor 15 cm long SS, IS - No - 7103 - 1973 | Episiotomy Scissor 15 cm long SS, IS - No - 7103 - 1973 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 918 | 5713 | ET Tube holder | An ET Tube holder with bite block quick thread clamp & mouth access hole for -longterm ventilation , Each | SUR | Rate Per Quality Test |
| 919 | 20210 44 | Ethilon No 1 Cutting Needle (Box of 12 Foils) | Ethilon No 1 Cutting Needle (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 920 | 20210 45 | Ethilon No 2-0 Cutting Needle (Box of 12 Foils) | Ethilon No 2-0 Cutting Needle (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 921 | 20210 46 | Ethilon No 3-0 Cutting Needle (Box of 12 Foils) | Ethilon No 3-0 Cutting Needle (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 922 | 10246 | Eye drapes (Incise Drapes) 60x60 | (Incise Drapes) 60x60 , Each | SUR | Rate Per Quality Test |
| 923 | 10247 | Eye Shield (Green Plastic) Sterile Disposable Ophthalmic Plastic Eye Shield, Green in colour, | Sterile Disposable Ophthalmic Plastic Eye Shield, Green in colour, , Each | SUR | Rate Per Quality Test |
| 924 | 20210 88 | Fixed Envil Hemorrhoid Stapler kit | Fixed Envil Hemorrhoid Stapler kit | SUR | Rate Per Quality Test |
| 925 | 907 | Fixer 13.5 Lts (Powder) | 13.5 Lts (Powder) , Each | SUR | Rate Per Quality Test |
| 926 | 10215 | Fixer 13.5 Lts Liquid Form | 13.5 Lts Liquid Form , Each | SUR | Rate Per Quality Test |
| 927 | 20210 04 | Flowable hemostat matrix | Flowable hemostat matrix | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 928 | 10244 | Fluroseain sodium strips | | SUR | Rate Per Quality Test |
| 929 | 10361 | Foldable Lens | 0 | SUR | Rate Per Quality Test |
| 930 | 10248 | Foldble IOL difft powers | Foldble IOL difft powers , Each | SUR | Rate Per Quality Test |
| 931 | 5934 | Foleys 3 way 22G | 22G , Each | SUR | Rate Per Quality Test |
| 932 | 5024 | Forceps, Artery (Homeostatic Forceps),curved flat | 20.5cm Long, Box Joint, Spencerwells Type, SS, IS - No:3645:1992 | SUR | Rate Per Quality Test |
| 933 | 5484 | Forceps, Artery, Small Mosquito - 9.5 cm | Mosquito - 9.5 cm | SUR | Rate Per Quality Test |
| 934 | 787 | Forceps, Dissecting 15cm long, | 15cm long | SUR | Rate Per Quality Test |
| 935 | 788 | Forceps, Dissecting 15cm long, Toothed, SS, IS - No - 3643 - 1992 | 15cm long, Toothed, SS, IS - No:3643:1992 | SUR | Rate Per Quality Test |
| 936 | 5486 | Forceps, Intenstinal elastic, straight 24 cm long ,Doyens Type,SS | 24 cm long ,Doyens Type,SS | SUR | Rate Per Quality Test |
| 937 | 844 | Forceps, Sponge holding,box joint, settated jaws 25cm long, | 25cm long, Stainless Steel (Box joint), ISNo: 7735:1992 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 938 | 795 | Forceps, Sterilizer, Cheatles pattern SS, IS - No - 4094 - 1967 | SS, IS - No: 4094:1967 | SUR | Rate Per Quality Test |
| 939 | 857 | Forceps, Tissue 4 x 5 teeth Screw Joint, Allis Type | 20 cms long Stainless Steel, IS - No:7388:1992 | SUR | Rate Per Quality Test |
| 940 | 858 | Forceps, Tissue Box Joint, Babcocks Type 20cm long, Stainless Steel | 20cm long, Stainless Steel | SUR | Rate Per Quality Test |
| 941 | 5489 | Forceps, Uterine Vulesellem Teales, with 2x2, 3x4 teeth, box joint, 9 | 9 inch, Stainless steel, as Per IS:6144-1991 | SUR | Rate Per Quality Test |
| 942 | 1045 | Gauge Cloth (Medical) 20m x100cm | Absorbent Cotton Gauze (Sch FII), Each 20m x 100cm | SUR | Rate Per Quality Test |
| 943 | 10238 | Giggly s Saw wire Overall length 12 inch | Overall length 12 (304.8mm), Standard grade stainless steel gigli saw wire for use with Gigli saw handles , Each | SUR | Rate Per Quality Test |
| 944 | 10349 | Glacial Acetic Acid 5%,500Ml Bottle | 0 | SUR | Rate Per Quality Test |
| 945 | 5303 | Gloves, Surgical Examination (Latex Large Size) | Latex Large Size , Box of 50 Pieces | SUR | Rate Per Quality Test |
| 946 | 5302 | Gloves, Surgical Examination(Latex medium) | Latex Medium Size , Box of 50 Pieces | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 947 | 5303. 01 | Gloves, Surgical Latex Examination -Large Size- (Pack of 100 gloves) | Surgical Latex Examination Gloves - Large Size- (Pack of 100 gloves) | SUR | Rate Per Quality Test |
| 948 | 5302. 01 | Gloves, Surgical Latex Examination -Medium Size- (Pack of 100 gloves) | Surgical Latex Examination Gloves - medium Size- (Pack of 100 gloves) | SUR | Rate Per Quality Test |
| 949 | 891 | Gloves, Surgical, Disposable 6 1/2 inch | 6 1/2 Iinc Latex, BIS - 13422-1992 ISI Marked , Box of 50 Pairs | SUR | Rate Per Quality Test |
| 950 | 5570 | Gloves, Surgical, Disposable 6 inch | 6 Inch Latex BIS - 13422-1992 ISI Marked , Box of 50 Pairs | SUR | Rate Per Quality Test |
| 951 | 893 | Gloves, Surgical, Disposable 7 1/2 inch | 7 1/2 Inch Latex BIS - 13422-1992 ISI Marked , Box of 50 Pairs | SUR | Rate Per Quality Test |
| 952 | 892 | Gloves, Surgical, Disposable 7 inch | 7 Inch Latex BIS - 13422-1992 ISI Marked , Box of 50 Pairs | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 953 | 10362 | Green Cotton Eye Towels with hole (80cms x 80cms) | 0 | SUR | Rate Per Quality Test |
| 954 | 5783 | H1 Lectin 5ml | 5ml , Each | SUR | Rate Per Quality Test |
| 955 | 5576 | Haemo Clip(Titanium clips) LT 300 Medium / Large | LT 300 Medium / Large , Box of 18 x 6clips | SUR | Rate Per Quality Test |
| 956 | 1406.03 | Hand Sanitizer with Ethanol 80%(gel based) 1000ml | Antimicrobial Hand Sanitizer Liquid -1 Litre (Ethanol 80%) Gel based,Each | SUR | Rate Per Quality Test |
| 957 | 1406.04 | Hand Sanitizer with Ethanol 80%(gel based) 200ml | Ethanol 80%(gel based) in 200ml bottle | SUR | Rate Per Quality Test |
| 958 | 20210 94 | Harmonic Blue Handpiece For Open Surgeries | Harmonic Blue Handpiece For Open Surgeries | SUR | Rate Per Quality Test |
| 959 | 20210 93 | Harmonic open probe 23cm | Harmonic open probe 23cm | SUR | Rate Per Quality Test |
| 960 | 20210 92 | Harmonic Probes for Open Cases - 17cm | Harmonic Probes for Open Cases - 17cm | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 961 | 20210 91 | Harmonic Probes for Open Cases - 9cm | Harmonic Probes for Open Cases - 9cm | SUR | Rate Per Quality Test |
| 962 | 20210 74 | Harmonic HD1000i | Harmonic HD1000i | SUR | Rate Per Quality Test |
| 963 | 20210 13 | Harmonic scalpel 5 mm Ace+7 probe | Ultrasonic 7 mm vessel sealing shears with advance hemostasis with 5 mm diameater | SUR | Rate Per Quality Test |
| 964 | 10257 | Harmonic scalpel probe open instrument | Open Instrument , Each | SUR | Rate Per Quality Test |
| 965 | 10235 | Harmonic scalpel probe 5 mm | Laprosopic ace,Each | SUR | Rate Per Quality Test |
| 966 | 20210 14 | Harmonic scalpel probe Hand piece cable for lap | Harmonic scalpel probe Hand piece cable for lap | SUR | Rate Per Quality Test |
| 967 | 5730 | Hbs Ag Elisa Test Kit 1 x 96 Tests | 1 x 96 Tests | SUR | Rate Per Quality Test |
| 968 | 5729. 01 | HBs Ag Rapid Test Kit 1 x 50 test | 1 x 50 test , Each | SUR | Rate Per Quality Test |
| 969 | 10501 | Hepatitis C Virus Elisa Test Kits(Box Of 96 Tests) | Hepatitis C Virus Elisa Test Kits(Box Of 96 Tests) | SUR | Rate Per Quality Test |
| 970 | 10500 | Hepatitis C Virus Rapid Test Kit (Pack of 50 Tests) | Hepatitis C Virus Rapid Test Kit (Pack of 50 Tests) | SUR | Rate Per Quality Test |
| 971 | 20210 21 | Hernia mesh fixation device with absorbable straps for Open Hernia(Tachers) | Hernia mesh fixation device with absorbable straps for Open Hernia(Tachers) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------------|
| 972 | 10187 | High Preasure Extenion line 200cm | 200cm , Each | SUR | Rate Per Quality Test |
| 973 | 5774 | HIV 1+2 Immunnodot Test Kit | 1+2 Immunodot,Each Test | SUR | Rate Per Quality Test |
| 974 | 5741 | HIV EIA Comb Test Kit 1x48 Test | 1x48 Test , | SUR | Rate Per Quality Test |
| 975 | 5787 | HIV Rapid test Kit 1 x 50 test | 1 x 50 Test | SUR | Rate Per Quality Test |
| 976 | 5578 | HIV Surgical Kit General Surgery | Please Note that the specification and description of this product and packing details are given after the Terms and Conditions in this Purchase Order. | SUR | Rate Per Quality Test |
| 977 | 10701 0 | HME (Heat Moist Exchanger) Filter Pideatric | HME (Heat Moist Exchanger) Filter Pideatric | SUR | Rate Per Quality Test |
| 978 | 20211 15 | Hospital Mask NON- VENTED FULL FACE MASK (DISPOSABLE) | Hospital Mask NON- VENTED FULL FACE MASK (DISPOSABLE) | SUR | Rate Per Quality Test |
| 979 | 20211 16 | Hospital Mask VENTED FULL FACE MASK (DISPOSABLE) | Hospital Mask VENTED FULL FACE MASK (DISPOSABLE) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|----------------------------------|--|----------|-----------------------|
| 980 | 10216 | Infant Feeding Tube Size - 10 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for X-Ray visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size- 10 FG , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---------------------------------|--|----------|-----------------------|
| 981 | 5580 | Infant Feeding Tube Size - 6 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for X-Ray visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size- 6FG , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---------------------------------|--|----------|-----------------------|
| 982 | 5581 | Infant Feeding Tube Size - 7 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for X-Ray visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size- 7FG , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---------------------------------|--|----------|-----------------------|
| 983 | 5582 | Infant Feeding Tube Size - 8 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for X-Ray visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size- 8FG , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---------------------------------|--|----------|-----------------------|
| 984 | 5636 | Infant Feeding Tube Size - 9 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for X-Ray visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size- 9FG , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 985 | 5579 | Infant Feeding Tube Size 5 | Closed distal end with two lateral eyes Tube with radio-opaque line, marked at 25 cms from the tip for accurate placement , Soft and rounded tip to prevent trauma during application Soft, frosted and kink resistant PVC tubing, Radio Opaque line is provided throughout the length for XRay visualisation, Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe, Standard Colour coded for size identification Size 5FG , Each | SUR | Rate Per Quality Test |
| 986 | 20210 09 | Infant Feeding Tube Size: 12 | Infant Feeding Tube Size: 12 | SUR | Rate Per Quality Test |
| 987 | 10156 | Infant Weighing Machine | Infant Weighing Machine,Baby scale with tray,Each | SUR | Rate Per Quality Test |
| 988 | 5737 | Instrument s forceps 10 | 10 Inches , Each | SUR | Rate Per Quality Test |
| 989 | 5735 | Instruments tray with cover Stainless Steel 14inchx10inch | Stainless Steel 14x10 , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------------|
| 990 | 5011. 01 | Insulin Inj. Syringe 30 Gauge Fixed Needle with 1 cc (40 IU) | 30 Gauge Fixed Needle with 1 cc (40 IU) , Each | SUR | Rate Per Quality Test |
| 991 | 915 | Intercostal drainage bag | Sterile, Disposable, under water sealed drainage system, soft, kink resistant, nontoxic PVC Bag with 1000ml capacity, graded at 50ml interval, with long tubing with a air tight clamp, loop for hanging or carrying. , Each | SUR | Rate Per Quality Test |
| 992 | 20210 71 | Intestinal Occlusion Clamps Size : 8" | Intestinal Occlusion Clamps Size : 8" | SUR | Rate Per Quality Test |
| 993 | 5338 | Intra Ocular Lense, Posterior Chamber of various sizes from +17 to + 20 | 17,18,19&20 , Each | SUR | Rate Per Quality Test |
| 994 | 5397 | Intra Ocular Lense, Anterior Chamber of various sizes | 29 &30 , Each | SUR | Rate Per Quality Test |
| 995 | 5394 | Intra Ocular Lense, Phaco various sizes from +19 to + 24 | 19,20,21,22,23,24 , Each | SUR | Rate Per Quality Test |
| 996 | 5430 | Intra Ocular Lense, Single piece of various sizes from +4 to + 29.5 | Size- +4 to + 29.5 , Each Box | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 997 | 917 | Intra Venous Set | Sterile, Disposable, Soft and Kink resistant PVC tubing of 150 cms long, with efficient roller flow controller for accurate and unrestricted flow. Clear , Transparent, flexible, cylindrical drip chamber with Disc type fluid filter (15 micron fluid filter in drip chamber) to filter any particulate matter in the I.V. fluid. Sharp piercing air vented spike for easy insertion in IV. container with a safety cap. Flash ball type injection port for extra medication. Infusion set with approximate drop rate of 20 drops/ml. sterile and individually packed,Each. | SUR | Rate Per Quality Test |
| 998 | 921 | Intracatheter Sterile, Disposable, G 22 with wings & port | Sterile, Disposable, G 22 with wings & port , Each | SUR | Rate Per Quality Test |
| 999 | 918 | Intracatheter Sterile, Disposable,G 16 with wings & port | Sterile, Disposable,G 16 with wings & port , Each | SUR | Rate Per Quality Test |
| 1000 | 919 | Intracatheter Sterile, Disposable,G 18 with wings & port | Sterile, Disposable,G 18 with wings & port , Each | SUR | Rate Per Quality Test |
| 1001 | 920 | Intracatheter Sterile, Disposable,G 20 with wings & port | Sterile, Disposable,G 20 with wings & port , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|---|--|----------|-----------------------------|
| 1002 | 922 | Intracatheter Sterile, Disposable,G 24 with wings & port | Sterile, Disposable,G 24 with wings & port , Each | SUR | Rate Per Quality Test |
| 1003 | 20210 10 | Intracatheter G14 | Intracatheter G14 | SUR | Rate Per Quality Test |
| 1004 | 10363 | Iris Claw Lens | 0 | SUR | Rate Per Quality Test |
| 1005 | 5835 | Kher T tube | Medical Grade PVC make siliconised tube for Common Bile Duct drainage. Super smooth siliconized low friction surface, Radio opaque line throughout its length for X-ray visualization. Sterile, individually packed in peelable pouch pack.14 No , Each | SUR | Rate Per Quality Test |
| 1006 | 923 | L.P.Needle Size No - 23 | Sterile, Disposable, Quincke needles, Size No- 23 , Each | SUR | Rate Per Quality Test |
| 1007 | 925 | L.P.Needle Size No - 25 | Sterile, Disposable, Quincke needles, Size No- 25 , Each | SUR | Rate Per Quality Test |
| 1008 | 5585 | L.P.Needle Size No 26 | L.P.Needle Size No 26 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1009 | 20210 89 | Laparoscopic 60mm battery operated endocutter with Built in knife & articulation. | Laparoscopic 60mm battery operated endocutter with Built in knife & articulation. | SUR | Rate Per Quality Test |
| 1010 | 20210 69 | Laparoscopic Port Closure Needle | Laparoscopic Port Closure Needle | SUR | Rate Per Quality Test |
| 1011 | 20210 95 | Laparoscopic Self Righting Needle Holder | Laparoscopic Self Righting Needle Holder | SUR | Rate Per Quality Test |
| 1012 | 20210 59 | Laparoscopic preloaded 5mm dia clip applier with medium large with 15 clips. | Laparoscopic preloaded 5mm dia clip applier with medium large with 15 clips. | SUR | Rate Per Quality Test |
| 1013 | 10264 | Lapro-sheath 5mm | Lapro-sheath 5mm | SUR | Rate Per Quality Test |
| 1014 | 20210 35 | Laryngeal mask airway 1 | Laryngeal mask airway 1 | SUR | Rate Per Quality Test |
| 1015 | 20210 36 | Laryngeal mask airway 1.5 | Laryngeal mask airway 1.5 | SUR | Rate Per Quality Test |
| 1016 | 20210 37 | Laryngeal mask airway 2 | Laryngeal mask airway 2 | SUR | Rate Per Quality Test |
| 1017 | 20210 38 | Laryngeal mask airway 2.5 | Laryngeal mask airway 2.5 | SUR | Rate Per Quality Test |
| 1018 | 20210 39 | Laryngeal mask airway 3 | Laryngeal mask airway 3 | SUR | Rate Per Quality Test |
| 1019 | 20210 40 | Laryngeal mask airway 4 | Laryngeal mask airway 4 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 1020 | 20210 41 | Laryngeal mask airway 5 | Laryngeal mask airway 5 | SUR | Rate Per Quality Test |
| 1021 | 20210 42 | Laryngeal mask airway 6 | Laryngeal mask airway 6 | SUR | Rate Per Quality Test |
| 1022 | 10267 | LINEAR BOWEL STAPLER CATRIDGES (JJ55H (Advant Handle 1 unit with 200 Cartridges). | Linear Bowel Stapler Catridges , Each (JJ55H (Advant Handle 1 unit with 200 Cartridges). | SUR | Rate Per Quality Test |
| 1023 | 10267 .1 | Linear Bowel Stapler Catridges - 55 Blue | Linear Bowel Stapler Catridges -55 Blue | SUR | Rate Per Quality Test |
| 1024 | 10267 .2 | Linear Bowel Stapler Catridges - 55 Green | Linear Bowel Stapler Catridges -55 Green | SUR | Rate Per Quality Test |
| 1025 | 10267 .3 | Linear Bowel Stapler Catridges - 75 Blue | Linear Bowel Stapler Catridges -75 Blue | SUR | Rate Per Quality Test |
| 1026 | 10267 .4 | Linear Bowel Stapler Catridges - 75 Green | Linear Bowel Stapler Catridges -75 Green | SUR | Rate Per Quality Test |
| 1027 | 5780 | Liquid Hand Disinfectant | 1. 100 grms solutions Conteinants, 2. propanol IP 45 gms, 2-propanol BP 30 grms, Ethyl Hexa dethyl Dimethyl Ammonium Methyl sulphate 0.2 grm , 5 Ltrs | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1028 | 10217 | Low Pressure extension Line Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end Size - 150 cms , Each | Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end Size - 150 cms , Each | SUR | Rate Per Quality Test |
| 1029 | 5645 | Low Pressure extension Line Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end Size - 50 cms | Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end Size - 50 cms , Each | SUR | Rate Per Quality Test |
| 1030 | 5648 | Low Pressure extension Line Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end, Size - 100 cms | Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end, Size - 100 cms , Each | SUR | Rate Per Quality Test |
| 1031 | 5917 | Low Pressure Extention Line Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end, Size - 10cms | Sterile, Disposable,Provided with male luer lock at one end and 3-way stop cock at other end, Size - 10cms , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1032 | 10243 | M.V. R Blades | Ophthalmic Mvr Blades (Round Wire) Are Designed For Making Precise Water Tight Port In Micro Vitreoretinal Surgery. These Blades Are Also Used For Making Side Port In Small Incision Cataract Surgery. These Blades Are Available In Straight 20Gauge With Fol , Each | SUR | Rate Per Quality Test |
| 1033 | 926 | Mackintosh Rubber Sheet as Per IS - 4135-1974 | <p>Mackintosh Rubber Sheet as Per IS-4135-1974 of Grade A with Rubber polymer content of 55%.</p> <p>Length shall not be less than 30 meters. There shall be no joints in any single piece.</p> <p>Length shall be determined in accordance with the method in IS : 7016(Part-I)-1973). Width :</p> <p>It shall not be less than 1100 mm.</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1034 | 1361.01 | Malathion 25% WDP | Malathion 25% WDP (ISI Marked) for residual spray for control of malaria under public health programme conforming to IS specifications IS:2569-1978 with up-to date amendments, should be registered with Central Insecticide Board. , Each | SUR | Rate Per Quality Test |
| 1035 | 1349 | Malathion Technical | Malathion Technical in Kgs | SUR | Rate Per Quality Test |
| 1036 | 20210 43 | Mersilk No 2-0 with Needle round body (Box of 12 Foils) | Mersilk No 2-0 with Needle round body (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 1037 | 20210 24 | Metallic Tracheostomy Tubes Silver Jackson 24v(Pediatric) | Metallic Tracheostomy Tubes Silver Jackson 24v(Pediatric) | SUR | Rate Per Quality Test |
| 1038 | 20210 25 | Metallic Tracheostomy Tubes Silver Jackson 28 (Adult) | Metallic Tracheostomy Tubes Silver Jackson 28 (Adult) | SUR | Rate Per Quality Test |
| 1039 | 20210 26 | Metallic Tracheostomy Tubes Silver Jackson 30 (Adult) | Metallic Tracheostomy Tubes Silver Jackson 30 (Adult) | SUR | Rate Per Quality Test |
| 1040 | 20210 27 | Metallic Tracheostomy Tubes Silver Jackson 32 (Adult) | Metallic Tracheostomy Tubes Silver Jackson 32 (Adult) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------|
| 1041 | 10252 | MICRO DRIP IV SETS WITH DIAL FLOW REGULATORS | Micro Drip IV Sets With Dial Flow Regulators , Each | SUR | Rate Per Quality Test |
| 1042 | 5185 | Micro Slide 76 X 26 X 1.35mm (-0.20 mm) Box of 50 Slides | 76 X 26 X 1.35mm (-0.20 mm) Box of 50 Slides , Each | SUR | Rate Per Quality Test |
| 1043 | 10277 | Microscope bulbs 12x100 | Microscope Bulbs 12X100 , mono pack | SUR | Rate Per Quality Test |
| 1044 | 10276 | Microscope bulbs 15x150 | Microscope Bulbs 15X150 , mono pack | SUR | Rate Per Quality Test |
| 1045 | 2014 | Mosquito Larvicultural Oil | Mosquito Larvicultural Oil in Liter | SUR | Rate Per Quality Test |
| 1046 | 20210 47 | Mucus Suckers Penguin | Mucus Suckers Penguin | SUR | Rate Per Quality Test |
| 1047 | 820 | Mucus Sucker Sterile, Disposable, 20 ml Capacity | Sterile, Disposable, 20 ml Capacity , Each | SUR | Rate Per Quality Test |
| 1048 | 20211 18 | Mucus Suckers Penguin type | Mucus Suckers Penguin type | SUR | Rate Per Quality Test |
| 1049 | 10351 | Multiparameter urine strip (dipstick) | 0 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------------------|--|----------|-----------------------|
| 1050 | 10326 .02 | N-95 Mask with out Respiratory Valve | N95 Mask with out respiratory Valve | SUR | Rate Per Quality Test |
| 1051 | 10326 | N-95 Mask with Respiratory Valve | N-95 Face Respirator Mask : Filter efficiency of 95 percentage or more against particulate aerosols. The mask should be provided with expiration valve. It should be disposable and to be able to fit for wide range of face sizes. It should accompany with certification from NIOSH or any other internationally accepted certification. | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|------------------------------------|----------------------------|----------|-----------------------|
| | | | | | |
| 1052 | 10256 | Naso Pharyngeal Airways 3.0 to 8.0 | 3.0 to 8.0 , Each | SUR | Rate Per Quality Test |
| 1053 | 10702 1 | Naso-Gastric (NG) Tube 10F | Naso-Gastric (NG) Tube 10F | SUR | Rate Per Quality Test |
| 1054 | 10702 2 | Naso-Gastric (NG) Tube 12F | Naso-Gastric (NG) Tube 12F | SUR | Rate Per Quality Test |
| 1055 | 10701 7 | Naso-Gastric (NG) Tube 6F | Naso-Gastric (NG) Tube 6F | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1056 | 107018 | Naso-Gastric (NG) Tube 7F | Naso-Gastric (NG) Tube 7F | SUR | Rate Per Quality Test |
| 1057 | 107019 | Naso-Gastric (NG) Tube 8F | Naso-Gastric (NG) Tube 8F | SUR | Rate Per Quality Test |
| 1058 | 107020 | Naso-Gastric (NG) Tube 9F | Naso-Gastric (NG) Tube 9F | SUR | Rate Per Quality Test |
| 1059 | 5786 | Needle & Hub cutter Stainless Metal Body | Stainless Metal Body, Each | SUR | Rate Per Quality Test |
| 1060 | 822 | Needle holder, Straight, Curved,Bozeman 20cm long, Stainless Steel, IS - No - 10615 - 1983 | 20cm long, Stainless Steel, IS - No:10615:1983 | SUR | Rate Per Quality Test |
| 1061 | 823 | Needle holder, Straight, Mayo-Hegar type 20cm long, Stainless Steel, IS - No - 7870 - 1992 | 20cm long, Stainless Steel, IS - No:7870:1992 | SUR | Rate Per Quality Test |
| 1062 | 2021087 | New Curved Circular Stapler with Contolled Tissue technology 29/33 mm | New Curved Circular Stapler with Contolled Tissue technology 29/33 mm | SUR | Rate Per Quality Test |
| 1063 | 10241 | Non Absorbable, black Monofilament, Polyamide, Sterile Surgical Suture No10-0(Suture code - 3717) | 3/8 circle micro (Premium) point spatulated, 6mm needle, Suture length 20cms, Double armed (Needle) , Box of 12 Foils | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1064 | 20210 67 | Non Absorbable, blue Monofilament, Polypropylene Sterile Surgical Suture No 2-0(Box of 12 Foils) | Non Absorbable, blue Monofilament, Polypropylene Sterile Surgical Suture No 2-0(Box of 12 Foils) | SUR | Rate Per Quality Test |
| 1065 | 1106 | Non Absorbable, blue Monofilament, Polypropylene Sterile Surgical Suture No1(Suture code - 843) | 1/2 circle Round body, 40mm heavy needle, Suture length 100cms , Box of 12 Foils | SUR | Rate Per Quality Test |
| 1066 | 20210 23 | Open Flexible Composite Mesh Device is a sterile, partially absorbable skirted mesh device designed for the repair of open ventral hernias | Open Flexible Composite Mesh Device is a sterile, partially absorbable skirted mesh device designed for the repair of open ventral hernias | SUR | Rate Per Quality Test |
| 1067 | 20210 82 | Open 3 Row Linear Stapler - 55 mm | Open 3 Row Linear Stapler - 55 mm | SUR | Rate Per Quality Test |
| 1068 | 20210 84 | Open 3 Row Linear Stapler - 75mm | Open 3 Row Linear Stapler - 75mm | SUR | Rate Per Quality Test |
| 1069 | 20210 85 | Open Curved Cutter- 40mm | Open Curved Cutter- 40mm | SUR | Rate Per Quality Test |
| 1070 | 20211 07 | Optical view trocar (Laparoscopy) 11mm | Optical view trocar (Laparoscopy) 11mm | SUR | Rate Per Quality Test |
| 1071 | 20211 06 | Optical view trocar (Laparoscopy) 12mm | Optical view trocar (Laparoscopy) 12mm | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1072 | 20211 08 | Optical view trocar (Laparoscopy) 5mm | Optical view trocar (Laparoscopy) 5mm | SUR | Rate Per Quality Test |
| 1073 | 5575 | Optical view trocar (Laparoscopy) 5 mm port | 5 mm port , Each | SUR | Rate Per Quality Test |
| 1074 | 5574 | Optical view trocar (Laparoscopy)11 mm | 11 mm , Each | SUR | Rate Per Quality Test |
| 1075 | 20210 30 | Oro Pharyngeal Airways 0 | Oro Pharyngeal Airways 0 | SUR | Rate Per Quality Test |
| 1076 | 20210 29 | Oro Pharyngeal Airways 00 | Oro Pharyngeal Airways 00 | SUR | Rate Per Quality Test |
| 1077 | 20210 28 | Oro Pharyngeal Airways 000 | Oro Pharyngeal Airways 000 | SUR | Rate Per Quality Test |
| 1078 | 20210 31 | Oro Pharyngeal Airways 1 | Oro Pharyngeal Airways 1 | SUR | Rate Per Quality Test |
| 1079 | 20210 32 | Oro Pharyngeal Airways 2 | Oro Pharyngeal Airways 2 | SUR | Rate Per Quality Test |
| 1080 | 20210 33 | Oro Pharyngeal Airways 3 | Oro Pharyngeal Airways 3 | SUR | Rate Per Quality Test |
| 1081 | 20210 34 | Oro Pharyngeal Airways 4 | Oro Pharyngeal Airways 4 | SUR | Rate Per Quality Test |
| 1082 | 10219 | OT Dress - Sky blue/Dark Blue cloth (Large Size) | OT Dress- Sky blue/Dark Blue cloth Readymade Surgeons Dress (Shirt & Pyjama with fabric nada) (Large Size) , | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1083 | 10188 | OT Dress - Sky blue/Dark Blue cloth(Medium size) | OT Dress- Sky blue/Dark Blue cloth Readymade Surgeons Dress (Shirt & Pyjama with fabric nada) (Medium Size) , | SUR | Rate Per Quality Test |
| 1084 | 931 | Out let Forceps Wrigleys & Simpson | Wrigleys and Simpson,Each | SUR | Rate Per Quality Test |
| 1085 | 20211 01 | Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, 1x2 inch (Box of 10 Foils) | Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, 1x2 inch (Box of 10 Foils) | SUR | Rate Per Quality Test |
| 1086 | 20211 02 | Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, 2"x4" inch (Box of 10 Foils) | Oxidized Regenerated Cellulose based Topical Absorbable Hemostat, 2"x4" inch (Box of 10 Foils) | SUR | Rate Per Quality Test |
| 1087 | 20210 66 | Oxygen flow meter with Gauge | Oxygen flow meter with Gauge | SUR | Rate Per Quality Test |
| 1088 | 934 | Oxygen Mask (Adult) | Sterile, Disposable, Light Weight,Soft Feathered Edges, Nose Clip,Swivel Tubing Connector, Elastic Head Band, With 2 mts Tubing Adult , Each | SUR | Rate Per Quality Test |
| 1089 | 20211 13 | Oxygen Mask (Pediatric) | Oxygen Mask (Pediatric) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 1090 | 5591 | Oxygen Nasal Prongs (Adult) | Sterile, Disposable,Twin prongs/ nasal tips designed to ensure equal volume of oxygen to both air passages, Soft funnel shape connector for easy connection to oxygen source, Tube Length 210cm (7ft), Adult size , Each | SUR | Rate Per Quality Test |
| 1091 | 5637 | Oxygen Nasal Prongs (Pediatric) | Sterile, Disposable,Twin prongs/ nasal tips designed to ensure equal volume of oxygen to both air passages, Soft funnel shape connector for easy connection to oxygen source, Tube Length 210cm (7ft), Peadiatric size , Each | SUR | Rate Per Quality Test |
| 1092 | 10269 | P D CATHETERS (PERITONIAL DIALYSIS CATHETERS) | P D Catheters (Peritonial Dialysis Catheters) , Each | SUR | Rate Per Quality Test |
| 1093 | 10270 | P D SETS (PERITONIAL DIALYSIS SETS) | P D Sets(Peritonial Dialysis Sets) , Each | SUR | Rate Per Quality Test |
| 1094 | 10268 | PAP SMEAR KIT 1 Pair Gloves,1Brush,1Spatula, along with 1micor Slide | Consists of 1 pair gloves,1 Brush,1 Spatular along with 1 micorslide. , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1095 | 5306 | Paper Plaster Size - 1inch | Size: 1 inch , Length 5mtrs,Box of 12 | SUR | Rate Per Quality Test |
| 1096 | 5308 | Paper Plaster Size - 2inch | Size: 2 inch, Length 5mtrs,Box of 6 | SUR | Rate Per Quality Test |
| 1097 | 5310 | Paper Plaster Size - 3inch | Size: 3 inch, Length 5mtrs , Box of 4 | SUR | Rate Per Quality Test |
| 1098 | 20211 09 | PDS - Antibacterial, Absorbable Polydioxanone Sterilized Symmetric, Knotless Tissue Controlling Device, Size -1 (Box of 12 Foils) | PDS - Antibacterial, Absorbable Polydioxanone Sterilized Symmetric, Knotless Tissue Controlling Device, Size -1 (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 1099 | 20211 10 | PDS - Polydioxanone Violet Monofilament, Bidirectional, Absorbable Sterilized, Spiral Knotless Tissue Controlling Device, Size1 (Box of 12 Foils) | PDS - Polydioxanone Violet Monofilament, Bidirectional, Absorbable Sterilized, Spiral Knotless Tissue Controlling Device, Size1 (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 1100 | 20210 97 | PDS - Polydioxanone with Triclosan Antibacterial coated Violet Monofilament 90 cm size 1 (Box of 24 Foils) | PDS - Polydioxanone with Triclosan Antibacterial coated Violet Monofilament 90 cm size 1 (Box of 24 Foils) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|---|--|----------|-----------------------------|
| 1101 | 20210 96 | PDS - Polydioxanone with Triclosan Antibacterial coated Violet Monofilament 90 cm size 0 (Box of 36 Foils) | PDS - Polydioxanone with Triclosan Antibacterial coated Violet Monofilament 90 cm size 0 (Box of 36 Foils) | SUR | Rate Per Quality Test |
| 1102 | 5779 | Pediatric Blood Bags (with CPDA solution) 100 ml | 100 ml , Each | SUR | Rate Per Quality Test |
| 1103 | 20210 70 | Percutaneous Tracheostomy Tubes Size : 4 | Percutaneous Tracheostomy Tubes Size : 4 | SUR | Rate Per Quality Test |
| 1104 | 10368 | Personal Protection Equipment Kits | Personal Protection Equipment Kits,Each | SUR | Rate Per Quality Test |
| 1105 | 10327 | Personel Protection Kits | Please Note that the Specification and Description of this product and packing details are given after the Terms and Conditions in this Purchase Order. | SUR | Rate Per Quality Test |
| 1106 | 5824 | Phaco Tips 19Guage | 19 Gauge , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------------|
| 1107 | 890 | Plastic Apron 75Microns | Sterile, Disposable, made with Polythene Sheet washable with Tie & Loop for perfect fitting to Surgeon. 75Microns , Each | SUR | Rate Per Quality Test |
| 1108 | 10400 | PMMA IOL (Poly Methyl Methacralate) | PMMA IOL (Poly Methyl Methacralate) | SUR | Rate Per Quality Test |
| 1109 | 20210 62 | Polyamide with cutting needle Size 1 | Polyamide with cutting needle Size 1 | SUR | Rate Per Quality Test |
| 1110 | 20210 61 | Polyamide with cutting needle Size 2-0 (Box of 12 Foils) | Polyamide with cutting needle Size 2-0 (Box of 12 Foils) | SUR | Rate Per Quality Test |
| 1111 | 20210 63 | Polyamide with Loop Size 1 | Polyamide with Loop Size 1 | SUR | Rate Per Quality Test |
| 1112 | 5670 | Polyglecaprone 25 Size 3-0 | Undyed of size 3-0 with 3/8 Circle cutting 25mm needle, suture length of 70cm SUB Q , Box of 12 Foils | SUR | Rate Per Quality Test |
| 1113 | 1103 | Polypropylene Mesh Sterile 15X15Cm Polypropylene mesh | Sterile, 15X15Cm Polypropylene mesh , Each Foil | SUR | Rate Per Quality Test |
| 1114 | 5293 | Polypropylene Mesh Sterile, 6 X 11 Cm Poly Propylene mesh | Sterile, 6 X 11 Cm Poly Propylene mesh , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------|
| 1115 | 1024 | Pregnancy Test Kit 25 Tests | 25 Tests , Each | SUR | Rate Per Quality Test |
| 1116 | 5941 | Primiphos Methyl 50% EC | 50% EC | SUR | Rate Per Quality Test |
| 1117 | 5718 | Proctoscopes Adlut | Adlut,Each | SUR | Rate Per Quality Test |
| 1118 | 20210 03 | Protective Disk with CHG 4mm (Box of 10 foils) | Protective Disk with CHG 4mm (Box of 10 foils) | SUR | Rate Per Quality Test |
| 1119 | 5668 | Pyrethrum Extract 2 % | Py.Extt 2% confirming to No.IS 105 to -1980 (II revision) bearing ISI certification Mark, Each | SUR | Rate Per Quality Test |
| 1120 | 2189 | Pyriproxyfen 0.5 % GR | 0.5% GR,Each Kilogram | SUR | Rate Per Quality Test |
| 1121 | 5778 | Qudriple Blood Bags (with CPDA solution) 450ml | 450ml , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|--|----------|-----------------------|
| 1122 | 10329 | RDT Kits (Bivalent Antigen-Detecting Rapid Diagnostic Tests (RDTs) For P Falciparum And P. Vivax Malaria) | As per the specification given by NVBDCP mentioned in amendment uploaded on Dt : 06.05.2017,Each Kit contains 10 Test Cards(Cassette) in a Box containing the reagents and the test plates.(Rate per Test) | SUR | Rate Per Quality Test |
| 1123 | 10266 | Re Breathing Bags (Test Lung) 0.5 Litre,1 Litre | 0.5 LITRE,1 LITRE , Each | SUR | Rate Per Quality Test |
| 1124 | 10237 | Re breathing bags (Test Lung) | Rebreathing Bags, Latex Free (Neoprene),hourglass-shaped ,2 LITRES with neck of 22 mm Bush, non-slip textured surface, Tri-pleat design. , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1125 | 10218 | Readymade Surgeons Dress (Shirt & Pyjama with fabric nada) (Medium Size) | Shirt & Pyjama with fabric nada- (Medium Size),Each | SUR | Rate Per Quality Test |
| 1126 | 5241 | Reagent strips for urine tests | Reagent Strips to make urinalysis easier. Each pack of 100 strips is contained in a convenient plastic vial. For Albumin & sugar , Bottle of 100 strips | SUR | Rate Per Quality Test |
| 1127 | 20211 20 | Red Rubber Urinary Catheter | Red Rubber Urinary Catheter | SUR | Rate Per Quality Test |
| 1128 | 20210 86 | Reloads For Open Curved Cutter-40mm Green. | Reloads For Open Curved Cutter-40mm Green. | SUR | Rate Per Quality Test |
| 1129 | 10282 | Retinal bond 240 | Retinal bond 240 , Each | SUR | Rate Per Quality Test |
| 1130 | 5490 | Retractor Deavers Pattern Large, IS - No - 8965 - 1978 | Large, IS - No-8965- 1978 , Each | SUR | Rate Per Quality Test |
| 1131 | 829 | Retractor, Langenbeck, Medium 11mmx40mm blade, Stainless steel, IS - No - 8855 - 1978 | 11mmx40mm blade, Stainless steel, IS - No:8855:1978 | SUR | Rate Per Quality Test |
| 1132 | 20211 00 | Reusable Patient return electrod made of akton polymer for Monopolar | Reusable Patient return electrod made of akton polymer for Monopolar | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1133 | 5794 | Rh Typing Sera Anti D IgM 10 ml | IgM 10 ml , Each | SUR | Rate Per Quality Test |
| 1134 | 20210 68 | Right Angle Artery Forceps Size : 8" | Right Angle Artery Forceps Size : 8" | SUR | Rate Per Quality Test |
| 1135 | 10405 | Rna Isolation/ Purification Kits (250 Reaction/Kit) | 250 Reactions/ Kit | SUR | Rate Per Quality Test |
| 1136 | 1046 | Roller Bandage (Medical) 10cm x 4m | Rollar Bandage (Sch FII),Each 10cm x 4m | SUR | Rate Per Quality Test |
| 1137 | 1047 | Roller Bandage (Medical) 15cm x 4m | Rollar Bandage (Sch FII),Each 15cm x 4m | SUR | Rate Per Quality Test |
| 1138 | 5721 | RPR Kits (1X100) | (1X100) , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------|--|----------|-----------------------|
| 1139 | 5638 | Ryles Tube Size - 10 FG, | <p>Sterile, Disposable, nontoxic. Distal end coned with corrosion resistant steel balls sealed into the tube to assist the passage of the tube during intubation.</p> <p>Four lateral eyes provided for efficient aspiration & administration. The tube should be marked at 50,60 & 70cm from the tip for accurate placement. Super smooth , low friction surface facilitates easy intubation. Radio opaque line is provided throughout the length. Proximal end is provided with universal funnel shape connector. Size - 10 FG, Length 105cms , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------|--|----------|-----------------------|
| 1140 | 5594 | Ryles Tube Size - 14 FG, | <p>Sterile, Disposable, nontoxic. Distal end coned with corrosion resistant steel balls sealed into the tube to assist the passage of the tube during intubation.</p> <p>Four lateral eyes provided for efficient aspiration & administration. The tube should be marked at 50,60 & 70cm from the tip for accurate placement. Super smooth , low friction surface facilitates easy intubation. Radio opaque line is provided throughout the length. Proximal end is provided with universal funnel shape connector. Size - 14 FG, Length 105cms , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------|--|----------|-----------------------|
| 1141 | 5595 | Ryles Tube Size - 16 FG, | <p>Sterile, Disposable, nontoxic. Distal end coned with corrosion resistant steel balls sealed into the tube to assist the passage of the tube during intubation.</p> <p>Four lateral eyes provided for efficient aspiration & administration. The tube should be marked at 50,60 & 70cm from the tip for accurate placement. Super smooth , low friction surface facilitates easy intubation. Radio opaque line is provided throughout the length. Proximal end is provided with universal funnel shape connector. Size - 16 FG, Length 105cms , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------|--|----------|-----------------------|
| 1142 | 5596 | Ryles Tube Size - 18 FG, | <p>Sterile, Disposable, nontoxic. Distal end coned with corrosion resistant steel balls sealed into the tube to assist the passage of the tube during intubation.</p> <p>Four lateral eyes provided for efficient aspiration & administration. The tube should be marked at 50,60 & 70cm from the tip for accurate placement. Super smooth , low friction surface facilitates easy intubation. Radio opaque line is provided throughout the length. Proximal end is provided with universal funnel shape connector. Size - 18 FG, Length 105cms , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--------------------------------|--|----------|-----------------------|
| 1143 | 5639 | Ryles Tube Size : 12 FG | <p>Sterile, Disposable, nontoxic. Distal end coned with corrosion resistant steel balls sealed into the tube to assist the passage of the tube during intubation.</p> <p>Fourlateral eyes provided for efficient aspiration and administration. The tube should be marked at 50,60 and 70cm from the tip for accurate placement. Super smooth , low friction surface facilitates easy intubation. Radio opaque line is provided throughout the length. Proximal end is provided with universal funnel shape connector. Size :</p> <p>12 FG, Length 105cms,Each</p> | SUR | Rate Per Quality Test |
| 1144 | 5519 | Safe Delivery and Surgical Kit | As per Tender specification of T No 73 | SUR | Rate Per Quality Test |
| 1145 | 10350 | Salt testing Kits | Salt testing Kits,Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------|--|----------|-----------------------|
| 1146 | 10317 | Sanitary Napkins | Specification as per T No 83 Dt 19-10-2020 and to be supplied in 8 Napkins per pack. | SUR | Rate Per Quality Test |
| 1147 | 5640 | Scalp Vein Set, Needles, NG20 | Sterile, Disposable, Scalp Vein set/Butterfly Set, Short beveled siliconised needle, Butterfly is connected to soft non toxic, non-irritant, medical grade tube which does not kink or coil set. NG20 , Each | SUR | Rate Per Quality Test |
| 1148 | 955 | Scalp Vein Set, Needles, NG22 | Sterile, Disposable, Scalp Vein set/Butterfly Set, Short beveled siliconised needle, Butterfly is connected to soft non toxic, non-irritant, medical grade tube which does not kink or coil set. NG22 , Each | SUR | Rate Per Quality Test |
| 1149 | 957 | Scalp Vein Set, Needles, NG24 | Sterile, Disposable, Scalp Vein set/Butterfly Set, Short beveled siliconised needle, Butterfly is connected to soft non toxic, non-irritant, medical grade tube which does not kink or coil set. NG24 , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 1150 | 5732 | Scissors 8 inches | Scissors 8 inches | SUR | Rate Per Quality Test |
| 1151 | 838 | Scissors, Curved on flat, Mayo s Type 16cm long Stainless steel, as per IS - 9146-1979 | 16cm long Stainless steel, as per IS:9146-1979 | SUR | Rate Per Quality Test |
| 1152 | 5494 | Scissors, Dissecting for deep work, curved on flat 22cm long, Metzenbaum Type, SS | Scissors, Dissecting for deep work, curved on flat 22cm long, Metzenbaum Type, SS | SUR | Rate Per Quality Test |
| 1153 | 895 | Scissors, Dressing Straight with one sharp point, one Blunt point size 5inch | Scissors, Dressing Straight with one sharp point, one Blunt point size 5inch | SUR | Rate Per Quality Test |
| 1154 | 896 | Scissors, Dressing Straight with one sharp point, one Blunt point size 6inch | Straight With one sharp point, one blunt point size 6 inch | SUR | Rate Per Quality Test |
| 1155 | 5469 | Scissors, Medium 3.5 inches | | SUR | Rate Per Quality Test |
| 1156 | 836 | Scissors, Straight one point sharp 15cm long Stainless Steel | | SUR | Rate Per Quality Test |
| 1157 | 841 | Scissors, Straight, with both points blent 18cm long Stainless Steel | | SUR | Rate Per Quality Test |
| 1158 | 10365 | Scleral Fixation IOL | 0 | SUR | Rate Per Quality Test |
| 1159 | 20210 81 | Selectable Universal Black Reload 55mm | Selectable Universal Black Reload 55mm | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|---|----------|-----------------------|
| 1160 | 20210 83 | Selectable Universal Black Reload- 75mm Size | Selectable Universal Black Reload- 75mm Size | SUR | Rate Per Quality Test |
| 1161 | 10253 | SILICON TRACHEASTOMY TUBES 3.0 TO 8.0 | 3.0 TO 8.0 , Each | SUR | Rate Per Quality Test |
| 1162 | 5617 | Silicon Tyre No. 287 / No. 279 | No. 287 / No. 279 , Each | SUR | Rate Per Quality Test |
| 1163 | 5742 | Single Blood Bags (with CPDA Solution) | For whole blood collection, 350ml Packaging- Sterile, disposableSecondary Packaging is made of laminated polyester/aluminium/polyethylene Tubing- Memoryless tubing for better yield of components without damage during blood collection,Very clear thermal transfer printing for easy identification of pilot samples, Stable wall thicknessand inner diameter for mooth flow and collection of blood Label- Labels should be clear and easy to understand, should be resistant to tear, water and centrifugation force, the labels have to be barcoded.Outlet Port Pouch- Each outlet port fitted with a hermetically sealed tamper evident protector to maintain sterility of the internal surface, should be amenable to open with | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| | | | single - hand operation Needle- Ultra thin walled silicone coated needle, High quality needle for smooth phlebotomy Needle Protector - Composed of two parts. The outer layer is made of hard poly- propylene to ensure rigidity of cap. The inner layer is made of PVC to ensure hermetic closure with the hub Break off valve- The big break off valve to help in a smooth flow of component and duces processing time. The uniform break force of the click tip to ensure easy breakability. , Each | | |
| 1164 | 10271 | Skin grafting Blades | SKINGRAFTING BLADES , Each | SUR | Rate Per Quality Test |
| 1165 | 5926 | Skin Stapler Sterile, Disposable, 35 pins | Sterile, Disposable, 35 pins , Each | SUR | Rate Per Quality Test |
| 1166 | 5925 | Skin stapler removals | Skin stapler removals , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1167 | 5474 | Small incision cataract, Surgery set | 4 Blade set | SUR | Rate Per Quality Test |
| 1168 | 5475 | Small Incision Ctract Surgery disposable blades with handle set | Small Incision Ctract Surgery disposable blades with handle set (side port,crescent, angled keratome, blunt Kertome) | SUR | Rate Per Quality Test |
| 1169 | 10220 | Sphygmomanometer Digital | Sphygmomanometer Digital with cuff, Each | SUR | Rate Per Quality Test |
| 1170 | 843 | Sphygmomanometers Mercurial Type, IS - 3390 -1988 | Mercurial Type, IS -3390 -1988 , Each | SUR | Rate Per Quality Test |
| 1171 | 5919 | Sphygmomanometers Stand | Stand mount , Each | SUR | Rate Per Quality Test |
| 1172 | 5568 | Spino Epidural set, (CSE) | Sterile, Disposable,Combined spinal epidural anesthesia kit, combined spinal epidural needles are a combination of Tuohy and Sleeved Spinal Needles Design, Features a back-eye lumen situated in the heel of a Tuohy bevel to allow the sleeved spinal needle , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|------------------------|----------|-----------------------|
| 1173 | 3301 | Sputum Cups | Sputum Cups | SUR | Rate Per Quality Test |
| 1174 | 5618 | Sterile Blood Lancects Ethylene Oxide | Disposable , Each | SUR | Rate Per Quality Test |
| 1175 | 5704 | Sterilized Disposable Examination Gloves HMHDPE 100microns | Box of 50 Pairs , Each | SUR | Rate Per Quality Test |
| 1176 | 20210 65 | Stethoscope | Stethoscope | SUR | Rate Per Quality Test |
| 1177 | 10702 5 | Suction catheter 10F | Suction catheter 10F | SUR | Rate Per Quality Test |
| 1178 | 10702 3 | Suction catheter 6F | Suction catheter 6F | SUR | Rate Per Quality Test |
| 1179 | 10702 4 | Suction catheter 8F | Suction catheter 8F | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|----------------|---|----------|-----------------------|
| 1180 | 5022 | Surgeons Caps. | Disposable, Made from Random structured non-woven Fabric with breathable non-linting flame retardant properties. Provide optimal hygiene protection to Medical Fraternity with elastic to fix Surgeons Cap. | SUR | Rate Per Quality Test |
| 1181 | 889 | Surgeons Mask | Disposable, Made from Randon Structured Non-Woven Fabric with breathable non-linting, Flame retardant properties provide Mask Tie type . high efficeincy Bacterial Filter with Nose Clip 2 Ply. , Packet of 100 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1182 | 10234 | Surgical Adhesive (Incise) disposable drape | <p>Sterile & disposable, Transparent, adhesive polyurethane film which allows the skin to breathe, so preventing moisture build-up under the drape, Transparent non-glare surface, Thin yet extremely strong, Conformable and elastic, individually wrapped in a peel apart pouch. 1.</p> <p>Size 45 x 25 cm, Adhesive Area 30 x 25 cm (+/- 5cms in size of adhesive area) 2.</p> <p>Polymer Size 60 x 35 cm, Adhesive Area 35 x 35 cm (+/- 5cms in size of adhesive area) , Each</p> | SUR | Rate Per Quality Test |
| 1183 | 5047 | Suture Needles, 1/2 circle Round Body Size - 10 | Size- 10 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1184 | 5048 | Suture Needles, 1/2 circle Round Body Size - 12 | Size- 12 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1185 | 5049 | Suture Needles, 1/2 circle Round Body Size - 14 | Size- 14 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1186 | 5050 | Suture Needles, 1/2 circle Round Body Size - 16 | Size- 16 , Packet of 6 | SUR | Rate Per Quality Test |
| 1187 | 5051 | Suture Needles, 1/2 circle Round Body Size - 18 | Size- 18 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1188 | 5052 | Suture Needles, Abdominal Size - 2.5 | Size- 2.5 , Each Packet (6) | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1189 | 5053 | Suture Needles, Abdominal Size - 3.5 | Size- 3.5 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1190 | 5054 | Suture Needles, Abdominal Size - 4.5 | Size- 4.5 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1191 | 5056 | Suture Needles, Curved Cutting Size - 12 | Size- 12 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1192 | 5057 | Suture Needles, Curved Cutting Size - 14 | Size- 14 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1193 | 5058 | Suture Needles, Curved Cutting Size - 16 | Size- 16 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1194 | 5060 | Suture Needles, Straight Size - 3 | Size- 3 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1195 | 5061 | Suture Needles, Straight Size - 4 | Size- 4 , Each Packet (6) | SUR | Rate Per Quality Test |
| 1196 | 5938 | Synthetic Pyrethroids water Dispersible Powder(WDP)/Wettable Powder equivalent 2.5 percent conforming to following WHO Specifications (1) Cyfluthrin- WHO/IS/98.2.2 (2).Lambdacytha,Each | Synthetic Pyrethroids water Dispersible Powder(WDP)/Wettable Powder equivalent 2.5 percent conforming to following WHO Specifications (1) Cyfluthrin- WHO/IS/98.2.2 (2).Lambdacytha,Each | SUR | Rate Per Quality Test |
| 1197 | 5662 | Temephos 50% EC | Temephos 50% EC Connfirming to No.IS 8498 to No.IS No.8498 1977 with amendment No.1 & 2 bearing ISI Certification mark.Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1198 | 20210 12 | Test tube Stand 48 Holes | Test tube Stand 48 Holes | SUR | Rate Per Quality Test |
| 1199 | 10221 | Test tubes (18x150mm) | Glass 18x150 mm , Each | SUR | Rate Per Quality Test |
| 1200 | 20210 11 | Test Tubes Stand 24 Holes | Test Tubes Stand 24 Holes | SUR | Rate Per Quality Test |
| 1201 | 5784 | Testtubes(10x75m m) | Glass 10x75 mm , Each | SUR | Rate Per Quality Test |
| 1202 | 5782 | Testtubes(12x100m m) | Glass 12x100 mm , Each | SUR | Rate Per Quality Test |
| 1203 | 20210 22 | Tissue separating multilayer mesh for intra-abdominal open and laparoscopic ventral hernia repair. | Tissue separating multilayer mesh for intra-abdominal open and laparoscopic ventral hernia repair. | SUR | Rate Per Quality Test |
| 1204 | 20210 57 | Titanium clips 200 Medium Size | Titanium clips 200 Medium Size | SUR | Rate Per Quality Test |
| 1205 | 20210 58 | Titanium clips - 400 Large Size | Titanium clips -400 Large Size (6 Clips per Catridge, Box of 20 Catridges), LT 400 Large Size | SUR | Rate Per Quality Test |
| 1206 | 5577 | Titanium clips LT 400 Large | LT 400 Large , Box of 18 x 6clips | SUR | Rate Per Quality Test |
| 1207 | 20210 56 | Titanium clips 102 Small Size | Titanium clips 102 Small Size | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-----------------------------------|-----------------------------------|----------|-----------------------|
| 1208 | 5785 | Tongue Depressor | Disposable , Each | SUR | Rate Per Quality Test |
| 1209 | 5497 | Toothed Forceps1 X 2 Teeth | | SUR | Rate Per Quality Test |
| 1210 | 20210 52 | Tourniquet Adult arms | Tourniquet Adult arms | SUR | Rate Per Quality Test |
| 1211 | 20210 52 | Tourniquet Adult thighs | Tourniquet Adult thighs | SUR | Rate Per Quality Test |
| 1212 | 20210 53 | Tourniquet paediatric limbs | Tourniquet paediatric limbs | SUR | Rate Per Quality Test |
| 1213 | 20210 51 | Tourniquet Adult limb | Tourniquet Adult limb | SUR | Rate Per Quality Test |
| 1214 | 5498 | Towel Clips 150 mm | | SUR | Rate Per Quality Test |
| 1215 | 5719 | TPHA Kits | Each Test , Each | SUR | Rate Per Quality Test |
| 1216 | 5821 | Tracheostomy speaking valve | Tracheostomy speaking valve | SUR | Rate Per Quality Test |
| 1217 | 20211 17 | Tracheostomy Tubes PVC Cuffed 8.5 | Tracheostomy Tubes PVC Cuffed 8.5 | SUR | Rate Per Quality Test |
| 1218 | 5815 | Tracheostomy Tubes Cuffed 6.0 | PVC Cuffed6.0 , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------|--|----------|-----------------------|
| 1219 | 5816 | Tracheostomy Tubes Cuffed 7.0 | <p>Sterile, Disposable, Made of thermosensitive material with Sufficient initial rigidity for insertion which softens at body temperature to accommodate individual patient anatomy. Soft flexible, anatomically shaped flange for easy fixation, 15 mm connector which can be rotated in 360 degree direction to facilitate the safe connection to breathing system from any direction. Radio opaque blue line for X-ray visualization. Soft low pressure cuff which dynamically adjusts the pressure at the point of contact during the breathing cycle, thus minimizing the risk of tracheal trauma & other complications. Pilot balloon with non return valve for cuff inflation & deflation. Should be supplied with cotton neck tape. Individually Blister packed. Cuffed 7.0 , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------|---|----------|-----------------------|
| 1220 | 10222 | Tracheostomy Tubes Cuffed 7.5 | <p>Sterile, Disposable, Made of thermosensitive materialwith Sufficient initial rigidity for insertion which softensat body temperature to accommodate individualpatient anatomy.Soft flexible, anatomically shaped flange for easyfixation, 15 mm connector which can be rotated in360 degree direction to facilitate the safe connectionto breathing system from any direction.Radio opaqueblue line for X-ray visualization. Soft low pressure cuffwhich dynamically adjusts the pressure at the point ofcontact during the breathing cycle, thus minimizingthe risk of tracheal trauma & other complications.Pilot balloon with non return valve for cuff inflation &deflation. Sould be supplied with cotton neck tape.Individually Blister packed.Cuffed 7.5 , Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1221 | 5817 | Tracheostomy Tubes Cuffed 8.0 | Sterile, Disposable, Made of thermosensitive material with Sufficient initial rigidity for insertion which softens at body temperature to accommodate individual patient anatomy. Soft flexible, anatomically shaped flange for easy fixation, 15 mm connector , Each | SUR | Rate Per Quality Test |
| 1222 | 10228 | Tracheostomy Tubes Cuffed 8.0 PVC Cuffed 8.0 | PVC Cuffed 8.0 , Each | SUR | Rate Per Quality Test |
| 1223 | 10229 | Tracheostomy Tubes Cuffed 9.0 PVC Cuffed 9.0 | PVC Cuffed 9.0 , Each | SUR | Rate Per Quality Test |
| 1224 | 5836 | Tracheostomy Tubes Un cuffed 3.0 | PVC Un cuffed 3.0, Each | SUR | Rate Per Quality Test |
| 1225 | 5837 | Tracheostomy Tubes Un cuffed 4.0 | PVC Un cuffed 4.0 , Each | SUR | Rate Per Quality Test |
| 1226 | 5819 | Tracheostomy with speaking valve No 4 | Tracheostomy with speaking valve No 4 | SUR | Rate Per Quality Test |
| 1227 | 5820 | Tracheostomy with speaking valve No 6 | Tracheostomy with speaking valve No 6 | SUR | Rate Per Quality Test |
| 1228 | 10275 | Trial boxes with large range | Trial Boxes , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1229 | 5743 | Triple Blood Bags (with CPDA solution) 450 ml | <p>For whole blood collection, 450ml</p> <p>Packaging- Sterile, disposableSecondary Packaging is made of laminated polyester/aluminium/polyethylene Tubing- Memoryless tubing for better yield of components without damage during blood collection,Very clear thermal transfer printing for easy identification of pilot samples, Stable wall thickness and inner diameter for smooth flow and collection of blood</p> <p>Label- Labels should be clear and easy to understand, should be resistant to tear, water and centrifugation force, the labels have to be barcoded.</p> <p>Outlet Port Pouch- Each outlet port fitted with a hermetically sealed tamper evident protector to maintain sterility of the internal surface, should be amenable to open with single - hand operation</p> <p>Needle- Ultra thin walled silicone coated needle,High quality needle for smooth phlebotomy Needle</p> <p>Protector -Composed of two parts. The outer layer is made of hard</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| | | | poly- propylene to ensure rigidity of cap.The inner layer is made of PVC to ensure hermetic closure with the hub Break off valve-The big break off valve to help in a smooth flow of component and duces processing time.The uniform break force of the click tip to ensure easy breakability. , Each | | |
| 1230 | 10342 | Triple Layer Surgical Mask | Mask of Non-woven, Hypoallergenic 3 ply construction with filter in between offering above 99 percent standard,As per tender specification | SUR | Rate Per Quality Test |
| 1231 | 5916 | Triple Lumen With Antibiotic Impregnanted Antifungal | With Antibiotic Impregnanted Antifungal , Each | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|---|--|----------|-----------------------|
| 1232 | 10281 | TST (Steam cycle indicator strips) | TST (Steam cycle indicator strips), Each | SUR | Rate Per Quality Test |
| 1233 | 5046 | Ultra Sound Jelly 5 Ltrs, (Plastic Jar) | 5 Ltrs, (Plastic Jar) , Each | SUR | Rate Per Quality Test |
| 1234 | 20210 54 | Umbilical tape code - 276 | Umbilical tape code - 276 | SUR | Rate Per Quality Test |
| 1235 | 971 | Umbilical Cord Clamp | <p>Sterile, Disposable, Suitable for clamping the umbilical cord of new born baby immediately after the birth. Provided with double purpose security lock click to indicate the correct locking and protect against accidental reopening. Finger grip to ensure safe and convenient handling, particularly when gloves are wet. Provided with grooves all along the length to prevent the slipping of the umbilical cord and to retain it in the same position.</p> <p>Manufactured from non toxic medical grade polymer. To be Supplied in blue color.. Individually packed in blister pack, Each</p> | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|------------|--|--|----------|-----------------------|
| 1236 | 864 | Umbilical cord scissors Stainless steel, as per IS - 7117-1973 | Stainless steel, as per IS:7117-1973,Each | SUR | Rate Per Quality Test |
| 1237 | 972 | Urinary Bag | Sterile, Disposable, PVC Soft and Kink resistant tube with Optimum length 100CM, Conical inlet connector with cap for easy milking & Better flow Drainage from upper side to avoid leakage, Efficient NRV to avoid back flow of Urine, Precession double sealing to avoid leakage. Capacity of 2 litres, With non-return valve, Bag graduated in ml , Each | SUR | Rate Per Quality Test |
| 1238 | 10702 9 | Urinary catheter 10F | Urinary catheter 10F | SUR | Rate Per Quality Test |
| 1239 | 10702 7 | Urinary catheter 6F | Urinary catheter 6F | SUR | Rate Per Quality Test |
| 1240 | 10702 8 | Urinary catheter 8F | Urinary catheter 8F | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|--|--|----------|-----------------------|
| 1241 | 10236 | Urine collection bag with volume measuring chamber/ meter 2Lts/200-250ml | Sterile, Disposable, Graduated in ml with measured volume meter for accurate measurement of urine and bottom outlet, Conical inlet connector with cap, Closed circuit system to eliminate the risk of contamination, Soft and kink resistant PVC tubing with provision to hang the bag on the patient cot, Inlet tube length - 100 cm Capacity - 2000 ml Capacity of Volume meter - 200- 250ml, , Each | SUR | Rate Per Quality Test |
| 1242 | 20210 76 | Urine Containers 30 | Urine Containers 30 | SUR | Rate Per Quality Test |
| 1243 | 866 | Uterine Sound probe (Graduated from 4 to 20cm & 28cm long, Stainless steel, IS - No - 5829 - 1982) | (Graduated from 4 to 20cm & 28cm long, Stainless steel, IS - No:5829:1982) | SUR | Rate Per Quality Test |
| 1244 | 10265 | Vacuum extractor for baby | Silastic and disc shaped CUPS 2 SIZES,Each | SUR | Rate Per Quality Test |
| 1245 | 20211 14 | Venturi Mask | Venturi Mask | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-------------|---|---|----------|-----------------------|
| 1246 | 10369 | Viral Transport Medium Kits | Box of 50 tests, As per ICMR Guidelines, Paraffin seal strip should be minimum 3 Inch long. | SUR | Rate Per Quality Test |
| 1247 | 10280 | Vitrectomy cutters | Vitrectomy cutters , Each | SUR | Rate Per Quality Test |
| 1248 | 5647 | Weighing Machine Adult with weight and measurements department stamping, weighing capacity 125 kg in 500gms intervals and Non-slip platform surface | Adult with weight and measurements department stamping, weighing capacity 125 kg in 500gms intervals and Non-slip platform surface , Each | SUR | Rate Per Quality Test |
| 1249 | 20210 16 | White Apron (Terricot) XXL | White Apron (Terricot) XXL | SUR | Rate Per Quality Test |
| 1250 | 10223 | White Apron (Terricot) (MEDIUM) | Readymade Aprons (Medium Size : Sleeves- 70cm,Length-130cm) Made Of White Terricot Suiting Cloth As Per Isno 15853/2009 | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|-------------------------------------|---|----------|-----------------------------|
| 1251 | 10224 | White Apron (Terricot) (Large) | Readymade Aprons (Large Size :Sleeves- 80cm,Length-150cm) Made Of White Terricot Suiting Cloth As Per ISNO 15853/2009 | SUR | Rate Per Quality Test |
| 1252 | 10225 | White Apron (Terricot) (XL) | Readymade Aprons (XL) Made Of White Terricot Suiting Cloth As Per Isno 15853/2009 , Each | SUR | Rate Per Quality Test |
| 1253 | 978 | X-Ray Film Size : 10 X 8 Inch | Size : 10 X 8 Inch, Box of 50 | SUR | Rate Per Quality Test |
| 1254 | 975 | X-Ray Film Size : 12 X 10 Inch | Size : 12 X 10 Inch, Box of 50 | SUR | Rate Per Quality Test |
| 1255 | 976 | X-Ray Film Size : 12 X 12 Inch | Size : 12 X 12 Inch, Box of 50 | SUR | Rate Per Quality Test |
| 1256 | 979 | X-Ray Film Size : 15 X 12 Inch | Size : 15 X 12 Inch,Box of 50 | SUR | Rate Per Quality Test |
| 1257 | 980 | X-Ray Film Size : 6.5 X 8.5 Inch | Size : 6.5 X 8.5 Inch, Box of 50 | SUR | Rate Per Quality Test |
| 1258 | 10278 | Zesisphaco sleeves | Zesisphaco sleeves , Each | SUR | Rate Per Quality Test |
| 1259 | 10279 | Zesisphaco tubing sets | Zesisphaco tubing sets | SUR | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|---|----------|-----------------------|
| 1260 | 1050.01 | Green cloth 91cm LengthOne Meter | Size-36 inches, Fabric-Cotton, Bland-100% Cotton, Count of Yarn-Warp-20S and WEPT-26S, Threads per inch Warp-56 and Wept-44, Approx. Wt per Sq.Mt-129g ,Tolerance as per IS 15853:2009, Each Meter | CTS | Rate Per Quality Test |
| 1261 | 1051 | Khaki Terricot Cloth Width 54inch LengthOne Meter | Size-54, Fabric-Terricot Suiting, Bland-67% Polyester, 33% Cotton, Count of Yarn-Warp-2/30S and WEPT-2/30S, Threads per inch warp-64 and Wept-44, Approx. Wt per Sq.Mt-190g , Each Meter | CTS | Rate Per Quality Test |
| 1262 | 1052 | Striped Cloth Blue or Green Width 76cm LengthOne Meter | Size-30 inches, Fabric-Cotton, Bland-100% Cotton, Count of yarn-Warp-20S and WEPT-20S, Threads per inch Warp-60 and Wept-56, Approx. Wt per Sq.Mt-77g , Each Meter | CTS | Rate Per Quality Test |
| 1263 | 1054 | White Bed Sheets Size - 58inch Length 90inch | Size-58 inches x 90 inches, Fabric- Cotton, Bland- 100% Cotton, Count of Yarn-Warp-20S and Wept-20S, Threads per inch Warp-60 and Wept-56, Approx. Wt per Sq.Mt-155g, Tolerance as per IS 15853:2009 , Each Meter | CTS | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|---|---|----------|-----------------------|
| 1264 | 1055 | White Blouse Cloth Width 90cm LengthOne Meter | 90cm Length , Each Meter | CTS | Rate Per Quality Test |
| 1265 | 1056 | White Cloth Width 91cm LengthOne Meter | Size-36 inches, Fabric-Terricot Suiting, Bland- 67% Polyster, 33% Cotton, Count of yarn-Warp-2/60S and WEPT-30S, Threads per inch Warp-64and Wept-62, Approx. Wt per Sq.Mt- 108g , Each Meter | CTS | Rate Per Quality Test |
| 1266 | 1057 | White Saree with Blue Border 114cm Length 5.5m | Size-42 inches x 5.5mts inches, Fabric-Cotton, Bland-100% Cotton, Count of yarn- Warp- 40S and WEPT-40S, Threads per inch Warp- 58 and Wept-54, Approx. Wt per Sq.Mt- 77g , Each Meter | CTS | Rate Per Quality Test |
| 1267 | 1058 | White Saree with Green Border, 2inch Ply border 114cm Length 5.5m | Size-42inches x 5.5mts inches, Fabric-Cotton, Bland-100% Cotton, Count of Yarn-Warp-40S and WEPT-40S, Threads per inch Warp-58 and Wept-54, Approx. Wt per Sq.Mt-77g , Each Meter | CTS | Rate Per Quality Test |

| S No | ITEM CODE | DRUG NAME | Specification | Category | UOM |
|------|-----------|--|--|----------|-----------------------|
| 1268 | 1058. 01 | White saree with Red Border 2inch Ply border 114cm Length 5.5mts | Size-42 inches x 5.5mts inches, Fabric-Cotton, Bland-100% Cotton, Count of Yarn-Warp-40S and WEPT-40S, Threads per inch Warp-58 and Wept-54, Approx. Wt per Sq.Mt-77g , Each Meter | CTS | Rate Per Quality Test |
| 1269 | 1059 | White Terricot Width 54inch LengthOne Meter | Size-54 inches, Fabric-Terricot Suiting, Bland- 67% Polyster, 33% Cotton, Count of Yarn-Warp-2/30S and WEPT-2/30S, Threads per inch Warp-64 and Wept-44, Approx. Wt per Sq.Mt- 190g , Each Meter | CTS | Rate Per Quality Test |
| 1270 | 1060 | Woolen Blankets 60 Length 90 | 60 Length 90 , Each | CTS | Rate Per Quality Test |