



GOVERNMENT OF ANDHRA PRADESH

* * * * *

Web Site : <https://tender.apemprocurement.gov.in>

TENDER DOCUMENT

FOR

Procurement and supply of Admin furniture to all Govt. hospitals (THs, DHs, AHs, CHCs & PHCs) in Andhra Pradesh with a period of Two Years Rate Contract with reverse auction in comprehensive mode (e- Procurement)

Tender Notice No. : 7.4A/APMSIDC/2023-24 Dt: 03.11.2023.

Name of the Agency :
.....
and Address
.....
.....

Implementing Agency :
**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION
(Formerly APMHIDC)
(AN ENTERPRISE OF GOVT. OF A.P.)
2nd Floor, Plot No:09, survey number: 49, IT Park, Mangalagiri,
Guntur District- 522503.
e-mail: aphmhidc@gmail.com & ed.apmsidc16@gmail.com**

Ph No: 8978644900

INDEX

S. No.	DESCRIPTION	
	Introduction	
1	SECTION - I	INVITATION FOR BIDS (IFB)
2	SECTION - II	INSTRUCTIONS TO BIDDERS
3	SECTION - III	GENERAL CONDITIONS OF CONTRACT
4	SECTION - IV	SPECIAL CONDITIONS OF CONTRACT
5	SECTION - V	SCHEDULE OF REQUIREMENTS
6	SECTION - VI	PRE - QUALIFICATION CRITERIA
7	SECTION - VII (A)	BID FORM
8	SECTION - VII (B)	Model PRICE Schedules (available on e-procurement Platform)
9	SECTION - VIII	BID SECURITY FORM
10	SECTION - IX	CONTRACT FORM
11	SECTION - X	PERFORMANCE SECURITY FORM
12	SECTION - XI	FORMAT B1: PROFORMA FOR PERFORMANCE (for a period of last three years) FORMAT B2 : CA (STATUTORY AUDITOR) CERTIFICATE FORMAT B3: FINANCIAL CAPACITY OF THE BIDDER
13	SECTION - XII	PROFORMA For Manufacturer's Authorization Form (<i>to be submitted by manufacturers</i>) PROFORMA For Manufacturer's Authorization Form <i>to be submitted by authorized dealers/representatives/importers</i>
14	SECTION - XIII	DECLARATION FORM
15	SECTION - XIV	Check List : Documents to be Uploaded as part of the Bid and Notes to Bidders I. Documents with the Technical Bid
16	Annexure - I	Proforma: Installation Certificate
17	Annexure - II	Proforma : Satisfactory Performance Certificate after 3 months from Installation Date
18	Annexure - III	WARRANTY CERTIFICATE
19	Annexure - IV	PREVENTIVE MAINTENANCE CHECKLIST
20	Annexure - V	CALIBRATION CHECK LIST
21	Annexure - VI	List of Spare Parts
22	Annexure - VII	GENERAL INFORMATION ABOUT THE TENDERER
23	Annexure - VIII	SERVICE CENTRE DETAILS
24	Annexure - IX	TECHNICAL SPECIFICATIONS

INTRODUCTION

- 1.1. The Andhra Pradesh Medical Services & Infrastructure Development Corporation – APMSIDC (formerly APMHIDC) (Tender Inviting Authority) is a fully owned Government of Andhra Pradesh for providing services to the various health care institutions under the Department of Family Welfare and Health. One of the key objectives of the APMSIDC is to act as the central procurement agency for all essential drugs and equipments for all health care institutions (hereinafter referred to as user institutions) under the department. The corporation has also been entrusted with the setting up and running of all kinds of modern Medical and Paramedical or medical based ancillary facilities such as hospitals, pathological labs, diagnostic centres, x-ray/scanning facilities.
- 1.2. Over the last decades, several equipments have been procured and installed in the various health care institutions under the government under different schemes. One of the major problems encountered is the maintenance of the equipments. Site preparation, timely replacement of consumables, calibration of sensitive equipments, up gradation of technology, training to the doctors and paramedical staff- all poses problems. The corporation has been formed by the government to fill in these grey areas and to act as total service providers to the all the government health care institutions. Of course, this mammoth task could be achieved only with the active involvement and support of the manufacturers/dealers of the equipments.
- 1.3. In this tender, the lowest price is the sole criteria for selecting the equipment/supplier. The two-bid system, which is followed, has been designed to eliminate those equipments which do not match the technical specifications, or not having the proven technology and to eliminate firms that do not have the financial or technical capability to supply, install and maintain the equipments. i.e., to provide after sales support for a period of minimum 5 years from the date of installation and to ensure 98 % uptime in performance/operation of the equipment.
- 1.4. The payment to the successful tenders will be settled after obtaining a 'three month performance certificate' from the head of the user institution - three month period is a period of trail run- during which the performance of the equipments will be keenly observed. At the same time, it may be noted that the Corporation is not the agency finalizing the requirements of equipments and their technical specifications. These parameters are finalized by the user institutions and funding agencies and forwarded to the corporation for procurement. On our side, we ensure that the technical specifications are not biased towards a particular equipment/firm, through consultations during the

pre-tender meetings with the prospective tenderers. Amendments in the terms and conditions of the tender documents may be resorted to on the basis of expert advice to see that more than one firm qualifies for the final round. Technology specific specifications/conditions and entertaining direct purchase will be undertaken, if and only if, the user agency certifies the equipment required is of proprietary nature. Since the equipments procured are dealing with precious human life in government hospitals, depended by the poor and downtrodden of the society, it is our endeavor to ensure that most modern, but proven and durable equipments are procured and supplied. The tender documents are prepared after assessing the market to meet such objectives.

- 1.5. Every paisa spend by the corporation is public money and hence accountable. Therefore, after sales service and up-time guarantee on the performance of the equipment purchased by the Corporation have to be given paramount importance. Corporation will be dealing with defaulters in these fronts with a firm hand, which may lead to black listing and recovery of damages. We request our valuable suppliers to avoid such unpleasant situations.
- 1.6. It is also essential while dealing with public money that utmost transparency has to be maintained in the procurements of the corporation. All decisions will be published from time to time on our website www.msfdc.ap.nic.in. The corporation will not wait for the mandatory 30 days period to provide any information under Right to Information Act and will provide the information within the minimum possible time. The Corporation will uphold the fundamental "right to be heard" enshrined under the Constitution of India and will take harsh decisions only after providing opportunity for hearing/submission of facts. Tenderers could prefer appeal to the government against all decisions of the corporation.

SECTION - I: INVITATION FOR BIDS (IFB)

GOVERNMENT OF ANDHRA PRADESH

ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE DEVELOPMENT CORPORATION (APMSIDC)

Tender Notice No. 7.4A/APMSIDC/2023-24 Dt: 03.11.2023.

1. Bids are invited on the e-procurement platform for certain medical equipment as described in the Section V- Schedule of Requirements from the eligible manufacturers/Authorized Distributors. The details of bidding conditions and other terms can be downloaded from the electronic procurement platform of Government of Andhra Pradesh i.e. <https://tender.apecurement.gov.in>.
2. Bidders would be required to register on the e-Procurement market place "www.eprocurement.gov.in" and submit their bids online. On registration with the e-Procurement market place they will be provided with a user id and password by the system through which they can submit their bids online.
3. The bidders need to scan and upload the required documents as per the Check list given in **Annexure XIV**. Such uploaded documents pertaining to technical bid need to be attached to the tender while submitting the bids on line. The attested copies of all these uploaded documents of technical bid, signed undertaking of tenderer should be submitted off line to **Managing Director, APMSIDC, Mangalagiri, Guntur on or before the next day of the last date of submission of bids**. The Corporation will consider only the bids submitted through on-line over the copies of the paper based bids.
4. a) The participating bidder/s will have to pay tender processing fee (non-refundable) **for the amounts specified in the Schedule of Requirements (Section -V)**, in the form of online only.

b) **Further the bidder/s shall furnish, as part of it bid, the Bid security for the amounts specified in the Schedule of Requirements (Section -V) to be paid** in the form of crossed Demand Draft drawn in favour of Managing Director, APMSIDC, Guntur along with bids. The bidders should note that the local MSME units are exempted from payment of E.M.D, subject to the production of necessary documentation to that extent by them.

c) Further all the participating bidders have to electronically pay a non-refundable transaction fee to M/s. APTS, the service provider through "Payment Gateway Service on E-Procurement platform", as per the Government Orders placed on the e-procurement website.

d) APMSIDC will not accept the tenders from blacklisted companies or undependable Suppliers whose past performance with APMSIDC was found poor due to delayed and/or erratic supplies and those with frequent product failures, and also against whom there have been adverse reports of **Sub-**

Standard Quality / Poor Service of Equipment supplies, as defined in the other parts of the Bidding document.

e) “Complaint/s: Any complaints/representation regarding tender will be entertained only after depositing of Rs. 25,000/- in form of Demand Draft in the name of Managing director, APMSIDC, Mangalagiri, Guntur. Subsequently necessary action will be taken by the Managing Director and decision of Managing Director will be binding upon the complainant. If the complaint turns out to be false or invalid the amount will be forfeited. The amount shall be refunded if after scrutiny the complaint is found to be true. No further complaint/representation from the same complainant for the same tender will be entertained. If the complaint or allegation made is found to be false or baseless and without any valid point, the tender inviting authority in its discretion, can prevent / blacklist / declare ineligible, such bidder from participating in its procurement process, either indefinitely or for a stated period of time.”

Period of Delivery: A. Delivery Period 90 days. (For multiple location-Minimum 50 delivery location and value more than 05 Cr.)

B. Delivery Period 60 days for all remaining order.

from the date of receipt of the Notification of Award (Purchase Order) of Contract. The delivery terms include the total time given for supply, installation, testing and training of staff.

Time Limits prescribed

Sl. No	Activity	Time Limit
5.1.1.	Installation & Delivery period	Delivery Period A. Delivery Period 90 days.(For multiple location-Minimum 50 delivery location and value more than 05 Cr.) B. Delivery Period 60 days for all remaining order.
5.1.2.	Comprehensive warranty period	as specified at section V schedule of requirements against each equipment.
5.1.3.	Frequency of visits to all User Institution concerned during Warranty	One visit every three months (4 visits in a year) for periodic/preventive maintenance and any time for attending repairs/break down calls.
5.1.4	Submission of Performance Security and entering into contract	15 days from the date of issuance of Supply Order
5.1.5	Payment Installments of Price of equipments and ratio	Two Installments and in the ratio 90:10

5.1.6	Time for making payments by Tender Inviting Authority	Within 60 days from the date of submission of proper documents
5.1.7.	Maximum time to attend any Repair call	<i>Within 48 hours</i>
5.1.8	Uptime in a year	95%

5. Bidders eligibility and qualifications: Defined at Clause 13 of Instructions to Bidders (Section II) and Qualification Criteria (Section-VI)

6. Details of Tender Process:

1.	Downloading of documents	from 24-11-2023 to 01-12-2023 up to 02.59 PM
2.	Queries up to	27-11-2023 @ 11.00 A.M
3.	Due date for Receipt of tenders	01-12-2023 up to 03.00 P.M
4.	Time and date of opening of technical Bids	01-12-2023 @ 03.01 PM
5.	Time and date of opening of financial bids	01-12-2023 @ 5.00 PM

Note: The dates stipulated above are firm and under no circumstances they will be relaxed unless otherwise extended by an official notification or happen to be Public Holidays. For the assistance in the online submission issues, the bidder may contact the help desk of M/s Vupadhi Techno Services Pvt. Ltd. (e-procurement) at their e-mail address: eprocsupport@vupadhi.com or on the mobile nos. **86s-246370 / 71 / 72 / 73 / 74**

7. Procedure for Bid Submission

- a. The Tenderers/Bidders who are desirous of participating in e-procurement shall submit their Technical bids, price bids etc., in the Standard formats prescribed in the Tender documents, displayed at e-procurement market place.
- b. The bidders shall sign on all the statements, documents, certificates, uploaded by them, owning responsibility for their correctness / authenticity.
- c. The hard copies of all the uploaded Technical / Price bid, to be attested by a Gazetted Officer or properly notarized.
- d. The Corporation shall not hold any risk on account of postal delay. Similarly, if any of the certificates, documents, etc., furnished by the tenderer are found to be false / fabricated / bogus, the bidder will be disqualified, **blacklisted for a period of 3 years**, action will be initiated as deemed fit and the EMD will be forfeited.

- e. The Corporation will not hold any risk and responsibility for the loss in transit during uploading of the scanned document, for the invisibility of the scanned document online, and any other problem(s) encountered by the Tenderers while submitting his bids online.

8. Important Instructions to the Bidders:

- 9.1 Quality of Supplied Equipment throughout its life cycle period, timely supplies and prompt maintenance support during the warranty and CMC period without default are being given paramount importance by the Corporation. The Corporation will be dealing with the defaulters with firm hand, which may lead to blacklisting for a specified period in addition to levying penalties.
- 9.2 In case of complaints on the quality and poor maintenance support of the products supplied, bills will be withheld till receipt of Satisfactory reports. Further:
- If one item of any Supplier is found of 'Sub-Standard Quality' during the Contract period, then that particular item will be blacklisted for a period of (3) three years immediately succeeding the Contract year
 - If two items of any Supplier are found of 'Sub-standard Quality' during the Contract period, then Supplier will be blacklisted for a period of (3) three years immediately succeeding the Contract year
- 9.3 The Corporation will blacklist the Supplier, who is declared as 'Undependable for two (2) items or in two (2) instances during the Contract period, for a period of one year immediately succeeding the Contract year apart from taking other penal actions under the Contract.
- 9.4 The decision of the Managing Director, APMSIDC, or any officer authorized by him in respect of the quality of the supplied Equipment and other goods etc., shall be final and binding.
- 9.5 No claims shall be allowed against the APMSIDC in respect of interest on Earnest Money Deposit or on Security Deposit or late payments.

9.6 Savings Clause: No suit, prosecution or any legal proceedings shall lie against APMSIDC or any person for anything, which is done in good faith or intended to be done in pursuance of bid.

9. Reverse tendering process on e-procurement portal

a) APMSIDC will schedule reverse tendering process on the e-Procurement portal. Qualified technical bidders will also be communicated through e-mail the date and time for the conduct of reverse tendering process.

b) Online reverse tendering process

i) The online Reverse tendering process will be run on the total amount.

ii) Only the technically qualified bidders will be permitted to participate in the reverse tendering.

iii) The 'opening price' i.e. start price for Reverse tendering will be the lowest (L1) price quoted by the Bidders amongst all technically qualified bidders.

iv) Bidders can modify the total price, based on the minimum bid decrement or the multiples thereof, to displace a standing lowest bid and become "L1", and this will continue as an iterative process. The total price, will be used to determine the total cost of the bid.

v) For the purpose of Reverse tendering, the minimum bid decrement value on 0.5% of L1 value or as specified by TIA.

vi) Reverse tendering duration: The duration of the reverse tendering is 3 Hours. All bidders are required to submit their online bids during this period.

vii) In case, if any bidder decides to lower the price in the last fifteen (15) minutes of the reverse tendering duration, then the duration of the reverse tender will be extended for additional 15 minutes (Bid Received time + 15 minutes) to enable other bidders to participate further. Such extensions will continue as long as there is no bid received in the last 15 minutes.

viii) After the completion of reverse tendering, the system will calculate the total price of the bid.

SECTION - II : INSTRUCTIONS TO BIDDERS

TABLE OF CLAUSES

Clause Number	Topic	Clause Number	Topic
	A. Introduction		D. Submission of Bids
1	Source of funds	18	Sealing & Marking of Bids
2	Eligible Bidders	19.	Dead line for submission of Bids
3	Eligible Goods & Services	20	Late Bids
4	Cost of Bidding	21	Modification & Withdrawal of Bids
	B. Bidding Documents		E. Bid Opening & Evaluation
5.	Content of Bidding Document	22.	Opening of Bids
6.	Clarification of Bidding Documents	23	Clarification of Bids.
7	Amendment of Bidding Documents	24	Preliminary Examination.
	C. Preparation of Bids	25.	Conversion to single currency.
8	Language of Bid	26.	Evaluation & comparison of Bids
9	Documents comprising the Bid	27.	Margin of Preference
10	Bid form	28	Contacting the purchaser.
11	Bid prices		
12	Bid currencies		F. Award of contract
13	Documents establishing, Bidders Eligibility & qualifications	29	Post qualification
14	Documents establishing goods, eligibility & conformity to bid documents.	30	Award criteria
15	Bid security	31	Purchasers right to vary quantities at time to award
16	Period of validity of Bids	32	Purchasers right to accept any bid or reject any or all bids.
17	Format & signing of Bid Bids.	33.	Notification of award
		34	Signing of contract
		35.	Performance security.
		36.	Fraud and Corruption

A. Introduction

1. Source of funds:

The funds are made available by the State Government of Andhra Pradesh, to the Managing Director, APMSIDC Scheme wise towards the procurement processed under this tender notification.

2. Eligible Bidder

2.1 This invitation for Bids is open to all Manufacturers or their authorized distributors, who fulfill the eligibility criteria mentioned in the Clause 13 and who meet qualification criteria mentioned in the Section VI.

3 Eligible Goods and services

3.1 All goods and ancillary services to be supplied under the contract shall have their origin in eligible source country. The goods shall meet the requirements as specified in the Technical Specifications. And meet the eligibility criteria as given at Clause 14 of ITB.

3.2. For purpose of this clause, "origin" means the place where the goods are mined, grown, or produced or from which the ancillary services are supplied. Goods are produced, through manufacturing processing or substantial and major assembling of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.

3.3 The origin of goods and services is distinct from the nationality of the Bidder.

4. Cost of bidding.

4.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Managing Director, APMSIDC, Mangalagiri, Guntur here in after referred to as " the purchaser", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process.

B. The Bidding Documents

5. Content of Bidding Documents

5.1 In addition to the Invitation for Bids, the bidding documents include:

- (a) Instruction to Bidders;
- (b) General conditions of contract;
- (c) Special conditions of contract;
- (d) Schedule of requirements;
- (e) Technical specifications;
- (f) Bid form and price schedules;
- (g) Bid security form;
- (h) Performance security form.
- (i) Firm Registration/manufacturer license
- (j) Performance statement form.
- (k) Declaration Form
- (l) Check List of the documents uploaded on e-platform as part of the bid

5.2 The bidder is expected to examine all instructions, forms, terms and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the bidders risk and may result in rejection of its bid.

6. Clarification of bidding documents

6.1 A prospective Bidder requiring any clarification of the bidding documents may notify the purchaser in writing at the purchasers mailing address indicated in the Invitation for bids. The purchaser will respond in writing to any request for clarification of the Bidding documents if the same is received in the first week of the tender notice prescribed by the purchaser. Written copies of the purchaser's response (including an explanation of the query but without identifying the source or inquiry) will be sent to all prospective bidders which have received the bidding documents.

7. Amendment of bidding documents

7.1 At any time prior to the deadline for submission of bids, the purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by prospective bidder, modify the bidding documents by amendment.

7.2 The amendment will be notified online.

7.3 In order to afford prospective Bidders reasonable time in which to take the amendment into account in preparing their bid, the purchaser may, at its discretion, extend the deadline for the submission of bids.

C. Preparation of Bids

8. Language of Bid.

- 8.1. The Bid prepared by the Bidder and all correspondence and documents relating to the bid exchanged by the bidder and the purchaser, shall be written in the English language, provided that any printed literature furnished by the Bidder may be written in another language so long as accompanied by an English translation of its pertinent passages in which case, for purposes of interpretation of the bid, the English translation shall govern.

9. Documents comprising the bid

- 9.1 The bid prepared by the bidder shall comprise the following components:

1. Technical Bid:

- (a) A Bid form completed in accordance with clause 10
- (b) Documentary evidence established in accordance with clause 13 that the bidder is eligible to bid and is qualified to perform the contract if its bid is accepted.
- (c) Documentary evidence established in accordance with clause 14 that the goods and ancillary services to be supplied by the Bidder are eligible goods and services confirm to the Bidding Documents; and
- (d) Bid security furnished in accordance with clause 15.

2. The Price Bid completed in accordance with clauses 11 and 12.

10. Bid Form

- 10.1 The Bidder shall complete the bid form provided in the Bidding documents, indicating for the goods to be supplied, brief description of the goods, their country of origin and quantity and other declaration statements.

11. Bid prices.

- 11.1 The Bidder shall indicate on the appropriate price schedule, made available in the e-procurement platform and a model format is also attached to these documents, the unit prices and total bid prices of the goods it proposes to supply under the contract, for each item separately. **The unit prices shall be rounded off to nearest Indian rupee.** The bidder may quote one or more items for which copy of necessary **documents**, wherever necessary have to be produced along with the bid.
- 11.2. Prices indicated on the price schedule shall be entered separately in the following manner:
- (i) The price of the goods, quoted ex-factory, ex-showroom, ex-warehouse, or off-the-shelf, or delivered, as applicable, including all duties and sales and other taxes including transportation, installation, commissioning at site and all incidental charges associated with the contract.

- (ii) Cost of 4 years Comprehensive Maintenance Contract as defined in the Clause 18 of the Special Conditions of the Contract.

11.3 The Bidder's separation of the price components in accordance with para 11.2 above will be solely for the purpose of facilitating the comparison of bids by the purchaser and will not in any way limit the purchaser's right to contract on any of the terms offered.

11.4 Fixed Price. Price quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation except for any changes made by the Statute in respect of local taxes. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected, pursuant to clause 24.

12. Bid currencies.

12.1 Prices shall be quoted in Indian Rupees; Bids quoted other than Indian currency will be rejected.

13. Documents Establishing Bidder's Eligibility and Qualifications.

13.1 Pursuant to clause 9, the bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the contract if its bid is accepted

13.2 The documentary evidence of the Bidder's eligibility to bid shall establish to the purchaser's satisfaction that the bidder, at the time of submission of the bid, is an eligible bidder as defined under clause 2.

13.3 The documentary evidence of the Bidders qualifications to perform the contract if its bid is accepted, shall establish to the purchaser satisfaction;

(a) That, in the case of bidder offering to supply goods under the contract which the bidder is manufacture produce, Firm Registration/manufacturer license that the bidder is manufacturer & also Memorandum of Articles. or otherwise produce, the bidder has been duly authorized (as per authorization form in section XII a).

(b) that, in the case of bidder offering to supply goods under the contract which the bidder did not manufacture or otherwise produce, the bidder has been duly authorized (as per authorization form in section XII b) by the goods manufacturer or producer to supply the goods in India.

(i) the legal status, place of registration and principle place of business of the company or firm or partnership etc.

(ii) Details of experience and past performance of the bidder on specified item offered in the bid within the past three years and details of current contracts in hand and other commitments (suggested proforma given in section XI);

(iii) Copy of the GST Certificate and Details of IT Returns- PAN & TIN copies

(iv) The details in compliance to the Qualification Criteria (Section VI).

13.4 The check list for the details of documents to be submitted is given at Annexure XIV

14. Documents Establishing Goods Eligibility and conformity to bidding documents.

14.1 Pursuant to clause 9 the bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the bidding document of all goods and services which the bidder proposes to supply under the contract.

14.2 The documentary evidence of the goods and services eligibility shall consist and of statement in the price schedule on the country of origin of the goods and services offered which shall be confirmed by a certificate of origin at the time of shipment.

14.3 The documentary evidence of the goods and services conformity to the bidding documents may be in the form of literature, drawings and data, and shall furnish:

(a) A detailed description of the goods essential technical and performance characteristics of the goods.

(b) A clause by clause commentary on the purchaser technical specifications demonstrating the goods and services substantial responsiveness to those specifications or statement of deviations and exceptions of the Technical specifications.

14.4 For purpose of the commentary to be furnished pursuant to clause 14.3 above, the bidder shall note that standards for workmanship, material and goods, and references to brand names or catalogue numbers designated by the purchaser in its technical specifications are intended to be descriptive only and not restrictive. The bidder may substitute alternative standards, brand name and / or catalogue numbers in its bid, provided that it demonstrates to the purchasers satisfaction that the substitutes are substantially equivalent or superior to those designated in the Technical specifications.

15. Bid security

15.1 Pursuant to Clause 9, the Bidder shall furnish, as part of it bid, the Bid security for the amounts specified in the Invitation for Bids (Section -1)

15.2 The bid security is required to protect the purchaser against risk of bidders conduct which would warrant the security forfeiture, pursuant to clause 15.7

15.3 The bid security shall be in Indian Rupees and shall be in online only.

- 15.4 Any bid not secured in accordance with para 15.1 and 15.3 above will be rejected by the purchaser as non-responsive pursuant to clause 24.
- 15.5 Unsuccessful Bidder's bid security will be discharged/ returned as promptly as possible but not later than 30 days after the expiration of the period of bid validity prescribed by the purchaser pursuant to clause 16.
- 15.6 The successful Bidder's bid security will be discharged upon the Bidders executing the contract, pursuant to clause 34 and furnishing the performance security pursuant to clause 35.
- 15.7 The bid security may be forfeited;
- (a) If a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid form; or
 - (b) In case of successful Bidder, if the Bidder fails;
 - (i) to sign the contract in accordance with clause 34; or
 - (ii) to furnish performance security in accordance with clause 35.
 - (c) If the Bidder does not accept the corrected amount the Bid will be rejected, and the Bid security may be forfeited.

16. Period of validity of Bids.

- 16.1 Bids shall remain valid for 90 days after the date of bid opening prescribed by the purchaser pursuant to Clause 19.1. A bid valid for shorter period may be rejected by the purchaser as non-responsive.
- 16.2 In exceptional circumstances, the Purchaser may solicit the Bidders consent to an extension of the period of validity the request and the responses thereto shall be made in writing (or by mail). The bid security provided under clause 15 shall also be suitably extended. A bidder may refuse the request without forfeiting its bid security.

17. Format and signing of Bid.

- 17.1 The bid shall be typed or written in indelible ink and shall be signed by the Bidder or a person or persons duly authorized to bind the bidder to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the bid. All pages of the bid, except for unammended printed literature, shall be initialed by the person or persons signing the bid.

- 17.2 The bid shall contain no interlineations, erasures or overwriting except as necessary to correct errors and made by the bidder in which case such corrections shall be initialed by the person or persons signing the bid.

D. Submission of Bids

18. Sealing and Marking of bids.

- 18.1 The bids shall be uploaded (submitted) electronically, as described in the Invitation for Bids (Section –I). The hard copies of the bids in sealed covers must be received by the Purchaser at the address specified above on or before the due date of submission of bids (Section –I).

- 18.2 The Bids shall be addressed to the purchaser at the following address:

The Managing Director, APMSIDC, 2nd Floor, Plot No:09, survey number: 49, IT Park, Mangalagiri, Guntur District- 522503.

- 18.3 The Bids shall bear the name of the invitation for bids (IFB) and Number and also the words "Do not open before 03.00 P.M Hrs on 01-12-2023". The envelopes shall indicate the name and address of the Bidder to enable the bid to be returned unopened in case it declared "late".

- 18.4 If the envelope is not sealed and marked as required by Para 18.2 and 18.3 above, the purchaser will assume no responsibility for the bids misplacement or premature opening.

19. Deadline, for submission of bids.

- 19.1 The Bids (both electronic and Hard copies) must be received by the purchaser, no later than the time and date specified in the Invitation for Bids (Section I). In the event of the specified date for the submission of Bids being declared a holiday for the purchaser, the Bids will be received up to the appointed time on the next working day.

- 19.2 The purchaser may, at its discretion, extend this deadline for submission of bids by amending the bid documents in accordance with clause 7, in which case all rights and obligations of the purchaser and bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

20. Late Bids.

- 20.1 Any bid received by the purchaser after the deadline for submission of bids prescribed by the purchaser, pursuant to clause 19, will be rejected and/ or returned unopened to the Bidder.

21. Modification and Withdrawal of Bids.

- 21.1 No bid may be modified subsequent to the deadline for submission of bids.

21.2 No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid form. Withdrawal of bid during this interval may result in the Bidders forfeiture of its bid security , pursuant to Clause 15.7

E. Bid Opening and Evaluation

22. Opening of Bids by Purchaser

- 22.1 The Purchaser/or his authorized representative will download the technical bids on **01-12-2023** at 03.01 PM.
- 22.2 The Financial Bids of the Technically responsive bidder would be downloaded subsequently from the e-platform, once the technical evaluation is completed.

23. Clarification of Bids.

- 23.1 To assist in the examination, evaluation and comparison of bids the purchaser may at his discretion, ask the Bidder for clarification of his bid. The request for clarification and the response shall be in writing and no change in price or substance of the bid shall be sought, offered or permitted.

24. Technical Evaluation (Preliminary Examination and Pre-Qualification)

- 24.1 The purchaser will examine the bids to determine whether they are complete, whether required securities have been furnished, whether the documents have been properly signed, and whether the bids are generally in order.
- 24.2 Prior to the financial evaluation, pursuant to clause 26, the purchaser will determine the responsiveness of each bid to the bidding documents. For purposes of these clauses, a responsive bid is one which conforms to all the terms and conditions of the bidding documents without material deviations. The purchaser's determination of bids responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
- 24.3 Further the purchaser will determine to his satisfaction whether the Bidder is qualified to satisfactorily perform the contract. The determination will take into account the Bidder's financial, technical and production capabilities. It will be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder pursuant to clause 13 as well as such other information as the purchaser deems necessary and appropriate.
- 24.4 An affirmative determination will be prerequisite for the opening of the financial bids. A negative determination will result in rejection of the Bidder's bid.
- 24.5 A bid determined as not substantially responsive will be rejected by the purchaser.

24.6 The Purchaser may waive any minor informality or non-conformity or irregularity in a bid which does not constitute a material deviation, provided such a waiver does not prejudice or affect the relative ranking of any bidder.

24.7 Purchaser and/or Authorized representative of purchaser can do inspection of manufacturing site/Assessment of manufacturing capacity.

24.8 In case of any discrepancy in documents submitted by the vendor purchase can ask to produce the original copy of the same

24.9 The Preliminary Evaluations of the bidders are kept available at APMSIDC website <http://msidc.ap.nic.in>

25. Deleted.

26. Evaluation and comparison of Bids.

26.1 The Purchaser will evaluate and compare bids previously determined to be substantially responsive, pursuant to clause 24 for each schedule separately.

26.2 The purchasers evaluation of a bid will take into account; in addition to the bid price (ex-factory/ex-warehouse/off-the-shelf price of the goods offered from within India, such price to include all costs as well as duties and taxes paid or payable on components and raw material incorporated or to be incorporated in the goods, on the finished goods and cost of incidental services required. The following costs to the extent specified:

- a. cost of inland transportation, insurance and other costs within India incidental to the delivery of goods to their final destination;
- b. The comprehensive annual maintenance charges (inclusive of four Preventive Maintenance visits and all distress calls in a year and costs of all spares required during the repairs) for a period mentioned against equipment at section V- (Schedule of requirements) subsequent to free guarantee maintenance period mentioned against equipment at section V- (Schedule of requirements).
- c. the availability in India (Preferably in Andhra Pradesh) of spare parts and after-sales services for the equipment offered in the bid. To this extent the bidders shall give:
 - An undertaking for the uninterrupted supply of adequate spares for at least a period of 7 years shall be furnished.
 - An Undertaking Availability/ establishment of after sales service facility at least in (1) region of Andhra Pradesh to ensure uninterrupted after sales service during warranty period shall be confirmed. The details of service facility available / proposed to be set up shall be furnished with their bid.

27. Deleted

28. Contacting the purchaser.

- 28.1 Subject to clause 23, no Bidder shall contact the purchaser on any matter relating to the bid, from the time of the bid opening to the time, the contract is awarded.
- 28.2 Any effort by a Bidder to influence the Purchaser in the purchaser's bid evaluation, bid comparison or contract award decisions may result in rejection of the Bidders bid.

F. Award of Contract

29. Post - Qualification

Not Applicable

30. Award Criteria

- 30.1 Subject to clause 32, the purchaser will award the contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined as the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the contract satisfactorily.

31. Purchaser's right to vary quantities at Time of Award

- 31.1 The purchaser reserves the right, at the time of award of contract to increase or decrease to any extent of the quantity of goods and services specified in the schedule of requirements without any change in price or other terms and conditions.

32. Purchaser's right to accept any Bid and to reject any or all Bids.

- 32.1 The purchaser reserves the right to accept or reject any bid and to annul the bidding process and reject all bids at any time prior to award of contract, without there by incurring any liabilities to the affected Bidder or Bidders or any obligation to inform the affected Bidder or Bidders of the grounds for the Purchaser's action.

33. Notification of Award.

- 33.1 Prior to the expiry of the period of the bid validity, the purchaser will notify the successful Bidder in writing by registered letter or cable or telex, duly confirming that the bid has been accepted.
- 33.2 The notification of award will constitute the formation of the contract.
- 33.3 Upon the successful Bidder's furnishing of performance security, pursuant to clause 34, the purchaser will promptly notify each unsuccessful Bidder and will discharge their bid security, pursuant to clause 15.

34. Signing of contract

- 34.1. Within 15 days of receipt of the notification of award the successful Bidder shall sign the contract.

35. Performance security

- 35.1 Within 15 days of the receipt of notification of award from the purchaser, the successful Bidder shall furnish the performance security in accordance with the conditions of contract, in the performance security form provided in the Bidding documents or another form acceptable to the purchaser and signs the agreement.
- 35.2 Failure of the successful Bidder to comply with the requirement of clause 34 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the purchaser may make the award to the next lowest evaluated bidder or call for new bids.

36 Fraud and corruption

- 36.1** It is the **purchaser's** policy that requires that the bidders, suppliers and contractors and their subcontractor observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the **purchaser**;

(a) defines, for the purposes of this provision, the terms set forth below as follows:

(i) **“corrupt practice”** is the offering, giving, receiving or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;

(ii) **“fraudulent practice”** is any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;

(iii) **“collusive practice”** is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party;

(iv) **“coercive practice”** is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;

(v) **“obstructive practice”** is

(aa) deliberately destroying, falsifying, altering or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede a investigation into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or

intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
(bb) acts intended to materially impede the exercise of the purchaser's inspection and audit rights provided for under sub-clause 36.2 (d) below.

36.2 The purchaser may, without prejudice to other terms of the bidding:

(a) will reject a proposal for award if it determines that the bidder considered for award has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for the contract in question;

(b) will cancel the contract if the purchaser determines at any time that the bidder, supplier and contractors and their sub contractors engaged in corrupt, fraudulent, collusive, or coercive practices.

(c) will sanction a firm or individual, including declaring ineligible, either indefinitely or for a stated period of time, to be awarded a contract if it at any time determines that the firm has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive or obstructive practices in competing for, or in executing, a contract; and

(d) will have the right to inspect the accounts and records of the bidders, supplier, and contractors and their subcontractors and to have them audited by auditors appointed by the Purchaser.

SECTION - III: GENERAL CONDITIONS OF CONTRACT

TABLE OF CLAUSES

<u>Clause Number</u>	<u>Topic</u>
1.	Definitions
2.	Application
3.	Country of Origin
4.	Standards
5.	Use of contract Documents and Information
6.	Patent Rights
7.	Performance Security
8.	Inspection and Tests
9.	Packing.
10.	Delivery and Documents
11.	Insurance
12.	Transportation
13.	Incidental services
14.	Spare Parts
15.	Warranty
16.	Payment
17.	Prices
18.	Change Orders
19.	Contract Amendments
20.	Assignment
21.	Subcontracts
22.	Delays in suppliers Performance
23.	Liquidated Damages
24.	Termination for Default
25.	Force Majeure
26.	Termination for Insolvency
27.	Termination for convenience
28.	Resolution of Disputes
29.	Governing Languages
30.	Applicable Law.
31.	Notices
32.	Taxes and Duties.

Section III: General Conditions Of Contract

1. Definitions

1.1 In this contract, the following terms shall be interpreted as indicated;

- (a) "The contract" means the agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by references therein.
- (b) "The Contract Price" means the price payable to the supplier under the contract for the full and proper performance of its contractual obligations.
- (c) "The Goods" means all the equipment and / or other materials which the supplier is required to supply to the purchaser under the contract.
- (d) "Services" means services ancillary to the supply of the goods, such as transportation, insurance and any other incidental services, such as installation, commissioning, provision of technical assistance, training and other obligations of the supplier covered under the contract.
- (e) **"An undependable Supplier/s' under contract means any Supplier who do not accept the purchase order or who delays the supply of required quantities beyond the permitted delays with liquidated damages**
- (f) "The Purchaser or Corporation" means the APMSIDC, the purchasing agency
- (g) "The Supplier" means the individual or firm supplying the goods under this contract.
- (h) "The Government" means the Government of Andhra Pradesh or its authorized representatives
- (i) "The Project Site", where applicable means the place or places named in Schedule of Requirements
- (j) "The End-User" means the authorized user of the equipment/the Medical Superintendent/Head of the Department of the concerned specialty.
- (k) "Day" means calendar day
- (l) "Delivery period" means the period applicable up to completion of supply, Installation and testing of the equipment and the training of the staff on the equipment, by the supplier at the Project site and accepted by the Purchaser or its representative

2. Application

- 2.1. These General conditions shall apply to the extent that they are not superseded by provisions in other parts of the contract.

3. Country of Origin: Deleted.

4. Standards

- 4.1 The Goods supplied under this contract shall conform to the standards mentioned in the Technical specifications and when no applicable standard is mentioned the authoritative standard appropriate to the goods country of origin shall be followed and such standard shall be the latest issued by the concerned institution.

5. Use of contract documents and Information

- 5.1 The supplier shall not without the purchaser's prior written consent, disclose the contract or any provision thereof or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the purchaser in connection therewith to any person other than a person employed by the supplier in performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchasers prior written consent make use of any document or information enumerated in para 5.1 except for purposes of performing the contract.
- 5.3 Any document other than the contract itself enumerated in para 5.1 shall remain the property of the purchaser and shall be returned (in all copies) to the purchaser on completion of the suppliers performance under the contract if so required by the purchaser.

6. Patent Rights

- 6.1 The supplier shall indemnify the purchaser against all third party claims of infringement of patent, trademark for industrial design rights arising from use of the goods or any part thereof in India.

7. Performance Security

- 7.1 Within 15 days after the supplier's receipt of notification of award of the contract, the supplier shall furnish performance security to the purchaser for the amount specified in the special conditions of contract.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete its obligations under the contract

7.3 The performance security shall be denominated in Indian Rupees and shall be in one of the following forms:

(a) A bank guarantee [in favour of Managing Director, APMSIDC, Guntur] issued by any scheduled commercial bank located in India acceptable to the purchaser and in the form provided in the Bidding documents or in any other form acceptable to the purchaser: or.

(b) A Banker's cheque or Demand Draft in favour of Managing Director, APMSIDC, Guntur.

7.4 Hundred percent (100%) of the performance security will be discharged by the Purchaser and returned to the supplier not later than 60 days following the date of completion of the supplier's performance obligations, including any warranty obligations.

7.5 Deleted.

8. Inspections and Tests.

8.1 The purchaser or his representatives shall have the right to inspect and / or to test the Goods to confirm their conformity to the contract. The special conditions of contract and / or the Technical specifications shall specify what inspections and tests the purchaser requires and where they are to be conducted. The purchaser shall notify the supplier in writing of the identity of any representatives retained for these purposes.

8.2 The inspections and tests may be conducted in the premises of the supplier or its subcontractor(s) at point of delivery and/or at the goods final destination. Where conducted on the premises of the supplier or its subcontractor(s) all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the purchaser.

8.3 Should any inspected or tested goods fail to conform to the specifications the purchaser may reject them and the supplier shall either replace the rejected goods or make alternatives necessary to meet specifications, requirements free of cost to the purchaser.

8.4 The purchaser's right to inspect test and where necessary reject the goods after the goods arrival at site and shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by the purchaser or its representative prior to the goods shipment from the country of origin.

8.5 Nothing in clause 8 shall in any way release the supplier from any warranty or other obligations under this contract.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration where appropriated the remoteness of the Goods final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements, as shall be provided for in the contract and subject to clause 18 and any subsequent instructions ordered by the purchaser.

10. Delivery and Documents

- 10.1 Delivery of the Goods shall be made by the supplier in accordance with the terms specified by the purchaser in the Notification of Award.

11. Insurance

The goods supplied under the contract shall be fully insured in Indian Rupees against the loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the special conditions of contract.

12. Transportation

- 12.1 The supplier is required to deliver the goods to the destinations specified in the contract and the cost thereof shall be included in the contract price.
- 12.2 The transportation of the Goods after the delivery at the final destination shall be the responsibility of the Purchaser.

13. Incidental services.

- 13.1 The supplier is required to provide the following services, including additional services, if any, specified in SCC:
- (a) Performance of the on-site assembly and start-up of the supplied Goods;
 - (b) Furnishing of tools required for assembly and maintenance of the supplied Goods;
 - (c) Furnishing of detailed operations and maintenance manual for each appropriate unit of supplied Goods;

(d) Performance of maintenance and repair of the supplied Goods, for a period of 7 years, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

(e) Training of the users and maintenance personnel, in operation, maintenance and repair of the supplied Goods.

13.2 Prices charged by the Supplier for incidental services, if not included in the contract price of the Goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

14. Spare Parts:

14.1 As specified in the special conditions of contract, the supplier may be required to provide the following materials and notifications pertaining to spare parts **manufacturer:**

(a) Such of spare parts as the purchaser may select to purchase from the supplier providing that this selection shall not relieve the supplier of any warranty obligations under the contract and

(b) In the event of termination of production of the spare parts;

(i) advance notification to the purchaser of the pending terminating in sufficient time to permit the purchaser to procure needed requirements: and

(ii) Following such termination, furnishing at no cost to the purchaser, the blueprints, drawing and specifications of the spare parts, if and when requested.

15. Warranty

15.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract. The supplier further warrants that the goods supplied under this contract shall have no defect arising from design materials or workmanship (except insofar as the design or material is required by the purchasers specifications) or from any act or omission the supplied goods in conditions obtaining in the country of final destination.

15.2 This warranty shall remain valid for as specified at section V schedule of requirements against each equipment or any portion thereof as the case may be have been delivered at the final destination indicated in the contract, unless specified otherwise in the special conditions of the contract. The warranty period starts from date of commissioning after installation by the firm.

- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the supplier shall, with all reasonable speed, repair or replace the defective goods or parts thereof without cost to the purchaser other than, where applicable, the cost of inland delivery of the repaired or replaced goods or parts from the port of entry to the final destination.
- 15.5 If the supplier, having been notified, fails to remedy the defect (s) within a reasonable period, the purchaser may proceed to take such remedial action as may be necessary, at the suppliers risk and expenses and without prejudices to any other right which the purchaser may have against the supplier under the contract.
- 15.6 Site Visits: The successful tenderer shall visit each User Institution as part of preventive maintenance as per the frequency mentioned **under clause 5.1.3** (section-I of IFB) during the warranty period. The tenderer shall attend any number of break down/repair calls as and when informed by the Tender Inviting Authority/User Institution.
- 15.7 During every visit, a copy of the service report/break down call report, duly signed by the custodian of the equipment/head of the health care institution and stamped shall be forwarded by email/fax/post to the APMSIDC office within 10 days from the due date.
- 15.8 A warranty certificate (as per format in **Annexure III**) duly signed and with proper stamp of the institution concerned and also signed by the authorized signatory with the stamp of the successful tenderer shall be submitted to the Tender Inviting Authority for keeping it under safe custody along with the Installation Certificate. A copy of the original warranty papers has to be given to the institution head concerned.
- 15.9 The tenderer shall submit the activities to be carried out during the preventive maintenance visit as per the format in **Annexure IV**.

16. Payment

- 16.1 The method and conditions of payment to be made to supplier under the contract shall be specified in the special conditions

- 16.2 The Suppliers request (s) for payment shall be made to the purchaser in writing accompanied by an invoice describing as appropriate the goods delivered and the services performed and by shipping document, submitted pursuant to clause 10, and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made promptly by the purchaser within sixty (60) days of submission of the invoices / claims by the supplier duly furnishing the certificate specified in the bid document from the competent authority.
- 16.4 Payment shall be made in Indian Rupees.

17. Prices

- 17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not with the exception of any price adjustments authorized by the special conditions of contract, vary from the prices quoted by the supplier in its bid.

18. Change Orders

- 18.1 The Purchaser may at any time by written orders given to the supplier pursuant to clause 31 , make changes within the general scope of the contract in any one or more of the following;
- (a) drawings, designs or specifications, where goods to be furnishing under the contract are to be specifically manufactured for the purchaser;
 - (b) the method of shipping or packing;
 - (c) the place of delivery; or
 - (d) the services to be provided by the supplier;
- 18.2 If any such changes causes an increase or decrease in the cost of or the time required for the suppliers performance of any part of the work under the contract, whether changed or not changed by the order, an equitable adjustment shall be made in the contract price or delivery schedule or both and the contract shall accordingly be amended. Any claims by the supplier for adjustment under this clause must be asserted within thirty (30) days from the date of the suppliers receipt of the purchasers change order.

19. Contract Amendments

- 19.1 Subject to clause 18, no variation in an modification of the terms of the contract shall be made except by written amendment signed by the parties.

20. Assignment

- 19.2 The supplier shall not assign in whole or in part, its obligations to perform under the contract, except with the purchasers prior written consent.

21. Sub-contracts

21.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under the contract if not already specified in his bid. Such notification, in his original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

22. Delays in the suppliers performance

22.1 Delivery of the goods and performance of the services shall be made by the supplier in accordance with the time schedule specified by the purchaser in its schedule of requirements.

22.2 Any unexcused delay by the supplier in the performance of its delivery obligations shall render the supplier liable for any or all of the following; i.e. forfeiture of its performance security, imposition of liquidation damages and or termination of the contract for default.

22.3 If at any time during the performance of the contract, the supplier or its subcontractor (s) should encounter performance of the services the supplier shall promptly notify the purchaser in writing of the fact of the delay its likely duration and its causes. As soon as practicable after receipt of the suppliers notice, the purchaser shall evaluate the situation and may at its discretion extend the suppliers time for performance, in which case the extension shall be ratified by the parties by amendment of the contract.

23. Liquidated Damages

23.1 Subject to clause 25, if the supplier fails to deliver any or all of the goods within the time period specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price as liquidated damages, an amount as specified in the SCC for the period of delay, until actual delivery or performance, up to a maximum deduction of **10 percent of the total contract value**. Once the maximum is reached, the purchaser may consider termination of the contract.

24. Termination for Default

24.1 The purchaser may, without prejudice to any other remedy for breach of contract by written notice of default sent to the supplier, terminate the contract in whole or part:

- (a) if the supplier fails to deliver any or all of the goods within the time periods specified in the contract or any extension thereof granted by the purchaser pursuant to clause 22; or
- (b) if the supplier fails to perform any other obligations under the contract.

24.2 In the event the purchaser terminates the contract in whole or in part, 24.1 the purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar Goods. However, the supplier shall continue the performance of the contract to the extent not terminated.

25. Force Majeure

25.1 Notwithstanding the provisions of clauses 22,23,24, the supplier shall not be liable for forfeiture of its performance security liquidated damages or termination or default, if and to the extent that, its delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure.

25.2 For purposes of this clause "Force Majeure" means an event beyond the control of the supplier and not involving the suppliers fault or negligence and not foreseeable. Such events may include but are not limited to, acts of the purchaser either in its sovereign or contractual capacity, wars or revolutions, floods, epidemics, quarantine restrictions and freight embargoes.

25.3 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the purchaser in writing the supplier shall continue to perform its obligations under the contract as far as is reasonably practical and shall seek all reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for Insolvency.

26.1 The purchaser may at any time terminate the contract by giving written notice to the supplier, if the supplier becomes bankrupt or otherwise insolvent, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Termination for convenience.

27.1 The purchaser may by written notice sent to the supplier terminate the contract, in whole or in part at any time for its convenience. The notice of termination shall specify that termination is for the purchasers convenience the extent to which performance of work under the contract is terminated and the date upon which such termination becomes effective.

27.2 The goods that are complete and ready for shipment within 30 days after the suppliers receipt for notice of termination shall be purchased by the purchaser and the contract terms and prices. For the remaining goods the purchaser may elect.

- (a) to have completed and delivered at the contract terms and prices; and / or
- (b) to cancel the remainder and pay to the supplier and agreed amount for partially completed goods and for materials and parts previously procured by the supplier.

28. Resolution of Disputes

- 28.1 The purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- 28.2 If after thirty (30) days from the commencement of such informal negotiations the purchaser and the supplier have been unable to resolve amicably contract dispute, either party may require that the dispute be referred for resolution to the formal mechanisms specified in the special conditions of contract. These mechanisms may include but are not limited to conciliation, mediation by third party justification in an agreed national or international forum and / or international arbitration. The mechanism shall be specified in the special conditions of contract.

29. Governing Language

- 29.1 The contract shall be written in English language, as specified by the purchaser in the instructions to bidders. Subject to clause 30, English language version of the contract shall govern

30. Applicable law

- 30.1 The contract shall be interpreted in accordance with the laws of the union of India and the legal jurisdiction is Hyderabad

31. Notices

- 31.1 Any notices given by one party to the other pursuant to the contract shall be sent in writing and confirmed in writing to the address specified for that purpose in the special conditions of the contract. A notice shall be effective when delivered or on the notices effective date, whichever is later.

32. Taxes and duties

- 32.1 The rates quoted by the bidder shall be deemed to be inclusive of the sales and other taxes that the bidder will have to pay for the performance of this contract, at the prevailing rates notified by the Government. The purchaser will perform such duties in regard to the deduction of such taxes at source as per applicable law.

SECTION - IV: SPECIAL CONDITIONS OF CONTRACT

TABLE OF CLAUSES

(The corresponding clause number of the General condition is in parenthesis)

<u>Item. No.</u>	<u>Topic.</u>
2.	Definitions (Clause - 1)
3.	Country of Origin (Clause -3)
4.	Performance security (Clause 7)
5.	Inspection and Tests (Clause 8)
6.	Packing (Clause-9)
7.	Delivery and Documents (Clause 10)
8.	Insurance (Clause 11)
9.	Incidental services (Clauses 13)
10.	Spare Parts (Clause 14)
11.	Warranty (Clause 15)
12.	Payment (Clause 16)
13.	Prices (Clause 17)
14.	sub-contracts (Clause 21)
15.	Liquidated Damages (Clauses 23)
16.	Resolution of Disputes (Clauses 28)
17.	Notices (Clauses 31)
18.	Comprehensive Maintenance Contract
19.	Actions against Misconduct of the Supplier
20.	Progress of Supplies

Section IV: Special Conditions of the Contract

1. The following special conditions of contract shall supplement the general Conditions of contract. Whenever there is conflict, the provisions herein shall prevail over those of the general conditions of contract the corresponding clause number of the general conditions in parentheses.

2. Definitions (Clause I)

(a) The Purchaser is : The Managing Director, APMSIDC,
Mangalagiri,

Guntur.

(b) The Supplier is : -----

3. **Country of origin (Clause 3):** All goods and related services to be supplied under the contract / agreement shall have their origin in India or any other country with which India has not banned trade relations.

4. Performance security (Clause 7)

4.1 Performance security is 5% of the contract value and shall be valid up to 60 days after the date of completion of performance obligations including warrant obligations, as applicable.

4.2 Add clause 7.5 to the GCC as the following:

In the event of any contract amendment, the supplier shall within 7 days of receipt of such amendment furnish the amendment to the performance security rendering the same valid for the duration of the contract, as amended for further period of 60 days thereafter

5. Inspection and Tests (clause 8)

The following inspection procedures and tests are required by the Purchaser:

5.1 The Supplier shall get each equipment inspected by a competent authority in manufacturer's works and also provide a guarantee/warranty certificate that the instrument conforms to all specifications contained in the contract.

5.2 The *Purchaser* or its representative may inspect and/or test any or all the equipment to confirm their conformity to the Contract specifications, prior to dispatch from the manufacturer's premises. Such inspection and clearance will not prejudice the right of the consignee to inspect and test the equipment on receipt at destination.

5.3 However, on arrival of the equipments at destinations, the purchaser or its representative shall have the right to inspect and/or test any or all the equipments to confirm their conformity to the contract.

5.4 If the equipment or its performance is not as per specified conditions, deficiency or replace the equipment (s) to the satisfaction of the purchaser's representative.

6. Packing (Clause 9)

The Supplier will be required to mark separate packages for each consignee on three sides with proper paint/indelible ink, the following: i. Name of the contract, ii. Contract No., iii. Country of origin of Goods, iv. Supplier's Name and v. Packing of list reference number

7. Delivery and Documents (Clause 10)

- (i) Three copies of the Supplier invoice showing Goods description, quantity, unit price, total amount;
- (ii) Railway receipt/acknowledgement of receipt of goods from the Consignee
- (iii) Manufacture's/Supplier's Warranty and Factory Test certificate;
- (iv) Acceptance Certificate issued by the End-User
- (v) Inspection Certificate issued by the nominated inspection agency, as applicable

8. Insurance (Clause 11)

- i) **For delivery of goods at site, the insurance shall be obtained by the Supplier at his cost for an amount equal to 110% of the value of the goods from "warehouse to warehouse" on "All Risks" basis including war Risks and Strike clauses period in the name of consignee authorized by the purchaser i.e. M.D. APMSIDC. The supplier shall also provide insurance coverage against fire and theft in the name of consignee upto end of the warranty period.**
- ii) **To submit a copy of insurance document duly attested by the consignee to APMSIDC along with bills for making payment. Otherwise the bills may not be processed.**

9. Incidental Services (Clause 13)

No additional services are required to be provided over the services already covered under clause 13 of GCC.

10. Spare parts: (Clause 14)

Add as clause 14.2 to the GCC the following:

Supplier shall carry sufficient inventories to assure ex stock supply of consumables spares such as gaskets, plugs, washers, belts etc., other spare parts and components shall be promptly as possible but, in any case, within (3) days of placement of order.

11. Warranty (Clause 15)

- 11.1 In partial modification of the provisions, the warranty period shall be as specified at section V schedule of requirements against each equipment, or any portion thereof, as the case may be, have been delivered at site, installed, commissioned, successfully tested and accepted by the Purchaser or its authorized representative
- 11.2 Substitute Clause 15.4 of the GCC with the following:
- Upon receipt of such notice, the Supplier shall within 3 days, repair or replace the defective goods or parts thereof, free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement.
- 11.3 If the supplier has not done repair/replacement within the time specified above the purchaser will assess the cost of having the repairs/replacements done and the supplier will pay this amount.
- 11.4 Overall an uptime guarantees of 95% shall be maintained out of total usage period of the equipment by the end users during the warranty period
- 11.5 All software updates, if any required, should be provided free of cost during Warranty period.

12 Payment (Clause 16)

- 12.1 Payment for goods and services shall be made in Indian Rupees as follows:
- a) 90% of the contract value of the supply part after necessary deduction will be paid to the supplier on submission of copy of invoice with original Delivery Challan, stock entries as proof of supply to destinations duly certified by the Head of the Institution and RTGS details
 - b) The balance 10% will be paid after three months from the date of installation on submission of performance satisfactory report (Annexure-II), obtained from the Head of the institute or concerned authorities.
 - d) In case any difficulty is experienced by the successful tenderer in obtaining three-month performance certificate from any of the User Institution after the installation of the equipment, the same shall be brought to the notice of the Tender Inviting Authority immediately in writing. In such event(s), if the Tender Inviting Authority is convinced, the reasons are beyond the control of the successful tenderer, the Tender Inviting Authority, in case of supply orders placed by it, shall release payments at its discretion. In such case the letter sent to the Tender Inviting Authority shall be submitted along with the invoices while claiming payment.

- 12.2 If there is a delay in installation of the equipment due to reasons not attributable to the supplier such as non readiness of site, 60% of the supply part of the contract value will be released against supply and a confirmation letter from the consignee / end user, on submission of original delivery challan & Invoice copy.
- 12.3 Cost of Comprehensive Maintenance Contract for each year will be paid, at the end of each year by the Purchaser's representatives/hospital authorities, upon submission of the service reports to the extent of the service delivered as per the contract terms.

13. Prices (Clause 17)

Prices payable to the Supplier as stated in the Contract shall not be subject to adjustment during performance of the Contract.

14 Sub-contracts (Clause 21)

Add at the end of sub-clause 21.1 of the GCC the following. "Sub-contract shall be only for bought-out items and sub-assemblies".

15 Liquidated Damages (Clause 23)

15.1 For delays

Substitute Clause 23.1 of the GCC by the following:

Subject to clause 25 of GCC, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to 0.5 percent of the delivered price of the delayed Goods or unperformed Services for each week of delay or part thereof until actual delivery or performance, up to a maximum deduction of **10% of the total Contract value**. Once the maximum deduction is reached, the Purchaser may consider termination of the Contract.

15.2 For Short fall in Equipment Maintenance services

Any major repair intimated by the *Purchaser or the end-user* shall be rectified by the Supplier from the date of intimation within a period of 3 calendar days and repair the equipment to the satisfaction of the Purchaser or the End User. Failing which the Purchaser has a right to levy a penalty on the Supplier a sum of Rs.10,000/- per day of delay, until the equipment is repaired and brought to the normal working condition to the satisfaction of the Purchaser.

16 Resolution of Disputes (Clause 28)

Add as Clauses 28.3 and 28.4 of the GCC the following:

28.3 The dispute resolution mechanism to be applied pursuant to clause 28 of the General Conditions shall be as follows:

- (a) In the case of dispute or difference arising between the Purchaser and a Domestic Supplier relating to any matter arising out of or connected with this agreement, such dispute or difference shall be referred to the award of two Arbitrators, one Arbitrator to be nominated by the Purchaser and the other to be nominated by the Supplier or in the case of the said Arbitrators not agreeing, then at the award of an Umpire to be appointed by the Arbitrators in writing before proceeding with the reference, and in case the Arbitrators cannot agree to the Umpire, he may be nominated by the Arbitration committee of the Indian Council of Arbitration, India. The award of the Arbitrators, and in the event of their not agreeing, of the Umpire appointed by them or by the Arbitration Council of India, India, shall be final and binding on the parties.
- (b) The Indian Arbitration Act 1996, the rules thereunder and any statutory modification or re-enactments thereof, shall apply to the arbitration proceedings.

28.4 The venue of arbitration shall be the place from where the Contract is issued.

17 Notices (Clause 31)

For the purpose of all notices, the following shall be the address of the purchaser and supplier.

Purchaser: The Managing Director, APMSIDC, 2nd Floor, Plot No:09, survey number: 49, IT Park, Mangalagiri, Guntur District- 522503

Supplier: (To be filled in at the time of Contract Signature)

18 Comprehensive Maintenance Contract (CMC)

- a) The Comprehensive Maintenance Contract includes 4 visits in a year preventive maintenance visits and all the distress calls during the year and also include the probable cost of spares required towards the repairs carried out to bring a not working equipment to its normal working condition, during the year.
- b) The supplier shall under take at least one half-yearly preventive maintenance visit and attend to all the break down calls during the year. The payment for the maintenance services will be made at the end of each half-year, upon submission of necessary service reports signed by the end-users.

19 Actions Against the Misconduct of the Supplier

- 19.1 A Supplier found being supplied similar items with similar tender conditions to any other agency in the country during the validity of the contract with the APMSIDC, at a rate lower than the rate at which they supplied under this tender, the difference amount is liable to be recovered apart from blacklisting the firm for a minimum period of 3 years. The Supplier should furnish undertaking (Annexure-XIII) that they will remit the differential cost, if they quote lower rate than the rate quoted to the APMSIDC to any other agency or department or state, during the period of contract.
- 19.2 Any substandard supplies without meeting the quality specifications made under the contract shall also entail blacklisting of the firm for a minimum period of three years for that particular product.
- 19.3 If the bidder fails to demonstrate on asked to do so, of the products quoted with their bid, without any valid or convincing reason to the satisfaction of the Purchaser, the bids for other items offered against the bid notice will not be considered and he may be debarred for a certain period as decided by the Purchaser.

20 Progress of Supply

Supplier shall intimate progress of supply, in writing, to the Purchaser as under:

- Qty offered for inspection and date;
- Qty. accepted/rejected by inspecting agency and date;
- Qty. dispatched/delivered to consignees and date;
- Qty. where incidental services have been satisfactorily completed with date;
- Quantity where rectification/repair/replacement effected/completed, on receipt of any communication from consignee/Purchaser with date;
- Date of completion of entire Contract including incidental services, if any; and
- Date of receipt of entire payments under the Contract.

SECTION V

SCHEDULE OF REQUIREMENTS AND TECHNICAL SPECIFICATIONS

Sl. No	Item Name	Qty	Warranty (in Years)	CMC (in Years)	EMD (in Rs.)	Average Annual turnover of the Authorized Bidder in the last three years i.e. 2020-21 2021-22 and 2022-23
1	Admin Furniture Items	1	3	-	20,00,000	15,00,00,000

Processing fee: The participating bidders will have to pay tender processing fee (non-refundable) of **Rs. 29,500/-** in the form of online only.

Note: Bidders who are having any pending court cases / legal disputes against the APMSIDC before any court of law / authority, are not eligible to participate in the tender. In this regard If any ambiguity arise, the decision of tender inviting authority (APMSIDC) is final

1. To allow the authorized distributors duly obtaining an agreement/ MOU from the Manufacturer for binding on Post Supply Services i.e. Warranty, CMC, AMC etc., and on agreement executed by the authorized distributor with the Corporation. Further an undertaking from Manufacturer to take responsibility in case of authorized distributor's failure in performing the Contractual Obligations also may be obtained. Proforma will be provided.
2. EMD shall be furnished in the form of Demand Draft/BG/Online drawn in favour of Managing Director, APMSIDC, Guntur.
3. All the bidders are requested to quote the total value of the admin furniture as a single unit (Total items X Total Quantity = Total Value)

Technical Specifications

General Information

1. Bidders are requested to offer the equipment as per the specifications attached.
2. For each item of equipment the bidder should include all the cost associated with fixing, cables, connectors, accessories and ancillary items necessary for the satisfactory operation of that item of equipment. Bidders should make the provisions of starter packs for consumables for demonstration and three months of operation period for the supplied equipment.
3. Spare parts list, listing spare likely to be required for (7) years operations shall be attached with the Bid
4. (i) Bidders are requested to provide, referenced by given equipment code and item name, with their tender offer, the following information for all the items of equipment offered.
 - Name of the Manufacturer
 - Brand Name & Model Number
 - Country of Origin(ii) Catalogue, Pamphlet, descriptive literature, spare parts list and technical specifications for each unit of item must be forwarded with the offer.
5. Operating Environment:

Electrical Supply: The Equipment supplied shall be suitable in all respect for use on the local electricity supply of 200- 270 Volts, 50 Cycles. A suitable stabilizer/CVT to be offered as an optional accessory in case of specific Voltage requirement for the supplied Equipment. Resettable over current breaker shall be fitted for protection wherever applicable.

Humidity: The unit shall be capable of operating continuously in ambient temperature of 30⁰C and relative humidity of around 80%.
7. After Sales Service:

Bidders are requested to confirm in writing in their bid offer the after sales service they would provide, after the expiry of three-year warranty period, for four more years including an estimated cost an annual servicing contract. The maintenance capability of the bidders currently existing in Hyderabad and Andhra Pradesh should also be clearly stated.
8. All items should be of high quality, durable, and suitable for use in a Hospital. The technical specification and standards of each item delivered shall be that currently in use at the time of delivery.

- a) Electrical safety conforms to standards for electrical safety IEC-60601 / IS-13450.
 - b) Radiation safety: Safety aspects of Radiation dosage leakage should be spelt out and all the X-ray related products should comply with AERB Guidelines for radiation leakage.
- 10 a) The Manufacturer, must have necessary quality certifications for both processes and products such as ISO 9001 (Quality Management System for Organization) and ISO 13485 (Quality Management System for Medical Devices).
- b) Full Quality Assurance System Approval certificate Management System Certification for Medical Devices and their equivalent International Standards certificates as BIS/ CE/USFDA etc.
11. If the bidder fails to demonstrate any of the products quoted, the bid for that product would be considered as withdrawn and suitable action will be taken as per the Clause 15 of ITB. i.e., forfeiture of the Bid security and also the bidder may be debarred for a certain period as decided by the Managing Director.

Note:

- 1. The bidder should submit the details of spares which are covered or not covered under warranty.**
- 2. The above items supply to various Govt. Hospitals in Andhra Pradesh**

Admin Furniture		Qty
A-Tables		
1	Category A (M.S. / Dean/Principal / Director)	50
2	Category B (HOD / Professor / Associate Professor / DMS / CMO / MO)	200
3	Category C a (Assistant Professor / Doctors / Sister In Charge / Senior Staff)	500
4	Category C Table	500
5	Category D (Supervisors / Senior technicians / NS / DNS / Assistants / Managers/Tutors)	500
6	MAIN RECEPTION TABLE-700/sqft (as per Required)	50
7	RECEPTION COUNTER 6000X600x750 MM	20
8	BOOK ISSUE COUNTER WITH MSU DRAWER	40
9	Examination Room Table	500
10	Cafeteria / Mess	100
11	Reading hall 4 seater	200
12	Corner tipoy	100
13	Centre tipoy	100
14	Lecture Table	2000
15	Workstations	1000
16	Computer table	1000
Conference Table:		
17	Type-1- with 12 chairs with 1 HIGH BACK	40
	Type-2- with 28 chairs with 1 HIGH BACK	20
18	Podium	50
B-Chairs		
1	Category A main (High back rest Executive Chairs with arm rest for Category 'A')	200
2	Category A visitor (Medium back Visitors Chairs for Category A Principal / M.D./ G.M./ Dir./ Dire. Finance.)	400
3	Category B main (High back rest Executive Chairs with arm rest for Category 'B'/ Conference Room Main Chairs)	200
4	Category B visitor (Medium back Visitors Chairs for Category B H.O.D. / P.A. / Prof.Room)	400
5	Category C main (Medium back rest Chairs with arm rest for Category 'C' /Dept. office./Workstation)	500
6	Category C visitor (Low back Visitors Chairs for Category C Asso.prof.)	1000
7	Category D main (Medium back rest Chairs for Category 'D'/ Pre.tech/ Lab asst. / adm off.staff / Prep room / Record / Security/Reception.)	1000
8	Category D visitor (Low back Visitors Chairs for Category D Asst.prof / Tutor / Tech.)	2000
9	Demo Room Chair	2000
10	Canteen Chair	2000
11	Library Chair	1500

12	3 Seater Metal Chair waiting	3000
13	2 Seater Metal Chair waiting	2000
14	Lab Stool with backrest	3000
C-Storages & lockers		
1	Office Almira	500
2	Office Almira small 4ft	500
3	Glass Door Almira	500
4	Low Height Storage	100
5	Lockers- 4 Door	200
6	Library Stacks	500
7	Slotted Angle Racks (open racks)	2000
8	Periodical Display Rack	200
D-Sofas		
1	Dean Cabin 3 Seater Sofa	50
2	Dean Cabin/Suprin 2 Seater Sofa	50
3	Hod/Asso.Prof/Librarian 3 Seater Sofa	100
4	Hod/Asso.Prof/Librarian 2 Seater Sofa	100
5	2 seater for Faculty Waiting	100
E-Labs		
1	Dissection Table BIG	50
2	Dissection Table Small	50
3	Semi Modular Lab-11000/sqm(200 sqm)	100
4	Modular Lab- 17000/sqm (200sqm)	100
F-Hostel and Guest House		
1	Single Bed Hostel (3x6 ft)	1500
2	Single Bed including guest House(4x6 ft)	50
3	Double Bed	20
4	Study Chair	1500
5	Study table	1500
6	Wardrobe for Hostel Rooms	500
7	Side Table	300
G-Boards		
1	Green Board (Chalk)-8x5 ft	200
2	writing board with marker 4x3 ft	100
3	Notice board with marker 4x3 ft	100
4	Notice board with marker 2x3 ft	100

Technical Specifications

Specifications of Administration Furniture

A Table Category	
1	Category A (M.S. / Dean)
	M.S./DEAN ROOM TABLE: Top is made of 25mm pre-laminated particle board with PVC edge banding with Aluminum Flip up. Size: 2400L x 900D x 750H, Providing 3 draw pedestal unit with single locking facility. Side Runner of Size 1200 L x 400D x 750H 18mm pre-laminated particle board having 2 draws and 2 open able doors with locking facility. 18mm edge binding top.
2	Category B (HOD/Proffesor/Associate Proffessor/DMS/CMO/MO)
	HOD/PROFESSOR/ASSOCIATE PROFESSOR/DMS/CMO/MO TABLE: Top is made of 25mm pre-laminated particle board with PVC edge banding with Aluminum Flip-up. Size : 2100 L x 7500D x 750H, Providing 3 draw pedestal unit with single locking facility.Side Runner of Size 1200L x 400D x 750H 18mm pre-laminated particle board having 2 draws and 2 open able doors with locking facility. 18mm edge binding top.
3	Category C a (Assistant Proffessor/Doctors/Sister in charge/Senior Staff)
	TABLE: Top is made of 25mm pre-laminated particle board with PVC edge banding with Aluminum Flip-up. Size : 1800L x 750D x 750H Meet loop Leg: made-up of MS powder coated straight and slanted. 50 x 50mm square pipe with nylon adjusters. which gives aesthetically appealing sleek look. Leg to L Beam will be made of MS powder coated. horizontal beams below table top will be with 50mm x 25mm rectangular tube CRCA Powder coated. Side Runner of Size 900 L x 400D x 750H 18mm pre-laminated particle board having 2 draws and 2 open able doors with locking facility. 18mm edge binding top.
4	Category C b
	TABLE: Top is made of 25mm pre-laminated particle board with PVC edge banding with Aluminum Flip-up. Size : 1500 L x 750D x 750H Meet loop Leg: made-up of MS powder coated straight and slanted. 50 x 50mm square pipe with nylon adjusters. which gives aesthetically appealing sleek look. Leg to Leg Beam will be made of MS powder coated. horizontal beams below table top will be with 50mm x 25mm rectangular tube CRCA Powder coated. Side Runner of Size 900L x 400D x 750H 18mm pre-laminated particle board having 2 draws and 2 openable doors with locking facility. 18mm edge binding top.
5	Category D (Supervisors/Senior technicians/NS/DNS/assistants/Managers/Tutors)
	STAFF TABLE : 25MM thk. Pre-laminated particle board with 2mm edge banding tape. Bottom - 18mm thk. Gable ends and modesty panel, providing single draw and shutter with locking provision. Size : 1200 x 600 x 750H
6	Reception Table
	Top shall be of Laminate with clean Matt PU finish 18 mm thick , inside radius - 700 mm , outside radius - 1350 mm and depth - 650 mm . Cork shall be 18 mm thick of rubber. Glass shall be Frosted 10 mm thick diamond cut finishing on edges, inside radius shall be - 1202.5 mm ,outside radius - 1402.5 mm and depth - 200 mm

	The Modesty Panel shall be MS Perforated sheet below worksurface: 0.8 mm (thick) x 665 mm (height) x 1345 mm (flat length) .
	Above Work surface: 0.8 mm (thick) x 260 mm (height) x 1345 mm (flat length) . The legs shall be of MS tube 1.6 mm thick diameter 50.8 mm and height 604 mm
7	Reading hall 4 seater
	<p>Providing and placement of reading table. Work surfaces: Worktop shall be made of 25MM thick Pre-laminated Board conforming to IS: 12823. All the edges of work surface shall be provided with machine pressed 2 mm thick PVC flipping glued with hot melt EVA glue. Worktop Size shall be 1200x600. Legs: legs are fabricated from combination of 1.2 mm, 2 mm thickness CRCA (as per IS: 513), 3 mm, 5mm thk HR (as per IS: 2062). Argo Shield welding is used for fabrication.</p> <p>This leg has inclination in one plane; it has a ball socket M8 leveler with bottom translucent cap that allows adjustment up to 50 mm height. Leg has an extrusion cover made of aluminium alloy which can have different colour. Leg modesty: Legs can be offered along with modesty. Leg modesty and its fixing brackets are leg specific. Metal leg modesty should be (1.2 mm thk CRCA IS: 513). The table should have Wire management.</p> <p>The height of the reading table shall be 750mm</p> <p>Modesty may not be considered being the library table, the specification of leg to be read as, legs should be fabricated by MS ERW tube 50mm x 25mm x 1.2mm thick having bottom and upper connecting frame of 40mm x 20mm x 1.2mm thick with base of the MS tube should be fitted with glide plate of 5mm thick HR over a single straight M8 levelers fitted with bottom translucent cap. Support bracket of 3mm thick HR should be welded on top side of the leg for fixing table top.</p>
8	Centre Tipoy
	<p>Providing and placement of centre table with top of 1040mm x 690mm x 40mm. The leg of the table should be made of 850mm x 595mm x 115mm. The material used for dimension (+/-2mm) of 1000mm x 650mm x 450mm. the table is pre-laminated MDF Board, toughened glass. Overall size of the center table shall be read as 1000mm (L) x 650mm (B) x 450mm (H). The table glass shall be 12mm thick minimum and supporting structure shall be as per standard design of manufacturers.</p>
9	Lecture table/Lecturer Gallery 240 seaters
	<p>1. Arc Type Desk & bench 2. Table Size: Length-400mm x Height 750mm till table top 3. Bench Size: Length- 400mm x depth -395mm x Height 450mm 4. Table Top and legs are all made out of 24mm thick finger joint rubber wood board and book shelf and seating made with 18mm thick finger joint rubber wood board and tables eating legs made with of 24mm rubber wood, table top and legs connected with MS 1 inch hidden fittings, with approved PU polish(2 coats of sealer, 1 cpat for top finish glossy or matt as per approval) on outer side and 2 coats of sealer finish on inner surface 5. Back partition-Back partition will be used in passage way of the last bench and to the last bench of the gallery. partition made out of 18mm thick finger joint wood board, with approved PU polish (2 coats of sealer, 1 coat for top finish glossy/matt). Terms and Conditions: The cost of each gallery is including all taxes, transportation charges, loading and unloading charges.</p>
10	Workstations

Providing and placement of Workstations with TABLE TOP: be made of 25mm thick pre-laminated particle board (As per IS: 12823). Bottom of the worktop shall have a backing laminate of minimum 0.6mm thickness. All the edges of work surface shall be provided with machine pressed 2 mm thick PVC Edge band glued with hot melt EVA glue to maintain softness and flexibility, clarity and gloss, barrier properties, low-temperature toughness, and resistance to UV radiation.

The worktop should be supported by a work surface bracket made up of 2.0 mm thick CRCA grade D steel as per IS: 513 -19. Size of the worktop shall be 1200x600mm.

Partition Systems: - Providing and fixing of panel-based System of 50-60 mm thick of 1200mm height. The panel should comprise of vertical and horizontal extrusions of aluminium having material AL96063-T6 and should have average wall thickness of 1.2 mm & powder coated with epoxy-polyester powder with average 50 to 60 micron thickness. Bottom frame for panel should comprise of L- Channels made of 2mm thick CRCA steel (IS:513), formed plates of 3mm thick HR steel (IS:2062) & ERW steel tube of size 35x15x1.6mm in oval cross section (IS:7138) welded together. The same shall have to be bolted to the uprights with suitable screws.

The panel should be supported on legs 120-130mm high fabricated out of MS Tube of section of size between 30 to 40mm of minimum thickness of 1.5mm (IS: 7138 ERW Tube) with the base plate of the MS plate as per tube size over which a Leveller shall be fitted, which allows for adjustment of the height up to 50mm. The top and end trims should be powder coated aluminium slide fitted with the help of end trim connectors. The panel should be supported on legs 120-130mm high fabricated out of MS Tube of section of size between 30 to 40mm of minimum thickness of 1.5mm (IS: 7138 ERW Tube) with the base plate of the MS plate as per tube size over which a Leveller shall be fitted, which allows for adjustment of the height up to 50mm. The top and end trims should be powder coated aluminum slide fitted with the help of end trim connectors.

Aluminum partition is also considered.

All 2 way, 3 way and 4 ways junction to be covered with die cast aluminium caps having material AL96063-T6 and should have average wall thickness of 1.2 mm. Wire

Management: The cables shall come from Ground in a concealed conduit / raceway.

System offered should have provision to provide the switch cut outs on the top tile above the worktop or on the bottom tile of the panel.

BLOCKS : The block for panel's shall comprise of 35-40 mm thick paper honeycomb or any other filler for compressed strength with 3-6mm MDF on each sides and 0.6mm decorative laminate or fabric on both sides. Particle board framing shall be used on outer boundary of these blocks as well as intermediately at certain locations forming conduit for passing cables.

The blocks should be fixed into the supporting frame before fixing of the horizontal and vertical trims which should not be used as structural members. The top panels should be offered in fabric , fabric tackable , metal, white board . Fabric shall be upholstered with zero VOC content glue as per drawing with fabric of approved quality. White board tiles shall be made of 8.0 mm thick particle board conforming to IS: 12823 laminated with 0.6mm thick white glossy high pressure laminate on outer side with 0.6mm backing laminate on inner surface and will be having all its edges with minimum 0.5 mm thick PVC edging. The Panel between 2 adjacent seats shall be made up of 20-30mm thickness.

The product quoted should be BIFMA level 3 certified. PEDESTAL : The Pedestal should be fixed with Screws to the worktop bottom through top stiffeners.

The leg assembly should be fabricated by CO2 welding vertical MS tubes of section

	<p>38mm X 25mm (IS 7138 ERW Tube, 38 mm X 25 mm X 16 bg) inside which leveller holder plates of size 34 X 21 X 5 mm (IS :2062, 5 mm HR) are welded with horizontal bottom channel made of 2.0 mm thick M.S CRCA grade D as per IS 513.</p> <p>The Height of the pedestal should be 600mm without leg assembly and 720 mm including leg assembly.</p> <p>CPU Trolley : Metal CPU trolley to be provided for each user made of 1.0 mm CRCA sheet duly powder coated with 50mm microns having adjustable sides and nylon lockable castors.</p> <p>KEY BOARD TRAY : Metal Powder Coated Key Board Tray to be provided for each user made of 1.0 mm CRCA sheet duly powder coated with 50mm microns with telescopic channels. The product quoted should be BIFMA level 3 certified</p>
11	Dean/HOD/MS Computer Table Assistant
	<p>Contemporary & Modern Style Computer Desk Set-up for Study & Home Office with Storage Space Lx H x D: 1003.3 mm x 749.3 mm x 508 mm (3 ft 3 in x 2 ft 5 in x 1 ft 8 in) With CPU Compartment Built-in Keyboard Tray MDF board or pre-laminated particle board.</p>
12	Conference Table
13	Type-1 with 12 chairs with 1 high Back
	<p>Conference Table (Type-1 wit 12 chairs with 1 High back) WITH 2 POP UP BOXES. Table Top- 25mm thick PLB top with 2mm thick PVC edge binding, Provision for cable Managers. Bottom structure: M.S. Powder Coated section of 50 x 50 x 1.5mm thick section fabricated as per our designs and Levelling screws in the bottom and nylon L- brackets for the table top supports and underneath the table in CRCA metal framing with covers, provisions for internal wiring for electrical and LAN/Telephone below the table top. Size : 2400 x 1200 x 750</p>
16	Type-2 with 28 chairs with 1 high Back
	<p>Conference Table (Type-2 with 28 chairs with 1 High back) WITH 2 POP UP BOXES. Table Top- 25mm thick PLB top with 2mm thick PVC edge binding, Provision for cable Managers. Bottom structure: M.S. Powder Coated section of 50 x 50 x 1.5mm thick section fabricated as per our designs and Levelling screws in the bottom and nylon L- brackets for the table top supports and underneath the table in CRCA metal framing with covers, provisions for internal wiring for electrical and LAN/Telephone below the table top. Size : 5400 x 1200 x 750</p>
17	Type-1 with 45 chairs with 1 high Back
	<p>Conference Table (Type-2 with 45 chairs with 1 High back) WITH 2 POP UP BOXES. Table Top- 25mm thick PLB top with 2mm thick PVC edge binding, Provision for cable Managers. Bottom structure: M.S. Powder Coated section of 50 x 50 x 1.5mm thick section fabricated as per our designs and Leveling screws in the bottom and nylon L- brackets for the table top supports and underneath the table in CRCA metal framing with covers, provisions for internal wiring for electrical and LAN/Telephone below the table top. Size : 5400 x 1200 x 750</p>
18	Podium made Wooden with Rly Way Sun glass
	<p>Podium of size :550 X 550 X 1100 Providing 1 key board tray and shelf 121X50X45 Cms Colour brown MDF wood reading table angled with provision for Audio.</p>
	<u>B Chairs Category</u>

19	Category A main (High back rest Executive Chairs with arm rest for Category 'A') For Principal & MS Chamber
20	Executive Chair: High back revolving chair, lumber support, adjustable arms, Multi locking synchro tilt mechanism chair, gas lift for height elevation, chrome base with nylon castors.
21	Category A visitor (Medium back Visitors Chairs for Category A Principal /MD /GM/Dir. Finance.)
	Staff Chair: Medium back revolving chair, lumber support, adjustable arms, synchro tilt mechanism chair, gaslift for height elevation, nylon base with nylon castors.
22	Category B main (High back rest Executive chairs with arm rest for Category 'B'/ Conference Room Main chairs)
	Executive Chair: High back revolving chair, lumber support, adjustable arms, Multi locking synchro tilt mechanism chair, gas lift for height elevation, chrome base with nylon castors.
23	Category B visitor (Medium back visitors Chairs for Category B H.O.D./P.A./Prof. Room)
	Staff Chair: Medium back revolving chair, lumber support, adjustable arms, synchro tilt mechanism chair, gas lift for height elevation, nylon base with nylon castors.
24	Category C main (Medium back rest Chairs with arm rest for Category 'C' / Dept. office/Workstation)
	Staff Chair: Medium back revolving chair, lumber support, adjustable arms, synchro tilt mechanism chair, gas lift for height elevation, nylon base with nylon castors.
25	Category C main (Low back Visitors chairs for Category C Asso.Prof.
	Seat assembly: the seat assembly should be made up of 1.2 ±0.1cm. Thick hot-pressed plywood upholstered with fabric upholstery covers and moulded polyurethane foam. seat size: 47.0 cm. (w) x 48.0 cm. (d) back assembly: the back assembly. Should be made up of powder coated (oft 40-60 microns)tubular frame of 0 2.54 ±0.03cm. x 0.2±0.016cm.thick.MS ERW tube designed with contoured lumbar support for extra comfort. The back should be made up of upholstered using double layer spacer mesh fabric with high tenacity yarn. Back size: 46.5 cm. (w) x 60.5cm. (h) high resilience (hr) polyurethane foam: the hr polyurethane foam should be molded with density =45+/-2 kg/m ³ and hardness load 16 ± 2 kgf for 25% compression. armrests: the one-piece armrests should be injection mould ed from black co-polymer polypropylene. Tubular frame: the powder coated (dft 40-60.microns) tubular frame should be cantilever type &should made up of ø2.54 ±0.03cm. x 0.2 ±0.016cm thick MS ERW tube. Overall Dimensions of Chair-Seat Height - 46.5cm.Height - 93.5cm.Width & Depth of Chair as measured from pedestal - Width-61.0 cm and Depth-64.5 cm.
26	Dinning room Chairs
	Providing and placement of Dining chair. The seat and back are made of injection moulded high impact strength polypropylene polymer compound with indoor grade UV Resistance. The Powder coated (DFT50+ microns) welled tubular frame is made from 2.22 + 0.03 cm x 0.16+/- 0.0128cm and 3.5+/- 0.03 cmx1.5+/-0.03 cm x 0.16 +/-0.0128cm,M.S.E.R.W.tube.The Shoes are made of high impact strength polypropylene polymer compound with indoor grad UV Resistance and pressed fittedwith tubular frame. The overall size of dinning chair shall be 520mm (B) x 550mm(D) x 840mm total height x 450mm sear height.
27	Canteen

	<p>Canteen Table 8 seater (4+4) with SS(304 IS Grade) Top and SS Stools size shall be 1180 Width mm x 1580 Depth mm x 750 Height mm . Top shall be of Stainless Steel brushed with PLB insert for Durability. Easy to maintain hygiene. The Understructure shall be made of 50.8 mm x 50.8 mm 1.2 mm thick powder coated ERW tubes at base which are welded and fixed to the Top with screws. Tubular stiffeners that are provided between the two vertical frames. The tubes shall be closed with plastic caps. Level adjustment shall be provided to take care of unevenness in floor. There shall be Stainless Steel stools. 300mm dia with folding stools.</p>
28	<p>Library chairs</p> <p>Seasom/Compressed wood 6X4 Feet well finished, laminated study chairs powder coated steel with cushion & fabric. S-Type chairs required.</p>
29 a)	<p>3 Seater Metal Chair</p> <p>3 Seater metal chair Visitors waiting Chair - 3Seater : Providing Visitors waiting chair - 3 seater in MS powder coated perforated sheet model Aster. Providing and supplying 3 seater visitor chair with 2 arms. The seat and back shall be made up of reinforced PU foam with MS perforated sheet. The seat mounted on MS powder coated rectangular cross beam having cross-section area 60mm X 60mm with 2mm thick fitted with polypropylene end caps on both side. The arm and leg shall be made up of pressure die cast aluminium. there shall be leveller shoe provided at the bottom with metal insert. The individual seat size shall be 515±10 mm(W) X 467±10 mm(D), Back size shall be 515±10 mm(W) X 510mm±10 mm(H) from seat, Overall depth shall be 680±10 mm, overall width shall be 1640mm±10 mm and overall height shall be 860±10 mm. Standardize and minimum 3mm supporting rod.</p>
29 (b)	<p>3 Seater Metal Chair with cushion &fabric</p> <p>3 Seater metal chair Visitors waiting Chair - 3Seater : Providing Visitors waiting chair - 3 seater in MS powder coated perforated sheet model Aster. Providing and supplying 3 seater visitor chair with 2 arms. The seat and back shall be made up of reinforced PU foam with MS perforated sheet. The seat mounted on MS powder coated rectangular cross beam having cross-section area 60mm X 60mm with 2mm thick fitted with polypropylene end caps on both side. The arm and leg shall be made up of pressure die cast aluminium. there shall be leveller shoe provided at the bottom with metal insert. The individual seat size shall be 515±10 mm(W) X 467±10 mm(D), Back size shall be 515±10 mm(W) X 510mm±10 mm(H) from seat, Overall depth shall be 680±10 mm, overall width shall be 1640mm±10 mm and overall height shall be 860±10 mm. Standardize and minimum 3mm supporting rod.</p>
30	<p>2 seater Metal Chair</p> <p>1) SEAT SHELL : The seat shell should be a welded assembly of seat, back and side frame. The seat and back should be made of 0.12±0.013cm thick CR steel sheet with oblong perforations. They should be welded to side frame of size 3.2±0.05cm x 0.5 ± 0.05 cm thick HR steel. The welded assembly should be powder coated (DFT 40-60 microns). The seat has a front water fall edge to provide polio teal clearance for comfortable seating. It also has a buttock support curve that not only provides rear support but also prevents small children from falling through the gap between seat and back. Clean and flat surfaces of seat and back aids in easy maintenance. SEAT SIZE : 47.8 cm (W) x 44.6 cm (D) BACK SIZE : 41.6 cm (W) x 23.0 cm (H)</p>

	<p>2) UNDERSTRUCTURE ASSEMBLY: Under structure assembly cons-should be ts of connecting beam and leg assembly made of M.S. E.R.W. oblong tube of size 7.5±0.03cm x 2.5±0.03cm x 0.2±0.016cm thick. The welded structure assembly should be powder coated (DFT 40-60 microns).The leg assembly should be fitted with shoes and levelers in Nylon. The leg structure should be designed with minimal should be a of contact close to ground providing easy access for cleaning purposes. The shoes fitted to leg assembly help in aligning the structure for back to back arrangements. Levelers take should be of uneven flooring. Connecting beam should be fitted with snap locking end cap. It also aids in side-by-side understructure alignment.</p> <p>3) ARM REST ASSEMBLY: Armrest assembly should be of armrest frame and armrest pad . The armrest frame should be made up of size 3.175±0.05cm x 0.47±0.027cm thick HR steel and it should be powder coated (DFT 40-60 microns). Armrest pad should be injection molded in Nylon and should be fitted onto the armrest frame.</p> <p>Overall Dimensions of Chair Seat Height - 44.1 cm. Height - 78.5 cm. Width & Depth of Chair as - Width-114.5cm and Depth-63.8 cm. Standardize and minimum 3mm supporting rod.</p>
	C- Storages & lockers
32	Office Almarahs
	<p>Product Size: 915 mm (W) x 486mm (D) x 1981* mm (H)Height Construction & Material § Welded construction. 1.2 mm thickness CRCA for Shelf &1.4 mm thickness CRCA for all other components. Locking 2 way locking mechanism with shooting bolt. Handle : Chrome plated brass handle Shelving: Height wise Adjustable Shelves 4 Nos. Uniformly Distributed Load Capacity per full shelf is 80 Kg maximum Leveler M10 Screw type leveler with hex plastic base. (add 10mm to unit height and additional 10mm for adjustment.) Finish Epoxy Polyester Powder coated to the thickness of 50 microns (+/-10)</p>
33	Glass Door Almirah
	<p>Product Size: 915 mm (W) x 486mm (D) x 1981* mm (H)Height Construction & Material § Welded construction. 1.2 mm thk CRCA for Shelf &1.4 mm thk CRCA for all other components. Door Glasses fitted to full height steel frame. Locking 2 way locking mechanism with shooting bolt. Handle : Chrome plated brass handle Shelving: Height wise Adjustable Shelves 4 Nos. Uniformly Distributed Load Capacity per full shelf is 80 Kg maximum Leveler M10 Screw type leveler with hex plastic base. (add 10mm to unit height and additional 10mm for adjustment.) Finish Epoxy Polyester Powder coated to the thickness of 50 microns (+/-10)</p>
34	Low Height Storage
	<p>Width 90cms, depth 45 Cms. Height 65 Cms. 18mm thick pre-laminated particle board for durability and strength. Shells made up of 12mm thickness and back made of 9mm thickness with two door cabinet with lock and Key facility.</p>
35	Lockers- 4 door
	Dimension of single cabinet 900mm Hx300mm Wx 380mm D Thickness 1.2 -1.4mm. Modular change locker made up of stainless steel to be manufactured as per site

	Should be provided with standard locker of each compartment
36	Library Stacks
	<p>Providing and placement of library Book rack with Overall Dimensions shall be 900mm(W)x590mm(D)x1890mm(H). Rigid Knockdown construction .</p> <p>Back panel up to the bottom of third rack for additional rigidity . Racks, Back panel & Skirting : CRCA 1.4 mm thickness .</p> <p>Side panels : 25 mm thick pre laminated particle board (PLB) with laminate on both sides . Stack ability shall have add-on units width wise to form a bank of racks having common side panel .Bottom plus four fixed racks plus 10 storage levels.</p> <p>Each rack is provided with stiffener at bottom for strength . Uniformly distributed load capacity per each full shelf is 80 Kg maximum .</p> <p>Rack back stiffener shall be there at the rear side of the racks back stiffener s are provided . These are to support books on the rear side . Label Holder on each main unit to insert labels for identification . Finish shall be Epoxy polyester powder coated to the thickness of 50 microns</p> <p>The overall construction of the library book rack shall be combination of i.e CRCA powder coated frame work and pre-laminated particle board with 10mm Front glass books visibility, so as to provide sturdiness as well as esthetic look number of shelves shall be 04 making total compartments to 5. colour scheme shall be as approved by the furniture purchase committee.</p>
37	Journal/Magazine Racks
	<p>Providing and placement of Magazine Rack with Overall Dimensions of Rack shall be 900mm(W)x450mm(D)x1830mm(H).</p> <p>Rigid Knockdown construction ,Panels shall be made from CRCA 1.2 mm thick and front frame shall be made from CRCA 1.2 mm thick . CRCA D grade as per IS 513 . There shall be 5 level racks , Display tray shall be suitable for fullscape size magazines, periodicals, aesthetically appealing metal tray at an angle for easy viewing . Receding facility to access the storage behind . Sliding on plastic rollers . Behind storage shelving each of 5 level has a behind storage shelf . Uniformly Distributed Load capacity per each shelf is 40 kg . Leveller shall be screw type with hex plastic base and finish shall be epoxy polyester powder coated to the thickness of 50 microns .</p>
38	Journal Racks
	<p>Overall Dimensions of All Steel Periodical Display Rack shall be 900mm(W)x450mm(D)x1830mm(H).</p> <p>Rigid Knockdown construction, Panels shall be made from CRCA 0.6 mm thick and front frame shall be made from CRCA 0.8 mm thick. CRCA D grade as per IS513. There shall be 5 level racks , Display tray shall be suitable for full scape size magazines, periodicals, aesthetically appealing metal tray at an angle for easy viewing Receding facility to access the storage behind.</p> <p>Sliding on plastic rollers.</p> <p>Behind storage shelving each of 5 level has a behind storage shelf . Uniformly Distributed Load capacity per each shelf is 40 kg.</p> <p>Leveler shall be screw type with hex plastic base and finish shall be epoxy polyester powder coated to the thickness of 50 microns.</p>
	D SOFAS
39	Dean Cabin 3-Seater sofa
	<p>Providing and placement of 3 Seater Sofa with Overall size of 183cm(W) 83cm(D) 86.5cm(H) 46cm(SH)</p> <p>Upholstery Material : Fabric Shade :Thickness : 1 mm. Breaking Load (N) : Warp 1327</p>

	<p>Weft 1228, Elongation at break (%) : Warp 27.5 Weft 34.6 Colour Fastness to Rubbing (Dry/Wet) (scale 1-5) : Dry = 4 Wet = 4. Frame :</p> <p>Material : Combination of plywood and pine Wood, Plywood thickness : 12 mm (moisture resistance and termite free) Pinewood cross section (without knots)-22x64 mm- 34x64 mm-16x35 mm Moisture content : 10 -12 %. Foam: Seat : Material : Slab stock foam. Density : Base 28 kg/m³ and super soft 32 kg/m³ at top. Back : Material : Slab stock foam Density : Super soft 32 kg/m³ with a layer of siliconized conjugated polyester fibre of 200 gsm Webbing. S spring of dia. 3.8 mm mounted on seat structure using plastic spring mounting clip. Legs : PVC</p>
40	<p>Dean Cabin Seater 2 sofa</p> <p>Providing and placement of 2 seater sofa with Size 144cm(W) 83cm(D) 86.5cm(H) 46cm(SH) Upholstery Material : Fabric Shade : Thickness : 1 mm. Breaking Load (N) : Warp 1327 Weft 1228, Elongation at break (%) : Warp 27.5 Weft 34.6 Colour Fastness to Rubbing (Dry/Wet) (scale 1-5) : Dry = 4 Wet = 4. Frame :</p> <p>Material : Combination of plywood and pine Wood, Plywood thickness : 12 mm (moisture resistance and termite free) Pinewood cross section (without knots)-22x64 mm-34x64 mm-16x35 mm Moisture content : 10 -12 %. Foam: Seat : Material : Slab stock foam. Density : Base 28 kg/m³ and super soft 32 kg/m³ at top. Back : Material : Slab stock foam Density : Super soft 32 kg/m³ with a layer of siliconized conjugated polyester fibre of 200 gsm Webbing. S spring of dia. 3.8 mm mounted on seat structure using plastic spring mounting clip. Legs : PVC</p>
43	<p>2 Seater for Faculty waiting</p> <p>Providing and placement of 2 seater Visitor benches.</p> <p>1) Seat shell : the seat shell should be a welded assembly of seat, back and side frame. the seat and back should be made of 0.12±0.013cm thk chromium steel sheet with oblong perforations. They should be welded to side frame of size 3.2±0.05cm x 0.5 ± 0.05 cm thk hr steel. The welded assembly should be powder coated (dft 40-60 microns). The seat has a front water fall edge to provide popliteal clearance for comfortable seating. it also has a buttock support curve that not only provides rear support but also prevents small children from falling through the gap between seat and back. clean and flat surfaces of seat and back aids in easy maintenance.</p> <p>* seat size: 47.8 cm (w) x 44.6 cm (d)</p> <p>* back size : 41.6 cm (w) x 23.0 cm (h).</p> <p>2) Under structure assembly: under structure assembly cons should be ts of connecting beam and leg assembly made of m.s.e.r.w. oblong tube of size 7.5±0.03cm x 2.5±0.03cm x 0.2±0.016cm thk. The welded structure assembly should be powder coated (dft 40-60 microns). the leg assembly should be fitted with shoes and levellers in nylon. the leg structure should be designed with minimal should be a of contact close to ground providing easy access for cleaning purposes. the shoes fitted to leg assembly help in aligning the structure for back to back arrangements. levellers take should be of uneven flooring. Connecting beam should be fitted with snap locking end cap let also aids in side-by-side under structure alignment.</p> <p>3) Arm rest assembly: armrest assembly cons should be ts of armrest frame and armrest pad .the armrest frame should be made up of size 3.175±0.05cm x 0.47±0.027cm thk hr steel and it should be powder coated (dft 40-60 microns). armrest pad should be injection moulded in nylon and should be fitted onto the armrest frame.</p>
	E-LABS TABLES
44	Dissection Table Big 74LX30WX36H
45	Dissection Table Small 48LX30WX36H

	<p>Material Stainless Steel 304 IS Grade Shape RECTANGULAR Capacity 1 BODY Automation Type Semi-Automatic Color Grey Minimum Order Quantity 5 Piece Strong Stainless Steel tubular Frame Work. Top is covered with SS Sheet, with Centre Slope In cross Form. Provision of Drainage Hole connected with Waste water outlet Pipe. Provision of Drainage Hole connected with Waste water outlet Pipe. Provision of SS Bucket and Sliding Tray Mounted on Rubber Stumps Size: - 48"L x 30"W x 36" H.</p>
46	Semi Modular Lab-11000/sqm (200sqm)
47	Modular Lab
	Modular lab tables of size x 215m long x 1.2m width with sink provision for water with gas, electrical points
	<ol style="list-style-type: none"> 1. 16mm thickness solid lab-grade phenol resin. 2. 19mm thickness epoxy resin. 3. 20mm thickness ceramics. 4. 25mm thickness stainless steel 5. 16mm thickness compact. 6. 25mm thickness plywood. 7. 12mm thickness tempered glass. 8. Running length * 750 *850 /900mm (custom-made) 9. Heavy gauge formed 1.2mm cold-rolled and welded steel cabinet body, 10. coated with epoxy resin powder, anti-corrosive 11. With open multi-angles quality hinges, with three knob sliding rail, no noise. 12. Sound-absorbing material applied to door and drawers 13. Full length adjustable shelf is for maximum storage. 14. 304 Stainless steel handles. 15. aluminum alloy long handle 16. aluminum alloy embedded handle 17. with adjustable stainless-steel feet covered with rubber 18. Brass body with ceramic valve core coated with epoxy resin powder. 19. PP sink; ceramic sink; epoxy resin sink. 20.. Multi-functional with splash-proof box and safeguard cover 21. British style sockets with cover 22. Layers are made of 12mm thickness tempered glass and can be adjustable according to different
	F-BEDS
48	Single Bed 6 x3 with mattress and pillow
	<p>Overall Size: Length - 2060.0 mm Width - 1131.0 mm Height - 945.0 mm Material: Bed Structure shall consist of metal frames made of M.S. Channels in 1.0 mm Thickness. Horizontal plinths and bottom plinth should be made up of 25 mm Thick Pre-laminated Particle Board. Head board should be made up of 18 mm thick Pre-laminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Tail board should be made up of 18 mm thick Pre-laminated Particle board with imported H.D.F. foil wrapped decorative trims fixed to it. Side rail should be made up of 18 mm thick Pre-</p>

	<p>laminated Particle board with imported H.D.F. foil wrapped decorative trims fixed on to it. Mattress panels of Bed should be made up of 18 mm thick Pre-laminated Particle Board with all the exposed edges are edge banded with 0.8 mm thick PVC edge banding. Construction: Knock Down construction. Packets: 1 Bed in 1 packets. Finish: 18 mm thick Pre-laminated Particle Board is in Walnut shade. Metal frames are powder coated in shade Mat Black to the thickness of 50 microns(+/-2%).</p> <p>Both the options viz. MDF Board membrane pressed/ MDF board with superior quality laminated having thickness minimum 1mm are acceptable. Colour scheme shall be as approved by the furniture purchase committee.</p> <p><u>Mattresses Thickness:</u> 10cm , Tulip is made of a breathable coir base with a cushioning foam layer on top for increased comfort</p> <p><u>Pillow Size (in cm) :</u> 40 x 60FEATURES-Open cell structure that reacts to body heat and weight by moulding to the sleeper's body</p> <ul style="list-style-type: none"> • Organic Cotton Fabric for extra comfort • Anti-fungal & Anti-allergic • Excellent neck support • Outstanding elasticity • Durable
50	Study Chair
	<p>Providing and placement of Study chair with seat/back assembly: the seat and back should be made up of 1.2 ±0.1cm. thick hot-pressed plywood and upholstered with fabric and moulded polyurethane foam with pvc lipping all around. The back foam should be designed with contoured lumbar support for extra comfort. back size 49.0 cm. (w) x 47.0 cm. (h) seat size 49.0 cm. (w) x 44.0 cm.(d) high resilience (hr) polyurethane foam: the hr polyurethane foam should be moulded with density = 45 ±2 kg/m³ and hardness load 16 ± 2 kgf for 25% compression. tubular frame: the tubular frame should be cantilever type & made of ø2.54 ±0.03cm. x 0.2 ±0.016cm.thk. m.s.e.r.w. tube and black powder coated (dft 40-60 microns).</p>
51	Study Table
	<p>Studyable size 3 x 2 , Table size 8 x 3</p> <p>Providing and placement of table with Overall size of 1200mm X 600mm. Work Surface Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC clipping. Grommet provided on work surface for wire management. Modesty Panel Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC clipping. Under-structure Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC clipping. Hinge Door Storage Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade confirming to IS-12823:1990, Edge banded with matching 2 mm thick PVC clipping. Handle is provided for ease of opening. Storage is provided with cam lock for security.</p>
52	Wardrobe for Hostel Rooms
	<ul style="list-style-type: none"> • Doors: Material: 18 mm thick MDF panels Lacquer: PU • Body: Material: 18 mm thick pre-laminated particle board with 2 mm thick PVC edge banding Lamination: MIP • Construction: Knock Down • Shade: Door: Standard - Graphite Grey (Matte) Ecu (Gloss) • MTO – Shell wine red (Gloss) - Misty Rose (Gloss) • Royal Purple (Matte)- Mystery Grey (Matte)

	<ul style="list-style-type: none"> • Body: Sonama Oak and Cinnamon • The overall size of wardrobe shall be 900mm (B) x 580mm (D) x 2100 (H). The wardrobe shall have 02 doors. Colour scheme shall be as approved by the furniture purchase committee.
53	Side Table
	<p>Overall Size: length: 45cm Width: 45cm Height: 51.7cm. Material: top panel and drawer fronts are of 18mm thick membrane pressed MDF. Body and drawer panels should be made up of 18mm thick pre-laminated particle board. Back and drawer bottom made of 9mm thick pre-laminated particle board.</p> <p>All exposed edges are edge banded with 2mm thick PVC edge banding. Hardware: The high-quality hardware used like roller slides, mini fix, dowels is of make Hettich.</p> <p>Construction: Knock down construction. Finish: Membrane pressed MDF of drawer front and top panel are with backing laminate of cherry Tennessee and Vermont 45309 membrane shade. 18mm & 9mm thick pre-laminated particle board is in E1 grade shade Both the option viz. MDF board membrane pressed/ MDF board with superior quality laminated having thickness minimum 1mm are acceptable. Colour scheme shall be as approved by the furniture purchase committee.</p>
54	Green chalk board size 3m x 1.2m
55	Students chairs with writing pad
	<p>Stainless Steel Writing Chair</p> <p>2. Model Number Stainless Steel Frame Writing Chair, PP Back and Seat, Red & Black</p> <p>3. Model Name Stainless Steel Frame Writing Chair, PP Back and Seat, Red & Black</p> <p>4. Style Contemporary & Modern</p> <p>5. Suitable for Kids Room, Study & Home Office</p> <p>6. Frame Material Sub type Stainless Steel</p> <p>7. Upholstery Material Fabric 8. Upholstery Included Yes</p> <p>9. Upholstery Type Cushion 10. Chair Features Armrest</p> <p>11. Finish Type Stainless Steel Finish 12. Armrest</p> <p>13. Frame Material: Engineered Wood 14. Upholstery Type: Cushion</p> <p>15. DIY - Basic assembly to be done with simple tools by the customer comes with instructions. Certificates: ISO9001, Notified CE/BIS</p>

Note:-

1. The bidder should submit the details of spares which are covered or not covered under warranty.
2. The bidder should also submit the detailed price list for all spares.
3. Purchase order will be issue minimum qty 1 no or more and to be supplied to all Govt. Hospitals in Andhra Pradesh for a period of 2 years.
4. All the bidders should quote each individual prices in attached document will be given provision to upload the document after reverse auction.

SECTION – VI

PRE - QUALIFICATION CRITERIA

(Referred to in clause 13.3 of ITB)

I. Terms of Qualification for Equipment:

The Authorized Distributor or manufacturer should have supplied similar equipment as specified in the schedule of requirements to any Indian Institutions, up to the following quantity in any one of the last three financial years and completed the supplies within the stipulated delivery period. The Supplied units should be in working condition without any adverse remarks for the last two years as on the date of bid notification.

- (a). at least equal of the quantity offered or 25, whichever is lowest, if the tender quantity is ≤ 49 (or)
 - (b). at least 50% of the quantity offered or 70, whichever is lowest, if the tender quantity is between 50 and 199
 - (c). at least 35% of the quantity offered or 125, whichever is lowest, if the tender quantity is between 200 and 499
 - (d). at least 25% of the quantity offered, if the tender quantity is > 500
- The bidder should furnish the information on past supplies and satisfactory performance in the proforma given under Section XI- Format B1, duly attested by the Bid signatory
 - **Performance statement along with required PO copies and its corresponding end user's satisfactory performance certificate Section XI. The documentary proof will be a certificate from the consignee/end user with cross-reference of order no. and date in the certificate along with a notarized certification authenticating the correctness of the information furnished.**
 - Bidders shall invariably furnish documentary evidence (End-user Certificate) in support of the satisfactory operation of the equipment as specified or a CA/Statutory auditor Certificate to that extent as per the format provided in the Section XI- Format B2
 - The Bidder shall have an Avg. annual turnover in the last three financial years of not less than the amount specified against each item in the Schedule of the Requirements and also to have a positive net worth as per the latest Annual Accounts.
 - Towards the above, the bidder should furnish data as per the Format (B3) given in Section- XI, to support that he has the financial capacity to perform the contract. Further the bidder as to submit the corresponding Balance Sheets and Profit and Loss Accounts for verification

- a) The Manufacturer, must have necessary quality certifications for both processes and products such as ISO 9001 (Quality Management System for Organization)
- b) Full Quality Assurance System Approval certificate Management System Certification for Medical Devices and their equivalent International Standards certificates as BIS/CE/USFDA etc.

II. Terms of Disqualification:

1. The Bidders who has withdrawn their bids in any of the previous tenders of APMSIDC
2. A bidder who is placed on the black-list by either APMSIDC or by any other State /Central government's department or organization for the product offered with his bid in the last 3 years
3. A bidder who is placed on the black-list by either APMSIDC or by any other State / Central government's department or organization in the last 3 years
4. A bidder who is currently blacklisted / debarred either by APMSIDC or by any State Government or Central Government Department or Organization
5. The bidder who has been declared as 'undependable supplier' for two (2) items or in two (2) instances in the last one year by the APMSIDC and
6. The bidders against whom there have been reports of substandard Equipment and/or service are liable for disqualification.
7. **In past performance documents related to Trading will not be considered**

Note: In all the above cases, the disqualification cut-off date will be till the contract is signed

- III. Not with standing anything stated above, the purchaser reserves the right to assess the Bidders capabilities and capacity to perform the contract should circumstances warrant such an assessment in the overall interest of the purchaser deciding on award.

SECTION – VII (A): BID FORM

(Name and Address of Purchaser)

Date _____

To
The Managing Director,
APMSIDC, Mangalagiri, Guntur.

Contract No. _____

Gentlemen:

Having examined the Bidding Documents including Addenda No. _____ the receipt of which is hereby duly acknowledged, we, the under-signed, offer to supply and deliver _____ (Description of Goods and Services) in conformity with the said Bidding Documents for the sum as given in the Price Bid (electronically) or such other sums as may be ascertained in accordance with the schedule of prices furnished and made part of this bid.

We undertake, if our bid is accepted, to commence delivery within 60 (Number) days and to complete delivery of all the items and perform incidental services as specified in the contract within 60 (Number) days calculated from the date of receipt of your Notification of Award/Letter of credit.

If our bid is accepted we will obtain the guarantee of a bank in a sum not exceeding 5% of the Contract price for the due performance of the Contract

We agree to abide by this bid for a period of 90 (Number) days from the date fixed for bid opening under Clause 22 of the Instruction to Bidders and shall remain binding upon us and may be accepted at any time before the expiration of that period.

We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in India like "The Prevention of Corruption Act 1988"

Until a formal contract is prepared and executed, this bid, together with your written acceptance thereof and your notification of award shall constitute a binding contract between us.

We understand that you are not bound to accept the lowest or any bid you may receive.

Dated this _____ day of _____

Signature: _____

(in the Capacity of) : _____

Duly Authorized to sign bid for and on behalf of

Section VII (B) - Model PRICE Schedules (available on e-procurement Platform)

The screenshot displays a web interface for an e-procurement platform. At the top, it shows the browser address: <https://tender.apemrovement.gov.in/ViewItemFormatX.html#>. The page is divided into several sections:

- Current Tender Details:** Tender ID: 1230, Tender Category: PRODUCTS, Tender Type: OPEN, Tender Opening Date: 17/05/2016 05:15 PM. ITR Number / Tender Notice Number: 2.1/APMSIDC/2016-17, Date: 07.05.2016, Tender Evaluation Type: New Item, Estimated Contract Value: 0, Bid Submission Closing Date: 01/06/2016 05:15 PM.
- Schedule Details:** Schedule Name: Miscellaneous, Schedule Description: Different items.
- Item Details:** Item Code: Surg001, Item Name: GRAM STAINING KIT, Item Description: As per tender document, Item Specification: As per tender document.
- Add / Bid Cost Component Details:** A table with columns: ID, Component Name, Type, and Percentage / Amount. It lists various cost components from B001 to B010, each with a dropdown menu for selection.
- Remarks:** A text area for additional notes.
- Summary Table:** A table with columns: Total KIT Quantity, Offered Quantity (A), Brand/Make/Model, Basic price Unit (INR) (B), Basic price Unit(s) Words, Total Cost Component Unit (INR) (C), and Landed Price Per Unit (B+C).

SECTION – VIII
Bid Security Form

To

The Managing Director
APMSIDC, Mangalagiri, Guntur.

Whereas _____
(hereinafter called "the Bidder" has submitted its bid dated _____ for
the supply of _____ (hereinafter called
"the Bid")

KNOW ALL MEN by these presents that WE
_____ of
_____ having our registered office at
_____ (hereinafter called the Bank") are bound unto
_____ (hereinafter called "the purchaser") in the sum of _____ for
which payment will and truly to be made to the said purchaser, the Bank binds
itself, its successors and assigns by these presents. Sealed with the common Seal
of the said Bank this _____ day of _____.

THE CONDITIONS of this obligation are:

If the Bidder withdraws its Bid during the period of bid validity specified by the
Bidder on the Bid form; or

If the Bidder, having been notified of the acceptance of its bid by the Purchaser
during the
period of bid validity:

- Fails or refuses to execute the contract form if required
- Fails or refuses to furnish the performance security, in accordance with
the Instruction to Bidders
- Does not accept the correction of the bid price pursuant to Clause
15.7(c).

We undertake to pay the purchaser up to the above amount upon receipt of its first
written demand, without the purchaser having to substantiate its demand, provided
that in its demand the purchaser will note that the amount claimed by it is due to
owing to the occurrence of one or both of the two conditions, specifying the
occurred condition or conditions.

This guarantee will remain in force up to and including 45 days after the period of the bid validity, and any demand in respect thereof should reach the Bank not later than the above date i.e., upto _____.

.....(Signature of the Bank)

SECTION – IX : CONTRACT FORM

THIS AGREEMENT made the _____ day of _____
between _____ (Name of Purchaser) of
_____ (Country of Purchaser) (hereinafter "the
Purchaser") of _____ (Name of the Supplier) of
_____ (City and Country of Supplier) (hereinafter "the
Supplier") of the other part.

WHEREAS the Purchaser is desirous that certain Goods and ancillary services should be provided by the supplier, viz, _____ (Brief description of Goods and Services) and has accepted a bid by the supply of Goods and services in the sum of _____ (Contract price in Words and Figures) (hereinafter "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the conditions of Contract referred to;
2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) The Technical and Price bid of the Supplier
 - (b) The approved Technical Specifications,
 - (c) The General Conditions of Contract,
 - (d) The Special Conditions of Contract, and
 - (e) The Purchaser's Notification of Award.
3. In consideration of the payments to be made by the purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provision of the Contract.
4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
5. Brief particulars of goods and services which shall be supplied/provided by the Supplier are as under.

SL NO.	BRIEF DESCRIPTION TO GOODS & SERVICES	QUANTITY TO BE SUPPLIED	UNIT PRICE	DELIVERY TERMS

TOTAL VALUE:

DELIVERY SCHEDULE:

IN WITNESS whereof the parties here to have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed and Delivered by the

Said _____ (For the Purchaser)

in the presence of _____

Signed, sealed and Delivered by the

Said _____ (For the supplier)

In the presence of _____

SECTION- X: PERFORMANCE SECURITY FORM

To

The Managing Director
APMSIDC,
Mangalagiri, Guntur.

WHEREAS _____ (Name of the Supplier) hereinafter called "the Supplier" has undertaken, in pursuance of Contract No. _____ dated _____ to supply _____ (Description of Goods and Services) hereinafter called "the Contract".

AND WHEREAS it has been stipulated by you in the said contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the Supplier a Guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to you, on behalf of the Supplier, up to a total of _____ (Amount of the Guarantee in Words and Figures) and we under take to pay you, upon your first written demand declaring the Supplier to be in default under the Contract and without cavil or argument, any sum or sums within the limit of _____ (Amount of Guarantee) as aforesaid, without your needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This guarantee is valid until the _____ day of _____.

Signature and seal of Guarantors

Date _____

Address _____

SECTION XI

FORMAT B1: PROFORMA FOR PERFORMANCE (for a period of last three years)

(Please see Section VI: Qualification Criteria)

Bid No. _____ Date of Opening _____ Time _____
Hours

Name of the Firm

Order placed by _____ - (Full address of Purchaser)	Order No	Date	Description of Item	Quantity of ordered Items.	Value of order	Date of completion of delivery		Remarks indicating reasons for late delivery, if any	Has the Supplier received full payment towards the supplies made
						Purchase terms	Actual		
1	2	3	4	5	6	7	8	9	10

Signature and seal of the Bid Signatory

SECTION XI

FORMAT B2

CA (STATUTORY AUDITOR) CERTIFICATE

(Please see Section VI: Qualification Criteria)

Certificate from the Statutory Auditor

This is to certify that (name of the Bidder) is a “**Manufacturer/Authorized Distributor**” of the required items offered under the Bid. The Bidder had supplied the quantities shown in the past performance statement and also completed the respective supplies within the stipulated delivery period/s.

Further it is certified that the previously supplied equipment are reported to be in working condition without any adverse remarks from the respective users and some are working for more than two year as per the records as on the date of this Tender notification.

The bidder has previous experience in maintenance and repairs of equipment for _____ years and has qualified service staff working with him”.

Name of Authorized Signatory(CA):

Designation:

Name of firm:

(Signature of the Authorized Signatory)

Seal of the Firm

SECTION XI

B3- FINANCIAL CAPACITY OF THE MANUFACTURER

A. Details of Annual Turnover for Preceding 3 Years.

	Year 1 (2020-21)	Year 2 (2021-22)	Year 3 (2022-23)	Average Annual Turnover
Turn Over (In Rs. Crores)				

B. Details of Net Worth

	Year1 (Last Financial Year i.e. as on 31 st March 2023)
Paid up Capital (Rs. Cr)	
(Add) Free Reserves (Rs. Cr)	
Total Net Worth (Rs. Cr)	
<hr/> (Signature of Bid Signatory) Seal of the Firm	
Certificate from the Statutory Auditor	
This is to certify that(name of the Bidder) has an average annual turnover (in the last three financial years) and Net Worth (in the last financial year) as shown above	
Name of Authorized Signatory(CA):	
Designation:	
Name of firm:	
(Signature of the Authorized Signatory) Seal of the Firm	

SECTION XI

B3-A FINANCIAL CAPACITY OF THE DISTRIBUTOR

A. Details of Annual Turnover for Preceding 3 Years.

	Year 1 (2020-21)	Year 2 (2021-22)	Year 3 (2022-23)	Average Annual Turnover
Turn Over (In Rs. Crores)				

B. Details of Net Worth

	Year1 (Last Financial Year i.e. as on 31 st March 2023)
Paid up Capital (Rs. Cr)	
(Add) Free Reserves (Rs. Cr)	
Total Net Worth (Rs. Cr)	
 <hr/> (Signature of Bid Signatory) Seal of the Firm	
Certificate from the Statutory Auditor	
This is to certify that(name of the Bidder) has an average annual turnover (in the last three financial years) and Net Worth (in the last financial year) as shown above	
Name of Authorized Signatory(CA):	
Designation:	
Name of firm:	
(Signature of the Authorized Signatory) Seal of the Firm	

SECTION – XII -A

(Please see Clause 13.3(a) of Instructions to Bidders)
(to be submitted by manufacturers)

MANUFACTURER'S AUTHORIZATION FORM

No. _____ dated _____

To
The Managing Director
APMSIDC, Mangalagiri, Guntur.
Dear Sir,

Tender Notice No. _____

We _____ who are established and reputable manufacturers of _____ having factories at _____ and _____ do hereby authorize M/s. _____ (Name and address of Agents) to bid, negotiate and conclude the contract with you against Tender Notice No. _____ for the above goods manufactured by us.

No company or firm or individual other than M/s. _____ are authorized to bid, negotiate and conclude the contract in regard to this business against this specific Tender Notice.

We hereby declare that we are willing to provide guarantee/warranty and after sales service during the period of comprehensive warranty/CMC/AMC as per the above tender.

We also hereby declare that we have the capacity to manufacture and supply, install and commission the quantity of the equipments tendered within the stipulated time.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract and read with the Clause 10 of Special Conditions of Contract, for the Goods offered for supply against this invitation for bid by the above firm.

Yours faithfully,

(Name) for and on behalf of M/s.

(Name of manufacturers)

Note: This letter of authority is on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer.

SECTION – XII -B

(Please see Clause 13.3(a) of Instructions to Bidders)
(to be submitted by Authorized Distributors)

MANUFACTURER'S AUTHORIZATION FORM

No. _____ dated _____

To
The Managing Director
APMSIDC, Mangalagiri, Guntur.
Dear Sir,

Tender Notice No. _____

We _____ who are established and reputable manufacturers of _____ having factories at _____ and _____ do hereby authorize M/s. _____ (Name and address of Agents) to bid, negotiate and conclude the contract with you against Tender Notice No. _____ for the above goods manufactured by us.

No company or firm or individual other than M/s. _____ are authorized to bid, negotiate and conclude the contract in regard to this business against this specific Tender Notice.

We also hereby undertake to provide full guarantee/warranty/CMC/AMC as agreed by the tenderer in the event the tenderer is changed as the dealers or the tenderer fails to provide satisfactory after sales and service during such period of comprehensive warranty/CMC/AMC and to supply all the spares/reagents during the said period.

We also hereby declare that we have the capacity to manufacture and supply, install and commission the quantity of the equipments tendered within the stipulated time.

We hereby extend our full guarantee and warranty as per Clause 15 of the General Conditions of Contract and read with the Clause 10 of Special Conditions of Contract, for the Goods offered for supply against this invitation for bid by the above firm.

Yours faithfully,
(Name) for and on behalf of M/s.

(Name of manufacturers)

Note: This letter of authority is on the letterhead of the manufacturing concern and should be signed by a person competent and having the power of attorney to bind the manufacturer.

SECTION - XIII

DECLARATION FORM

I / We having Our
..... office at read and
understood the terms and conditions contained in the bidding documents under this
notification for bid and offer our bids unconditional, to the extent not stated at any
other part of our bid.

We will not quote or supply the equipment/furniture similar to the ones
offered under this bid notification to any agency or organization in the country, at
the rate lower than the rate quoted in this present tender.

If we found quoting lower rate than the rate quoted to the APMSIDC, to any
other agency in the country during the validity of the present contract, we will remit
the differential cost to the APMSIDC, unconditionally.

Signature :

Date :

Name of the
Firm and address :

SECTION XIV

Check List of Documents to be Uploaded as part of the Bid and Notes to Bidders

I. Documents with the Technical Bid

Sl. No	Document Description	Documents to be submitted
1	Process Fee 29,500/-	Offline
2	EMD	Online & Offline
3	Bid Form Section VII-A	Online & Offline
4	List of items offered with Make and Model details without prices	Online & Offline
5	Manufacturers Authorization	Online & Offline
6	Past Performance Details Format B1 along with supporting documents	Online & Offline
7	End-User Certificates or CA Certificate as per Format B2	Online & Offline
8	Financial Capability Details Format B3 for Manufacturer	Online & Offline
9	Financial Capability Details Format B3-A Distributor	Online & Offline
10	Details and proof of After-Sales Service facilities	Online & Offline
11	Letter of authorization to sign the bids	Online & Offline
12	Clause-by-clause commentary on technical specifications	Online & Offline
13	Technical and Commercial deviations statements	Online & Offline
14	Copy of the GST Certificate and Details of IT Returns- (Last 3 years), PAN and GST copies.	Online & Offline
15	The Manufacturer, must have necessary quality certifications for both processes and products such as ISO 9001 (Quality Management System for Organization)	Online & Offline
16	Full Quality Assurance System Approval Certificate Management System Certification for Medical Devices and their equivalent International Standards certificates (BIS/CE/USFDA/AERB etc)	Online & Offline
17	Memorandum of Articles	Online & Offline
18	All the uploaded Technical bid, to be attested by a Gazette Officer or properly notarized or self attested	Online & Offline
19	General Information about the tenderer	Online & Offline
20	Declaration form	Online & Offline

Sl. No	Document Description	Documents to be submitted
21	DPIIT Approval, if required	

II. Financial (Price) Bid in the format available with the e-procurement platform

- Please note that the Bidder runs the risk of his bid being rejected if the price schedule contains any conditions.

Notes to Bidders

1. Upload the documents in ZIP format with suitable description as defined above.
2. The scanned documents shall be legible failing which they will not be considered.
3. Sign on all statements, documents, certificates uploaded owning responsibility for their correctness / authenticity.
4. All the statements copies of the certificates, documents etc., enclosed to the Technical bid shall be given page numbers on the right corner of each certificate
5. The tenderer is subjected to be blacklisted and the EMD forfeited if he is found to have mislead or furnished false information in the forms / statements / certificates submitted in proof of qualification requirements or record of performance (Please see Corrupt and Fraudulent Practices Clause)
6. All the Bidders are requested to quote with single option only, for the each item offered and please note that bids with multiple options, for any one or all of the items offered, will be rejected by the purchaser as Non-responsive.

(On Firm letter Head)

Annexure - I

ANDHRA PRADESH MEDICAL SERVICES CORPORATION LTD

INSTALLATION CERTIFICATE

(to be filled jointly by the Tenderer, head of user institution &
Representative of the Tender Inviting Authority
individually for every equipment)

HOSP CODE/ Hospital Name:				
Equipment Details				
EQPT CODE/ Name of the equipment:		Purchase Order No:		
Make / Manufacturer		Purchase Order Date:		
Model		Purchase Amount		
Serial no.		Project Name		
Location / Department				
Installation Start Date		Completed Date.		
Comprehensive Warranty Start Date		Comprehensive Warranty End Date:		
Preventive Maintenance Schedule (Specify Year & Month)				
YEAR	Visit 1	Visit 2	Visit 3	Visit 4
Contact Details				
SUP.CODE / Name of the Supplier				
Name of Service Engineer		Mobile No.		
Service Centre Manager's name		Mobile No.		
Service center address				
Accessories supplied				
Sl. No.	Item	Qty.	Serial No.	Remarks
To be filled by Institution				
Whether the sticker affixed on all the key components of the equipment or on a conspicuous place in the installed room/storage area?				YES / NO (tick one)
Whether a digital Photograph of the installed equipment taken after affixing the sticker in the presence of the hospital personnel?				YES / NO
Whether the Demonstration of the equipment with accessories on the				YES / NO

technical specification/key features was conducted to the satisfaction at the time of installation?			
Whether training was conducted to the satisfaction at the time of installation?		YES / NO	
Short supply items, if any			
Remarks of hospital authorities			
Recommend to release payment YES <input type="checkbox"/> NO <input type="checkbox"/>		The equipment is working satisfactorily YES <input type="checkbox"/> NO <input type="checkbox"/>	
The equipment was installed and handed over on <i>(Installation date to be filled in by the Head of the institution or by the end user)</i>			
Name of Service Engr.		Sign.	
Name of End User & Department Mobile No.		Sign.	
Name of Bio Medical Engr. & Organization		Sign.	
Signature of the Superintendent. Mobile No.		Sign. & Seal	
Date: Seal of supplier:	Date: Hospital Seal:		

Note: The installation report shall be submitted in a single sheet printed back to back and shall be submitted individually for each equipment installed.

On Consignee letter Head

Dt: _____

**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)**

THREE MONTHS PERFORMANCE CERTIFICATE

(to be filled by the head of user institution individually for every equipment)

HOSP CODE / Hospital Name:				
SUP.CODE / Name of the Supplier				
Equipment Details				
EQPT CODE /Name of the equipment:		Purchase Order No:		
Make / Manufacturer		Purchase Order Date:		
Model		Purchase Amount		
Serial no.		Project Name		
Date of Installation		Location / Department		
Whether Equipment working satisfactorily without any problem for one month?			YES <input type="checkbox"/>	NO <input type="checkbox"/>
If No, provide details of equipment failure in the first month <i>(attach additional details if any in a separate sheet)</i>				
BREAK DOWN DETAILS				
Break down Reported Date	Attended date	Rectified date	Attended by	Details of beak down / service
Present status of the equipment		Working satisfactorily <input type="checkbox"/> Not working satisfactorily <input type="checkbox"/>		
Recommended to settle the final payment			YES <input type="checkbox"/>	NO <input type="checkbox"/>
Recommend for trial run for one more month			YES <input type="checkbox"/>	NO <input type="checkbox"/>
Performance of accessories supplied				
Further Training		Required <input type="checkbox"/> Not required <input type="checkbox"/>		
Remarks of hospital authorities				
Three month performance certificate was issued on <i>(date to be filed in by the Head of the institution or by the end user)</i>				
Name of End User & Department			Sign.	
Signature of the Superintendent.			Sign. & Seal	
Date: Seal of supplier:			Date: Hospital Seal :	

**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)**

WARRANTY CERTIFICATE

*(to be filed jointly by the Tenderer, head of user institution
& Representative of the Tender Inviting Authority
individually for every equipment)*

Date:

APMSIDC Supply order No:dated.....

The equipment (*Equipment Name*)

Model No..... bearing serial no

was installed successfully at (*Institution*

Name) is offered with a comprehensive warranty for a period of..... Years

starting from to including all the

following accessories;

Sl. No	Name of the accessory	Manufacturer's name	Equipment Serial No.	Qty

Name of the Supplier: Signature: Seal:	Name of the Supdt. / End User: Signature: Seal:
--	---

**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)****PREVENTIVE MAINTENANCE CHECK LIST****Equipment Name.**

Sl. No.	Activities carried out during Preventive Maintenance visit	Visit 1	Visit 2	Visit 3	Visit 4
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					

Annexure-V

**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)**

CALIBRATION CHECK LIST

Equipment Name

Model.

Sl. No.	Parameters to be calibrated	Frequency of calibration required
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		

Annexure-VI

**ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE
DEVELOPMENT CORPORATION (APMSIDC)**

List of Spare Part

Equipment Name :

Make:

Model

Sl. No.	Spare name	Cost (inclusive of all charges)
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		

Signature :

Date :

Name of the
Firm and address :

Annexure-VII

ANDHRA PRADESH MEDICAL SERVICES & INFRASTRUCTURE DEVELOPMENT CORPORATION (APMSIDC)

GENERAL INFORMATION ABOUT THE TENDERER

Name of the Tenderer

Registered
address of the
firm

State:

District

Telephone. No.

Fax. No.

Email.

3	Address			
	State		District	
	Telephone No.		Fax	
	Email		Website	

Type of Firm (Please relevant box)

4	Private Ltd.	<input type="checkbox"/>	Public Ltd.	<input type="checkbox"/>	Proprietorship	<input type="checkbox"/>
	Partnership	<input type="checkbox"/>	Society	<input type="checkbox"/>	Others, specify	<input type="checkbox"/>
	Registration No. & Date of Registration.					
	Nature of Bussiness (-lease <input type="checkbox"/> relevant box)		
5	Original Equipment Manufacturer	<input type="checkbox"/>	Authorized Dealer /Representative	<input type="checkbox"/>		
	Direct Importer	<input type="checkbox"/>	Others, specify.	<input type="checkbox"/>		

Annexure-VIII

SERVICE CENTRE DETAILS

TOLL FREE NUMBER, IF ANY			
Sl. No	Name and address of the service center (s)	Contact Details	
1		Telephone No:	
		Fax No:	
		Email ID.	
		Name of the Service Engr.	
		Mobile No.	
2		Telephone No:	
		Fax No:	
		Email ID.	
		Name of the Service Engr.	
		Mobile No.	
3		Telephone No:	
		Fax No:	
		Email ID.	
		Name of the Service Engr.	
		Mobile No.	